



# Industrial Gloves

## Product Range 2024



[www.polycohealthline.com](http://www.polycohealthline.com)

# WHO ARE WE

Polyco Healthline combines the 85 years' expertise of two leading businesses, who provide protection and hygiene products and services in the workplace and home.

Our wide range of quality products, including reusable and disposable gloves, workwear and bags, is trusted and used by multiple sectors throughout UK.

From our state-of-the-art warehouse and laboratory testing facility in Lincolnshire, our expert teams drive research & development and maintain logistics and customer service levels to ensure just-in-time supply.

Designing, sourcing, licensing and selling products, we optimise every step across the global supply chain. We innovate in partnership with commercially-minded businesses to overcome their biggest challenges to ensure a more compliant and safer environment.

Together, we will ensure we stay Safe and Clean.

# WHAT WE OFFER



Logistics



Sourcing  
Products



Licensing



Routes  
to Market



Research &  
Development



H&S  
Expertise

# WHERE WE DO IT



Construction



Automotive



Household



Healthcare



Food Industry



Waste  
Management



Oil & Gas



Nuclear



Renewables



Petrochemical



Chemical



Major  
Infrastructure  
Projects



Retail




Life Sciences

# Our Mission

Polyco Healthline provides knowledge, innovation and customer solutions in the protection and hygiene sector

Designing, sourcing and selling across the value chain to ensure a clean and safer environment.



**WE ARE  
THE KNOWLEDGE  
AND INNOVATION**

**BEHIND PROTECTION  
AND HYGIENE**



**WE ALL DAY  
ARE THERE EVERYDAY** DELIVERING  
YOU PROTECTION  
PRODUCTIVITY  
AND COMFORT



**CONNECTING  
MAKERS AND  
MARKETS**

**USERS & DISTRIBUTORS  
PRODUCTS & PEOPLE**

## CONTACT US

For any advice on our products, including how best to sell them, our specialist team is on hand:

t: call your Account manager 033 3320 8550

e: [customer.services@polycohealthline.com](mailto:customer.services@polycohealthline.com)

e: [technical@polycohealthline.com](mailto:technical@polycohealthline.com)

w: [www.polycohealthline.com](http://www.polycohealthline.com)

## SCAN ME



## PRODUCT ENQUIRY FORM

Alternatively, you can fill in a quick product enquiry form and our team of specialists will get back to you shortly



## An Extensive Range of Products All Under One Roof

From gloves to bags, PPE to paper, pulp to cotton – the breadth and quality of our product range is hard to find anywhere else.

And by constantly innovating new hygiene and protection solutions, Polyco Healthline is leading the way in glove dispensing technology and new safety solutions.

With so many products now available, you can cut down on the number of suppliers and trust us to deliver more of your inventory, through our robust logistics network.

## By consolidating your purchasing with Polyco Healthline, you will benefit from:

- ✓ Access to technical product experts who will listen to your commercial challenges and build a protection solution tailored to you.
- ✓ Fastidious quality control enhanced by our in-house UK laboratory and our Far Eastern QA team. Together they ensure end-to-end standards compliance.
- ✓ Quantifiable resource and time savings by reducing the number of suppliers you deal with each week.
- ✓ Deeper relationships with a dedicated account expert and your very own customer service 'buddy' who understands your business.
- ✓ Quality products sourced from manufacturing partners with the most reliable production track records.







## Operational Excellence

Consistent and reliable supply means everything to you. So, we'll always aim for a speedy 48 to 72-hour turnaround on your order.

But sometimes supply chain complexities present problems beyond our control. It's at these times that your business relies on proactive account management, regular updates and the highest levels of accountability.

If you need support, you can speak to one of our friendly customer service agents. Partnered with your account manager, they will inform you of your order status and, if necessary, provide daily back order updates. Beyond their own extensive product knowledge, our agents also have an open communication channel to our industry experts who can offer more technical advice.

In short, we are there when you need us.



## Expert Eye

If you need specialist advice, wouldn't it be great to easily contact an expert in their field?

We thought so.

Now you can access the knowledge your customers or workforce need, and ultimately make your world and that of your customers, safer and cleaner.

We've assigned ten experts from within the Polyco Healthline family to be there for you. Product developers, compliance gurus and sector specialists – together their expertise is unrivalled.

Read more and find their contact details on our website:

[polycohealthline.com/about-us-the-expert-eye](https://polycohealthline.com/about-us-the-expert-eye)



## Technical Excellence

It's rare for providers to offer a state-of-the-art laboratory and testing facility as part of their service. Polyco Healthline does, and it underpins our product development and your customers' health and safety.

In our laboratory, we work alongside some of the freshest minds in the UK and abroad – from universities to research bodies. We test out new ideas based on customer insight, learn what works best and then apply our learning to multiply our products' benefits.

Our laboratory can perform testing to streamline product development and aid with benchmarking – saving time and money.





## Health & Safety Training and Audits

We're passionate about Health and Safety. And we love to share our knowledge to help you do your job.

Our training and audits are the best ways to up-skill, learn more about protecting against risks and get insight into which products are right for your customers. Our training includes:

### 1. Toolbox Talks

PPE only protects when your workers wear it. To encourage staff to do just that our expert sales team is always happy to help.

Our low-key, engaging and informative 20-minute talks are a great way to explain PPE to your workforce. Teaching anything from cut resistance to infection control, our sales team are flexible. And they can host anything from a 'bells-and-whistles' presentation in the break room to an informative demo on the factory floor.

### 2. Hand Protection Assessment Survey

As part of our value-added service, our audit helps you decide which products will best safeguard the end user employees and support health & safety objectives. Using our detailed reporting process, our glove-industry experts will assess your risks, identify potential savings and advise on injury claims avoidance. At the end, you'll receive a sample of recommended products to trial.





## Our programme

#phAMBITION is Polyco Healthline's new sustainability programme. It aims to build upon our sustainability successes so far and set new targets and goals whilst unlocking the power of change. Our programme is aimed at addressing the social and environmental challenges of the next decade with commitments to improve the lives and wellbeing of our people with the smallest environmental footprint.

We have considered the United Nations Sustainable Development Goals (SDGs) against our value chain to better understand risks and opportunities and drive positive change. That is why our strategy is focused on addressing key sustainability impacts and opportunities throughout our value chain.

We are focusing on the importance of a holistic approach to sustainability development and improving wellbeing.

phAMBITION is Polyco Healthline's journey towards a sustainable future which supports a healthy, thriving world and promotes well-being for us all, for generations to come.

This is a fundamental transformation of what we do, to create growth and shared value whilst keeping sustainability at our core.

We have structured our ambitions into '5 R's'. These will form the cornerstone of our sustainability programme.

### RETHINK:




**WE PLEDGE TO ENCOURAGE WELLBEING, SUPPORT ECONOMIC INDEPENDENCE AND INSPIRE THE INDIVIDUAL DEVELOPMENT TO NURTURE AN ENVIRONMENT THAT ENABLES AND EMPOWERS CHALLENGE OF THE NORMS TO CREATE POSITIVE AND SUSTAINABLE CHANGE**

### REDUCE:



**WE PLEDGE TO MONITOR AND STRIVE TOWARDS CONTINUALLY REDUCING OUR CARBON FOOTPRINT BY LOWERING OR OFFSETTING GREENHOUSE GAS EMISSIONS PRODUCED BY COMPANY ACTIVITIES. WE AIM TO HALVE OUR CARBON FOOTPRINT AND WORK TOWARDS NET ZERO**



You can find more information on our website:  
[www.polycohealthline.com/sustainability](http://www.polycohealthline.com/sustainability)



**RESTORE:**

**WE PLEDGE TO RESTORE AND PROTECT VULNERABLE NATURAL HABITATS IN PARTNERSHIP WITH CONSERVATION AND WILDLIFE CHARITIES THROUGH ACTIONS SUCH AS CHARITABLE DONATIONS, SPONSORSHIPS, COLLABORATIONS AND EMPLOYEE VOLUNTEERING**

**RESTORE****RECYCLE****RECYCLE:**

**WE PLEDGE TO ELIMINATE UNNECESSARY PLASTIC AND INCORPORATE RECYCLED OR RECYCLABLE PACKAGING MATERIALS ACROSS OUR PRODUCT RANGE**

**RESEARCH****RESEARCH:**

**WE PLEDGE TO OFFER MORE SUSTAINABLE END OF LIFE SOLUTIONS FOR OUR PRODUCTS**

## What are we doing about it at a corporate level?

**Polyco Healthline** is united in our approach to environmental sustainability.

For us, the challenge of sustainable transformation is balancing the need to keep our business in motion while making changes to reach our sustainability ambitions.

We understand the tough realities of our sector and that becoming sustainable doesn't happen overnight. It takes many smaller steps, sometimes challenging and some into the unknown, to really take sustainability to the next level and beyond. We are committed to building for a more sustainable future - together with internal and external stakeholders.

Our first step has been to identify the areas where we need to make the most changes to reduce our carbon footprint. Zero waste to landfill, say 'no' to unnecessary plastics and maximising energy efficiency stems from this.

On a site level, our Bourne distribution centres use 670m<sup>2</sup> of clear roof panelling optimising daylight and motion sensor energy efficient LED lighting to reduce energy usage.

We produce renewable energy on site with solar panels and are certified to ISO 14001 the environmental management system standard.

Every pallet we use is recycled through recovery and repair, and all cardboard and plastic waste on site is collected and recycled where possible.

Our car parks are fitted with charging points, and our company car fleet is being electrified.

**WATCH ME**

**Our 2030 agenda** represents a fundamental shift in thinking, recognising the interconnected imperative of a prosperous business, a thriving society, and a healthy environment.



As category leaders, we are committed to providing the best hand protection and finding cost-effective solutions for our customers. Our ultimate goal is to drive innovation through insight and offer the highest quality that enable you to work better, faster and safer.

	Page number
General Handling	9-33
Cut Resistant	35-52
Chemical Resistant	53-67
Electrical Handling	68-71
Vibration Reducing	72-73
Hot Handling	74-79
Cold Handling	80-84

# General Handling Gloves


General handling gloves provide cost effective and dependable hand protection for labourers who undertake a range of different tasks; from handling heavy machinery or abrasive materials, to transporting heavy goods.

More than 17% of all workplace accidents involve injury to the hands or fingers, therefore a well-chosen, well-fitting glove is key to providing the best protection for your employee. Our market leading range of hand protection includes a range of products certified under RCS for those who are passionate about the environment, alongside our premium and cost-effective selection.



# Polyflex® Eco Air

18gg general handling glove made in part from recycled nylon



## Features

- Recycled Nylon Lining:** The first glove in the Polyflex Eco family to be made from recycled nylon. Doubling down on our efforts to manufacture products from recycled sources where possible. 89% of the liner is made from recycled nylon, which equates to 70% of the total glove weight.
- 18 Gauge Recycled Lining:** The 18 gauge yarn ensures the glove is as dexterous as possible, with a 'second skin' feel. The recycled nylon is specifically chosen for its strength to ensure that users are protected.
- Abrasion Resistant:** Achieves an excellent abrasion score as defined by European Standard EN388
- Environmental:** Packed without the use of plastic; reducing the overall weight of packaging
- Primary Coating Polymer:** Polyurethane
- Fit:** Soft seamless knitted liner provides superior comfort for this level of protection
- Tactile touch sensitive fingertips** enable the wearer to use touch screen machinery or touch screen devices with precision and without the need to remove the glove

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Code	PER
Colour	Blue/Black
Sizes	6-11

## Packing

10 pairs per bundle band / 60 pairs per case





# Polyflex® Eco N

Seamless knitted liner made in part from recycled plastics, with a foamed nitrile coating 



## Features

**Environmentally Conscious:** Each glove contains a minimum of 22% recycled material (rPET)

**Unmatched comfort:** Polyflex® Eco N sets a new standard for comfort and dexterity in the industry

**Durable:** Achieves maximum score for abrasion as defined in EN388:20016 helping to reduce waste created by premature discarding from early wear and tear

**Tactile touch sensitive fingertips** enable the wearer to use touch screen machinery or touch screen devices with precision and without the need to remove the glove

**Widest range of sizing:** Polyflex® Eco N is available from size 5 through to size 12 to ensure wearers of all sizes are protected

**Packaged plastic free:** Polyflex® Eco N is packed without the use of plastic, reducing the overall weight of packaging

**Knit Wrist:** Elasticated Knit wrist ensures a secure fit and keeps hands free from dust and debris

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration.

## Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics
- Waste Management and Local authority

Code	PEN
Colour	Blue/Black
Sizes	5-12

## Packing

10 pairs per bundle band / 60 pairs per case





# Polyflex® Eco L

Seamless knitted liner made in part from recycled plastics, with a sandy latex coating



## Features

**Environmentally Conscious:** Each glove contains a minimum of 22% recycled material (rPET)

**Unmatched comfort:** Polyflex® Eco L sets a new standard for comfort and dexterity in the industry

**Grip:** The sandy latex coating has been specifically developed to resist abrasion, whilst maintaining superior grip and dexterity

**Widest range of sizing:** Polyflex® Eco L is available from size 5 through to size 12 to ensure wearers of all sizes are protected, from XXS to XXXL

**Packaged plastic free:** Polyflex® Eco L is packed without the use of plastic, reducing the overall weight of packaging

**Knit Wrist:** Elasticated Knit wrist ensures a secure fit and keeps hands free from dust and debris

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration.

## Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics
- Waste Management and Local authority

Code	PEL
Colour	Green/Blue
Sizes	5-12

## Packing

10 pairs per bundle band / 60 pairs per case





The SilverClear® Glove range feature an antimicrobial treatment that provides an added protection against harmful viruses, bacteria and fungi.

## The Technology

SilverClear® is a highly efficient antimicrobial, bactericidal and anti-odour solution for the treatment of textiles.

Based on the revolutionary "Silver Technology", SilverClear® is economical, ecological, easy to apply and will not affect the feel of the material in any way.

Safe and non-toxic, SilverClear® was originally developed for use in advanced wound care and can add value to your products by delivering the fastest acting and most durable antibacterial performance on the market.

## How it works

Formulated from silver, a historically proven and powerful antibacterial agent, SilverClear® creates a potent and invisible coating which inhibits and kills bacteria.

## The power of silver ions

One of the most innovative aspects of SilverClear® is its bactericidal action. Most antimicrobial products are bacteriostatic, which means they only inhibit the growth of bacteria and don't necessarily destroy them. Not only does SilverClear® completely neutralize the proliferation of bacteria, but it also destroys the bacteria practically on contact.




## Durable and long-lasting performance

SilverClear® will leave your gloves fresher for longer.



WATCH ME

Textile treated with SilverClear®



Textiles treated with SilverClear® stay fresh and free from odour for the lifetime of the article





# Polyflex® Ultra

Seamless knitted nylon liner with foamed palm coating made from a blend of polyurethane and nitrile



## Features

**Grip:** The foamed coating utilises a blend of polyurethane and nitrile increasing resistance to oils and maximising grip, especially in wet and oily conditions

**Durable:** Combines the resilient and hard-wearing properties of polyurethane with the strength of nitrile to deliver excellent abrasion protection, durability and a long life expectancy

**Comfort:** The soft seamless knitted nylon liner and highly flexible coating ensures ultimate comfort and allows for long periods of wear without any signs of hand fatigue

**Knit Wrist:** Elasticated knit wrist ensures a secure fit and keeps hands free from dust and debris

SilverClear® glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration.

## Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics
- Waste Management and Local authority

Code	911
Colour	Red/Black
Sizes	6-11

## Packing

10 pairs per bundle band / 60 pairs per case







## Polyflex® Grip

Seamless nylon glove with foamed nitrile dotted palm coating



### Features

**Grip:** The foamed nitrile coating channels oils and liquids away from the surface, ensuring superb wet grip

**Nitrile Dots:** Nitrile dots on the palm coating provides extra wet and dry grip

**Durable:** Coating offers outstanding abrasion resistance for longevity and durability

**Comfort:** The seamless knitted nylon liner offers excellent breathability, comfort and a close fit

**Knit Wrist:** Elasticated knit wrist provides a secure fit and keeps hands free from dirt and debris

Code	800GR
Colour	Grey/Black
Sizes	7-11



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics
- Waste Management and Local authority

### Packing

12 pairs per polybag / 120 pairs per case

## Polyflex® Plus

Seamless nylon glove with foamed nitrile palm coating



### Features

**Grip:** The foamed nitrile coating channels oils and liquids away from the surface, ensuring superb wet grip

**Durable:** Coating offers outstanding abrasion resistance for longevity and durability

**Comfort:** The seamless nylon liner offers excellent breathability, comfort and a close fit

**Header Card:** Also available on a header card for easy display and allowing for lower order quantities

Code	800
Colour	Grey/Black
Sizes	7-11



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority


### Packing

12 pairs per polybag / 120 pairs per case



## Grip It® Oil

Seamless knitted nylon liner with dual nitrile coating



### Features

**Handling:** Providing ultimate abrasion protection and gripping ability. Utilising two layers of nitrile; fully coating the hand and the second coating the palm

**Durable:** Delivers excellent abrasion protection, durability and a long life expectancy

**Comfort:** The contoured design together with the soft seamless knitted nylon liner and resilient nitrile coating ensures ultimate comfort

**Knit Wrist:** Elasticated knitted wrist ensures a secure fit and keeps hands free from dust and debris

**Dual Coated:** First 'flat' nitrile coating effectively prevents water penetration, whilst the second 'foam' nitrile coating offers long lasting grip in wet and oily settings

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration

### Sectors

- Construction & Utility • Engineering and Manufacturing
- Oil and Gas • Warehousing, Transport and Logistics
- Waste Management and Local authority

Code	GIO
Colour	Red/Black
Sizes	7-12

### Packing

10 pairs per bundle band / 60 pairs per case





The SANITIZED® Glove range feature an antimicrobial treatment that provides an added protection against harmful bacteria and fungi.

## The Technology

Established in Switzerland in 1935, Sanitized AG is a leading antimicrobial brand solution. It has been offering antimicrobial additives to enhance the functionality of products for over 80 years.


Polyco Healthline has teamed up with our suppliers to develop a range of gloves treated with Sanitized AG antimicrobial additive. The additive inhibits microbial activity improving the hygiene of the products.

By using Sanitized® treated gloves, you can help maintaining the safety and hygiene of the gloves by eliminating or reducing the presence and growth of microbes.

Sanitized® antimicrobial protection is fast becoming an essential added value for your industrial and commercial applications.



The Sanitized® hygiene treatment protects the gloves from microbial growth, odours and provides long lasting material protection.



WATCH ME

### ADDED BENEFITS:

- Viruses need a living host; by inhibiting the amount of bacteria on the glove surface, the chance of reproduction of viruses on a glove surface is significantly reduced.





Imola®

Drivers style glove with a full micro-foam nitrile coating and a soft fleecy liner



### Features

**Style & Coating:** This unique glove with 360 micro-foam coating has the look and style of a conventional leather drivers glove but is considerably lighter in weight and more dexterous

**Grip:** As well as excellent dry grip, the micro-foam coating offers optimum wet grip by channelling liquids away from the glove surface

**Comfort:** The soft fleecy lining keeps the hands warm and comfortable at all times

**Durability:** Delivers excellent abrasion protection, durability and a long life expectancy

**Fit:** Adjustable Velcro wrist strap ensures a secure fit and helps to keep hands free from dust and debris

**Sanitized™** glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection


### Sectors

- Construction & Utility • Warehousing, Transport and Logistics
- Waste Management and Local authority

Code	DR300
Colour	Gold
Sizes	7-11

### Packing

1 pair per polybag / 10 pairs per master polybag  
50 pairs per case







## Polyflex® Hydro KC

Hydrophobic treated seamless knitted nylon liner with a foamed nitrile three-quarter coating and touch sensitive fingertips



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

### Packing

1 pair per paper band / 10 pairs per bundle band  
60 pairs per case

### Features

**Water Repellent:** The Hydrophobic solution which is applied through an intensive washing process, allows for a comprehensive and robust 3-Dimensional water resistant performance in wet and challenging conditions whilst maintaining maximum breathability

**Grip:** The lightweight nitrile knuckle coating is infused with air bubbles to provide an inherent cushioning effect and an enhanced grip in dry, damp and oily conditions

**Touch Sensitive:** Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or touch screen devices with precision and without the need to remove the glove

**Durable:** Highly resistant to tear and abrasion, making for a durable and long-lasting glove

**Comfort:** Breathable lightweight liner constructed from nylon and elastane ensures ultimate comfort at all times

Code	PHYKC
Colour	Blue/Black
Sizes	6-11



PPE CAT II



PPE CAT II



4131X



## Polyflex® MAX PC

Seamless knitted nylon liner with a foamed nitrile palm coating



### Features

**Grip:** The lightweight nitrile palm coating is infused with air bubbles to provide an inherent cushioning effect and an enhanced grip in dry, damp and oily conditions

**Durable:** Coating is highly resistant to tear and abrasion, making for a durable and long-lasting glove

**Comfort:** Breathable lightweight liner constructed from nylon and elastane ensures ultimate comfort at all times

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

Code	921
Colour	Blue/Black
Sizes	6-11



PPE CAT II



PPE CAT II



4131X



X1XXXX



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Preparation

### Packing

1 pair per paper band / 10 pairs per bundle band  
60 pairs per case



## Matrix® F Grip (Palm Coated)

Seamless knitted liner with a foamed nitrile coating



### Features

Seamless breathable liner for comfort. Foamed nitrile coating channels liquids away from glove surface, ensuring excellent grip in wet conditions

Foamed nitrile coating channels liquids away from glove surface, ensuring excellent grip in wet conditions

Elasticated knit wrist provides a secure fit

Code	10-MAT
Colour	White/Grey
Sizes	6-11



PPE CAT II



PPE CAT II



4121X



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics
- Waste Management and Local authority

### Packing

1 pair per paper band / 12 pairs per bundle band

144 pairs per case

## Matrix® Nitrile Grip

Seamless knitted glove with full nitrile coating



### Features

Seamless breathable liner for extra comfort

Lightweight full nitrile coating offers excellent flexibility

Offers soft excellent dry grip

Elasticated knitted wrist provides a secure fit

Code	11-MAT
Colour	White/Red
Sizes	8-11



PPE CAT II



PPE CAT II




3121X

### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics
- Waste Management and Local authority

### Packing

12 pairs per polybag / 120 pairs per case



## Features

**Comfort:** Seamless for extra comfort whilst the open back style allows excellent breathability

**Low Linting:** Reduces the risk of product contamination

**Dexterity:** The glove has been designed to be tight fitting to give maximum dexterity in the most delicate of applications

**Knit Wrist:** Elasticated knitted wrist ensures a secure fit and keeps hands free from dust and debris

**Colours:** Available in white or grey

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Code	880G	880
Colour	Grey	White
Sizes	6-10	6-10

## Packing

1 pair per paper band / 12 pairs per bundle band  
120 pairs per case







## Matrix® P Grip

Seamless knitted liner with polyurethane palm coating



### Features

- Offers good abrasion and tear resistance
- Seamless knitted liner for extra comfort
- Open back style allows the hands to breathe keeping them cool and comfortable
- Close fitting design for maximum dexterity
- Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris
- Available in two colours: grey, black

Code	40-MAT	30-MAT
Colour	Black	Grey
Sizes	6-11	6-10



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

### Packing

1 pair per paper band / 12 pairs per bundle band / 144 pairs per case

## Matrix® Red PU

Seamless knitted glove with polyurethane palm coating



### Features

- Polyurethane palm coating offers good abrasion and tear resistance
- Seamless breathable liner for comfort
- Tight close fitting design for maximum dexterity
- Elasticated knitted wrist provides a secure fit

Code	MRP
Colour	Red/Black
Sizes	7-11



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

### Packing

12 pairs per bundle band / 144 pairs per case

## Matrix® Fingerless

Seamless knitted liner with polyurethane palm coating



### Packing

12 pairs per bundle band / 144 pairs per case

### Features

Seamless liner for comfort

Close fitting with three open fingers for maximum dexterity and tactility

Flexible polyurethane palm coating

Longer dip coating on palm for additional protection

Elasticated knitted wrist provides a secure fit

### Sectors:

- Automotive • Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics

Code	933
Colour	Red/Black
Sizes	8-11

## Matrix® GH100

Seamless knitted liner with polyurethane palm coating



### Packing

12 pairs per bundle band / 144 pairs per case

### Features

Polyurethane palm coating offers good abrasion and tear resistance

Highly dexterous

Seamless breathable liner for comfort

Elasticated knitted wrist provides a secure fit

### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics

Code	GH100
Colour	Black/Grey
Sizes	6-11

## Matrix® Touch 1

Seamless knitted liner with polyurethane palm coating and touch sensitive fingertips



### Packing

12 pairs per bundle band / 144 pairs per case

### Features

Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or portable touch screen devices with precision and without the need to remove the glove

Polyurethane palm coating is flexible and provides good mechanical protection

Seamless breathable liner for comfort

Elasticated knitted wrist provides a secure fit

### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics

Code	45-MAT
Colour	Black/White
Sizes	6-11



## Grip It® Dry

Seamless knitted nylon glove with sponge latex palm coating



### Features

**Comfort:** The soft seamless knitted yarn provides an excellent level of comfort, whilst the open back style allows the hand to breathe

**Dexterity and Fit:** The breathable, seamless liner combined with the soft sponge latex coating provides outstanding dexterity and a close fit

**Dry Grip:** The soft sponge latex coating offers excellent dry grip for safe and secure handling

**Knit Wrist:** Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

Code	889
Colour	Red/Black
Sizes	7-11



### Sectors


- Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics

### Packing

10 pairs per bundle band / 60 pairs per case

## Grip It® Wet

Seamless knitted liner with dual latex coating



### Features

**Style:** Utilises two layers of latex coating on a nylon liner to provide a water resistant surface that extends right through to the wrist

**Grip:** Foamed latex palm coating engineered to increase resistance to liquids providing maximum grip in both wet and dry handling environments

**Comfort:** Ergonomic design offers a natural fit giving extra flexibility and comfort to the wearer

**Fit:** Tapered at the wrist to provide a secure fit

**Sanitized™** glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection

Code	GIW
Colour	Black/Red
Sizes	7-11



### Sectors

- Construction & Utility • Engineering and Manufacturing
- Janitorial • Warehousing, Transport and Logistics • Waste Management and Local authority

### Packing

1 pair polybag / 10 pairs per master polybag  
100 pairs per case





## Blue Grip®

Cotton knitted liner with full crinkle latex coating



### Features

**Protection:** Ideal for handling rough objects

**Durable:** Offers good abrasion and tear resistance

**Grip:** Full crinkle latex coating provides excellent grip in both wet and dry conditions

**Comfort:** Brushed cotton interlock liner provides exceptional comfort for the wearer

**Knit Wrist:** Keeps hands free from dust and debris

**Hygiene:** Contains fungicidal and bacteriostatic agent

### Sectors

• Construction & Utility • Waste Management and Local authority

Code	840
Colour	Red/Blue
Sizes	8-10

### Packing

12 pairs per polybag / 48 pairs per case





## Matrix® S Grip

Seamless polycotton shell with crinkle latex palm coating



### Features

Flexible crinkle latex palm coating for good wet and dry grip

Seamless, breathable polycotton liner for comfort

Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

Available in two colour combinations: Yellow/Orange and Yellow/Green

Code	50-MAT
Colour	Yellow/Orange
Sizes	8-10



### Sectors

• Construction & Utility • Warehousing, Transport and Logistics

### Packing

1 pair per paper band / 12 pairs per bundle band / 144 pairs per case

## GH300 S Grip

Seamless polycotton shell with crinkle latex palm coating



### Features

Excellent grip in both wet and dry conditions for safe and secure handling

Seamless breathable liner for comfort

Elasticated knitted wrist provides a secure fit

Code	GH300
Colour	Yellow/Orange
Sizes	9-10



### Sectors

• Construction & Utility • Warehousing, Transport and Logistics

### Packing

12 pairs per polybag / 144 pairs per case



## Multi-Task™ E HV

Seamless knitted nylon liner with a nitrile palm coating and impact protection



### Features

**Highly Visible:** Improves visual awareness even in subdued light

**Reinforced:** Padding on the key areas of the palm and nitrile reinforcement between the thumb and forefinger serves to provide further defence against injury

**Grip:** The highly flexible nitrile coating has a slightly roughened finish which improves handling performance, particularly in light oil applications

**Fit:** Elasticated Neoprene cuff with adjustable Velcro wrist strap provides a secure fit

Code	MTEHV
Colour	Yellow/Orange/Green
Sizes	7-11



### Sectors

- Construction & Utility • Engineering and Manufacturing
- Oil and Gas • Waste Management and Local authority

### Packing

1 pair per polybag / 5 pairs per master polybag  
10 pairs per case

## Multi-Task™ E

Seamless knitted nylon liner with a nitrile palm coating



### Features

**Reinforced Thumb Crotch:** Nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear

**Grip:** The highly flexible nitrile coating has a slightly roughened finish which improves handling performance, particularly in light oil applications

Code	MTE
Colour	Red/Black
Sizes	7-11



### Sectors

- Construction & Utility • Engineering and Manufacturing

### Packing

1 pair per paper band / 5 pairs per bundle band  
10 pairs per case





## Multi-Task® 3

Blend of synthetic leathers with PVC reinforced fingertips, inner palm and three open fingers



### Features

**Flexible:** Close fitting design ensures maximum user dexterity and touch screen functionality

**Comfortable:** Combination of materials offers excellent in-use comfort

**Stretch:** Materials flex in conjunction with the hand's natural movement

**Protection:** Reinforced areas on palm and finger tips ensure added protection in key areas

**Fit:** Adjustable Velcro wrist strap for a secure fit

Code	MT3
Colour	Black/Grey
Sizes	7-11

### Sectors

- Construction & Utility • Engineering and Manufacturing
- Waste Management and Local authority

### Packing

1 pair per paper band / 10 pairs per case



## Multi-Task® 5

Blend of synthetic leathers with PVC reinforced fingertips and inner palm



### Features

**Flexible:** Close fitting design ensures maximum user dexterity

**Comfortable:** Combination of materials offers excellent in-use comfort

**Stretch:** Materials flex in conjunction with the hand's natural movement

**Protection:** Reinforced areas on palm and finger tips ensure added protection in key areas

**Fit:** Adjustable Velcro wrist strap for a secure fit

Code	MT5
Colour	Black/Grey
Sizes	7-11



### Sectors

- Construction & Utility • Engineering and Manufacturing
- Waste Management and Local authority

### Packing

1 pair per paper band / 10 pairs per case



## Daytona™ & Daytona Plus™

Drivers style high grade leather glove



### Packing

1 pair per polybag / 10 pairs per master polybag  
50 pairs per case

### Features

- Good abrasion, tear and puncture resistance
- Elasticated safety cuff holds glove in place and ensures a secure fit
- Fleece lining for extra comfort and warmth
- Soft high grade leather is comfortable and provides excellent grip
- Natural Grain Leather (DR100), Pigmented grain for extra water resistance (DR200)

### Sectors

• Construction & Utility • Warehousing, Transport and Logistics

Code	DR100	DR200
Colour	Yellow	Yellow
Sizes	8-10	8-11

## Premium Chrome Rigger™

Rigger glove made from selected leather



### Packing

10 pairs per polybag / 60 pairs per case

### Features

- Rubberised safety cuff with vein patch for extra protection to the wrist area
- Machine press cut to give consistent quality and size
- Achieves excellent EN388 score for tear resistance
- Palm lined for comfort
- Also available on a header card for easy display and allowing for lower order quantities

### Sectors

• Construction & Utility • Engineering and Manufacturing

Code	LR158R
Colour	Red/Grey
Sizes	One size

## Rigmaster Double Palm Rigger™

Rigger glove with double thickness leather on palm



### Packing

10 pairs per polybag / 60 pairs per case

### Features

- Double thickness leather on the palm offers increased durability and safety
- Palm lined for comfort
- Excellent abrasion and puncture resistance
- Rubberised safety cuff with vein patch for additional protection to the wrist area

### Sectors

• Construction & Utility • Engineering and Manufacturing

Code	LR143DP
Colour	Red/Grey
Sizes	One size



## Matrix® GH113

Cotton interlock liner with heavy duty full nitrile coating



### Features

- Heavyweight nitrile coating for excellent abrasion resistance
- Cotton interlock support liner for comfort
- Provides good grip in both wet and dry conditions
- Knitted wrist for a secure fit

Code	GH113
Colour	White/Blue
Sizes	9-10



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

### Packing

12 pairs per polybag / 144 pairs per case

## Nitron® Lite

Light duty nitrile coated glove with cotton interlock liner



### Features

- Versatile: Combines the comfort of natural cotton with the protection of nitrile
- Flexibility: Lightweight nitrile three-quarter coating offers excellent flexibility and dexterity
- Grip: Textured surface provides a slip-resistant grip

Code	931
Colour	White/Yellow
Sizes	7-10



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

### Packing

12 pairs per polybag / 48 pairs per case





## Matrix® D Grip

Seamless knitted liner with PVC dot palm coating



### Features

Seamless construction for extra comfort

PVC dots for excellent grip and handling ability

Close fitting for good dexterity

Elasticated knit wrist provides a secure fit and keeps hands free from dust and debris

Available in two colours: white and grey

Code	70-MAT	80-MAT
Colour	White/Blue	Grey
Sizes	7-10	6-10



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

### Packing

12 pairs per bundle band / 144 pairs per case

## Matrix® D Grip TS

Seamless knitted liner with PVC dot palm coating and touchscreen functionality



### Features

Seamless construction for extra comfort

PVC dots for excellent grip and handling ability

Close fitting for good dexterity

Elasticated knit wrist provides a secure fit and keeps hands free from dust and debris

Touchscreen fingertip for easy use on touchscreens

Code	75-MAT
Colour	Blue
Sizes	6-10



### Sectors

• Construction & Utility • Janitorial

### Packing

10 pair per polybag / 100 pairs per case



## Dermatology Cotton™

Cotton glove



### Features

Unbleached cotton glove with a knit wrist for superior comfort and fit

Seamless design reduces the risk of skin irritation to the wearer

Colour coded stitching on the cuff ensures easy size recognition

Can be used as an underglove

Code	DERA
Colour	Natural
Sizes	S-L



### Sectors

- Automotive • Engineering and Manufacturing
- Medical, Vet, Dental, Pharmaceutical
- Warehousing, Transport and Logistics

### Packing

10 pairs per bundle band / 200 pairs per case

## Serva® Polycotton Gloves

Lightweight natural fibre glove



### Features

Versatile: Combines the comfort of natural cotton with the protection of nitrile

Flexibility: Lightweight nitrile three-quarter coating offers excellent flexibility and dexterity

Grip: Textured surface provides a slip-resistant grip

Code	BTJ147	BTJ146
Colour	White	White
Sizes	9	8



### Sectors

- Engineering and Manufacturing • Janitorial • Retail & Household • Warehousing, Transport and Logistics

### Packing

10 pair per polybag / 200 pairs per case



## Pure Dex™ Nylon

Seamless knitted nylon inspection glove



### Features

**Dexterity:** The Pure Dex range has been designed to be close fitting giving maximum dexterity in the most tactile and sensitive applications

**Low Linting:** Reduces the risk of product contamination, class 1000 clean room compatible

**Single Pair Packed:** Gloves remain clean and uncontaminated prior to use

**Knit Wrist:** Elasticated knitted wrist keeps hands free from dust and debris

**Palm Coated:** Long Cuff: CR206 / Fingertip Coated: CR201 / Uncoated: CR200

Code	CR206	CR201	CR200
Colour	White	White	White
Sizes	10	7-10	7-10
Style	Long Cuff	Fingertip	Uncoated

### Sectors

- Automotive

### Packing

1 pair per polybag / 10 pairs per master polybag / 100 pairs per case



## Knitted Stockinette®

Polycotton die cut glove



### Features

Soft polycotton material offers comfort and protection

Die cut to ensure consistency of size

Knitted wrist for a secure fit

Available in mediumweight (CK21) and heavyweight (CK41)

Code	CK21KW	CK41
Colour	White	White
Sizes	(8)Ladies/Mens(10)	(8)Ladies/Mens(10)
Style	Mediumweight	Heavyweight



### Sectors

- Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics

### Packing

20 pairs per polybag / 600 pairs per case







We've embarked on the **largest packaging review** in the history of our reusable gloves.

Our Environmental, Social and Governance pledge is to **remove 40 tonnes of single use plastic packaging** from our product offerings.

We have now started to introduce paper band packaging for both primary and secondary packaging.



## WHAT WE HAVE ACHIEVED SO FAR:



**Saved for every case you buy!\***

\* Based on 144 pairs per case

**Join the pledge.**

**Help us reduce excess plastic packaging in the PPE Hand Protection Industry!**



**Look out for our Plastic Free Stamp\***

\*Paper Bands to be rolled out over the coming months across our reusable product range.

# Cut Resistant Gloves

Cut resistant gloves assist in reducing the potential for worker arm, hand and finger injuries across numerous occupations and industries. They are manufactured to meet varying standardised levels of durability and are designed using specially engineered yarns that offer increased protection against blades, sharp edges and general tears or abrasions.

Cut Resistance is graded under EN388 (Safety glove against mechanical risks) in the UK & Europe there are 6 levels of cut resistance, they can score from level A to level F for peak protection.



# Polyflex® Eco Cut

Hydrophobic treated seamless knitted cut resistant liner, with foamed nitrile palm, touch sensitive fingertips and made in part from recycled plastic



## Features

**18 gauge cut level F:** Ultra-lightweight 18-gauge liner achieves the maximum achievable levels of cut resistance according to EN388:2016, and excellent abrasion and tear resistance

**Environmentally Conscious:** Each glove contains a minimum of 13% recycled material (rPET)

**Touch Sensitive:** Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or devices with precision and without the need to remove the glove

**Contact Heat Level 1:** Heat resistant to contact heat level 1 to broaden real world application suitability

**Reinforced Thumb Crotch:** Flat nitrile reinforcement between the thumb and forefinger for additional protection in an area that is highly susceptible to wear and tear

**Packaged plastic free:** Polyflex® Eco Cut is packed without the use of plastic; reducing the overall weight of packaging

**Water Repellent:** The Hydrophobic solution; allows for comprehensive and robust 3-Dimensional water-resistant performance whilst maintaining maximum breathability

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mold and bad odours avoiding premature material degradation and discolouration

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

Code	PECT
Colour	Green/Black
Sizes	6-11

## Packing

1 pair per paper band / 10 pairs per bundle band  
60 pairs per case





# Armor Guard™ The Bear

Completely Waterproof, Cut, Impact, Heat & Cold Resistant Glove



## Features

**Touch sensitive:** Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or screen devices with precision

**Recycled PET Liner:** Each pair of gloves contains recycled plastic bottles (PET); cutting down our reliance on virgin materials like oil based polyester

**Highest Abrasion Score:** Ensures the gloves have exceptionally long usage

**Durable:** Specifically developed nitrile compound for ultimate durability

**Grip:** Excellent grip in wet, dry & oily conditions for safe and secure handling


**Comfort:** Internal soft cotton layer enables extra comfort and warmth

**Velcro cuff:** Keeps the gloves secure in use

**Waterproof:** The Bear utilises a 'new to industry' technology to offer a completely waterproof glove without effecting dexterity or breathability

**Impact Resistant:** Impact protective layer is made from a soft silicone-based rubber, to ensure best impact energy dispersion and upmost flexibility during use

**Cut resistant:** The glove scores EN388:2016 level E for cut resistance, to ensure protection against a wide variety of cut hazards




## Sectors

- Construction & Utility • Engineering and Manufacturing
- Oil & Gas

Code	BEAR
Colour	Green/Black
Sizes	8-11

## Packing

10 pairs per case



# Capilex® D

Durable, dexterous, great cut resistance all combined with a foamed nitrile coating for enhanced grip



## Features

**Comfort:** Ultra-lightweight liner engineered without the addition of brittle glass fibre or steel, ensures the safety and superior comfort of the wearer during prolonged use

**Long lasting:** The reinforced thumb crotch makes sure the glove stands up to repeated abrasion and damage in a high stress area. The foamed Nitrile coating ensures exceptional wet and dry grip

**Real World Protection:** Proven high cut resistance, tested to EN388:2016 ISO Cut Level D. Heat resistant up to Contact Heat Level 1 ( 100°C ), EN:407:2004

**Precision:** The new Capilex D combines tactility and protection like no other glove on the market, meaning users no longer need to compromise between high cut resistance and comfort. Designed to be close fitting and available in a wide range of sizes the Capilex D is ideal for high precision handling where cut and heat are a risk


## Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

Code	CPD
Colour	Grey/Black
Sizes	6-12

## Packing

12 pairs per bundle band / 48 pairs per case





# Grip It® Oil Cut E

High visibility seamless cut resistant liner with a dual nitrile coating



## Features

- Protection:** Made from a technically engineered yarn, the liner attains excellent EN388 scores in all categories
- Handling:** Providing ultimate abrasion protection and gripping ability. Utilising two layers of nitrile; the first layer fully coated and the second palm coated
- Durable:** Delivers excellent protection, durability and a long life expectancy
- Comfort:** The contoured design together with the soft seamless knitted liner and resilient nitrile coating ensures ultimate comfort with minimal hand fatigue in prolonged use
- High Visibility:** High visibility colour scheme increases visual awareness
- Knit Wrist:** Elasticated knitted wrist provides a secure fit and keeps hands free from dirt and debris
- Dual Coated:** First 'flat' nitrile coating effectively prevents water penetration, whilst the second 'foam' nitrile coating offers long lasting grip in wet and oily settings

## Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Waste Management and Local authority

Code	GIOKX
Colour	Green/Black
Sizes	7-12

## Packing

1 pair per paper band / 10 pairs per bundle band  
60 pairs per case





# Dyflex® Plus N

Lightweight high cut resistant glove with foamed nitrile coating and thumb crotch reinforcement



## Features

**Performance:** The remarkably lightweight liner provides excellent levels of cut, abrasion and tear resistance providing superb mechanical protection

**Reinforced Crotch:** Flat nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear

**Grip:** Foamed nitrile palm coating channels oils and liquids away from the surface of the glove to optimise grip and allow safe handling at all times

**Comfort:** The seamless breathable liner and highly flexible palm coating ensure a high level of comfort even in prolonged use

**Dexterity:** The glove has been designed to be close fitting to provide greater dexterity

**Durable:** Maximum abrasion resistance and reinforced thumb crotch increase durability and ensure longevity

**Knit Wrist:** Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

**Sanitized™** glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Code	DPN
Colour	Grey/Blue
Sizes	7-11

## Packing

1 pair per paper band / 10 pairs per bundle band  
40 pairs per case



## Multi-Task® E C5

Seamless knitted nylon cut resistant liner with a nitrile palm coating



### Features

**Cut Resistant:** Nylon liner offers optimal cut protection and achieves excellent EN388 scores in all categories

**Grip:** The highly flexible nitrile coating has a slightly roughened finish which improves handling performance, particularly in light oil applications

**Fit:** Elasticated Neoprene cuff with adjustable Velcro wrist strap provides a secure fit

Code	MTEC5
Colour	Green/Black
Sizes	6-11



### Sectors

- Construction & Utility • Engineering and Manufacturing
- Oil and Gas • Waste Management and Local authority

### Packing

1 pair per paper band / 10 pairs per case

## Matrix® GH370

Lightweight seamless knitted liner with a nitrile palm coating



### Features

**Protection:** Lightweight liner provides excellent cut, abrasion and tear resistance

**Grip:** Nitrile coating offers good grip, especially on oily surfaces

**Dexterity:** Designed to be close fitting for maximum dexterity

**Knit Wrist:** Elasticated for a secure fit

**Unique Feature:** Flat nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear

Code	GH370
Colour	Black/Grey
Sizes	7-11



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

### Packing

10 pairs per bundle band / 120 pairs per case

## Grip It® Oil C3

Seamless knitted cut resistant liner with dual nitrile coating



### Features

**Protection:** Made from a technically engineered yarn, the liner attains excellent EN388 scores in all categories

**Handling:** Providing ultimate abrasion protection and gripping ability. Utilising two layers of nitrile; the first layer fully coated and the second palm coated

**Durable:** Delivers excellent protection, durability and a long life expectancy

**Comfort:** The soft seamless knitted liner has a resilient nitrile coating ensuring ultimate comfort with minimal hand fatigue in prolonged use

**Knit Wrist:** Elasticated wrist for secure fit and protection from debris

**Dual Coated:** First 'flat' nitrile coating effectively prevents water penetration, whilst the second 'foam' nitrile coating offers long lasting grip in wet and oily settings

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration

### Sectors

- Construction & Utility • Engineering and Manufacturing
- Oil and Gas • Waste Management and Local authority

### Packing

10 pairs per bundle band / 60 pairs per case

Code	GIOK3
Colour	Orange/Black
Sizes	7-11



## Polyflex® Hydro C3

Hydrophobic treated seamless knitted cut resistant liner with a foamed nitrile palm coating



### Features

**Water Repellent:** The Hydrophobic solution, which is applied through an intensive washing process, allows for a comprehensive and robust 3-Dimensional water resistant performance in wet and challenging conditions while maintaining maximum breathability

**Protection:** Ultra-lightweight cut resistant liner offers a high level of mechanical protection, flexibility and comfort

**Grip:** The foamed nitrile palm coating has been infused with air bubbles to provide an inherent cushioning effect and an enhanced grip in dry, damp and oily conditions

**Durable:** Highly resistant to tear and abrasion

Code	PHYC3
Colour	Orange/Black
Sizes	6-11



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

### Packing

10 pairs per paper band / 60 pairs per case



# Dyflex® Ultra

Seamless knitted glove with Dyneema® Diamond Technology and polyurethane palm coating



## Features

**Cut Resistant:** The liner, made with Dyneema® Diamond Technology, provides the maximum level of cut resistance without the use of abrasive materials

**Grip:** Polyurethane palm coating provides outstanding abrasion resistance and an excellent grip

**Comfort:** The seamless construction of the soft yarn provides an exceptional level of comfort, whilst the open back style allows for excellent breathability

**Dexterity:** Designed to be close fitting to give maximum dexterity for the most tactile of operations

**Knit Wrist:** Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

**Sanitized™** glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DFU
Colour	Grey
Sizes	6-11

## Packing

1 pair per polybag / 12 pairs per master polybag  
48 pairs per case



Dyneema® is an Avient Protective Materials BV registered trademark.

## Matrix® Green PU

Seamless knitted high cut resistant glove with a polyurethane palm coating



### Packing

1 pair per paper band / 12 pairs per bundle band  
48 pairs per case

### Features

High cut resistant liner, with engineered yarn, provides excellent EN388 scores for abrasion, cut, tear and puncture

Soft seamless knitted liner provides superior comfort for this level of protection

Designed to be close fitting to give maximum dexterity

Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	MGP
Colour	Green/Black
Sizes	7-11

## Matrix® Green PU Fingerless

Seamless knitted high cut resistant fingerless glove with a polyurethane palm coating



### Packing

1 pair per paper band / 12 pairs per bundle band  
48 pairs per case

### Features

Three open fingers and flexible polyurethane coating enables precise handling in applications necessitating fingertip contact

High cut resistant liner achieves excellent EN388 scores for abrasion, cut and tear resistance

Close fitting seamless liner allows for excellent dexterity

The back of the glove is uncoated, ensuring the hands stay well-ventilated

Elasticated knitted wrist provides a secure fit and hands free from dust and dirt

### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	MGP-FL
Colour	Green/Black
Sizes	7-11

## Matrix® GH315

Seamless knitted high cut resistant glove with a polyurethane palm coating



### Packing

12 pairs per bundle band / 144 pairs per case

### Features

Offers excellent abrasion, cut and tear resistance

Polyurethane palm coating provides a good grip for safer handling in wet and dry conditions

Close fitting for maximum dexterity

Elasticated knitted wrist for a secure fit

Flat nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear

### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	GH315
Colour	Grey/Black
Sizes	6-11



Capilex FC optimizes the convergence of protection and performance. It features an 18G ultralight weight liner with yarns that provides TDM Level B performance.



The liner also features for breathability and ergonomic movement. The fully dipped Topflex Sandy Nitrile coating and the technology formulation provide enhanced abrasion resistance with 15000 cycles (8000 required for level 4) and excellent grip.



To provide all 4 advanced performance technologies, including excellent abrasion and cut performance, in a comfortable, flexible ultralight weight style, is a game changer for applications where workers have traditionally guarded against cut risks with heavier styles that limit their dexterity and breathability.

## Features

**Full Sandy Nitrile Coating:** Developed specifically to deal with dusty conditions, the fully coated sandy nitrile coating ensures hands are kept clean and safe in the most challenging environments

**Comfort:** Yarn make-up has been optimised to make the glove as flexible as possible. This combined with a coating developed over a long R&D process, ensures the hand fatigue usually associated with fully coated gloves is minimised

**ISO Cut B:** Offers cut resistance to a variety of hazards whilst remaining soft and comfortable

**Reduced Plastic Packaging:** Capilex FC is packaged with reduced plastic to ensure we are protecting more than just hands

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

Code	CFC
Colour	Black/Grey
Sizes	6-12

## Packing

10 pairs per bundle band / 60 pairs per case





# Dyflex® Air

Ultra-lightweight seamless knitted liner with Dyneema® Diamond Technology and polyurethane palm coating



## Features

- Comfort:** 18 gauge seamless knitted liner is ultra-lightweight, breathable and highly flexible, ensuring ultimate comfort at all times
- Cut Resistant:** Fine Dyneema® yarn offers superior cut resistance for a lightweight glove
- Handling:** Close fitting and dexterous which allows for precision handling
- Design:** Combines tactility and protection meaning you no longer have to compromise on user comfort, safety or productivity

## Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DFA
Colour	Teal/Black
Sizes	6-11

## Packing

10 pairs per polybag / 60 pairs per case



Dyneema® is an Avient Protective Materials BV registered trademark.



## Features

**Lining:** The 15 gauge liner has been specifically developed to ensure the most comfortable & secure feeling glove possible

**Environmental:** The glove utilises cutting edge bio-based Dyneema yarn. All bio-based Dyneema® fibres have the exact same characteristics and performance as conventional Dyneema® fibre. Ethylene is the primary raw material used to manufacture Dyneema® fibres, and is the feedstock that will be transitioned from conventional to a renewable source via mass balancing.

**Colour:** The black coating and liner ensure hides dirt and contaminants to ensure that gloves are not discarded prematurely

**Packed without the use of plastic;** reducing the overall weight of packaging

**Cut Resistant:** Achieves cut level C according to EN388, for protection in high risk cut hazard applications

**Fine Dyneema® yarn** offers superior cut resistance for a lightweight glove

**Primary Coating Polymer:** Polyurethane

**Abrasion Resistant:** Thin polyurethane coating in combination with the special fibre delivers great EN388 abrasion performance for extended glove life and reduced cost of ownership

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil, Gas & Renewables • Warehousing, transport & Logistics • Waste Management and Local authority

## Packing

12 pairs per bundle band / 48 pairs per case

<b>Code</b>	<b>882BK</b>
<b>Colour</b>	<b>Black</b>
<b>Sizes</b>	<b>6-10</b>



Dyneema® is an Avient Protective Materials BV registered trademark.



# Dyflex®

White 18gg cut resistant glove with bio based Dyneema® technology



## Features

18 gauge seamless knitted liner is ultra-lightweight; breathable and highly flexible; ensuring ultimate comfort at all times

Conventional plastics are produced from fossil-based feedstock (e.g., naptha, which is refined from oil), whereas bio-based Dyneema® also incorporates bio-ethylene produced from renewable raw materials, such as organic waste from the pulp and timber industry. Bio-based Dyneema® is functionally identical to conventional Dyneema®, and shares exactly the same physical properties, so there is no compromise on performance.

The liner is made from bio-based Dyneema® yarn (sustainable share allocated by mass balancing\*). The bio-based content in the liner constitutes a minimum of 50% of the total glove weight.

The glove utilises cutting edge bio-based Dyneema yarn. All bio-based Dyneema® fibres have the exact same characteristics and performance as conventional Dyneema® fibre. Ethylene is the primary raw material used to manufacture Dyneema® fibres, and is the feedstock that will be transitioned from conventional to a renewable source via mass balancing\*.

**Cut Resistant:** Achieves cut level C according to EN388, for protection in high risk cut hazard applications

**Grip:** The resilient polyurethane palm coating is flexible and very hard wearing

**Primary Coating Polymer:** Polyurethane

**Abrasion Resistant:** Thin polyurethane coating in combination with the special fibre delivers great EN388 abrasion performance for extended glove life and reduced cost of ownership

**Colour:** The white coating and liner ensure that dirt and contaminants are easily shown.



## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil, Gas & Renewables • Warehousing, transport & Logistics • Waste Management and Local authority

## Packing

12 pairs per bundle band / 48 pairs per case

<b>Code</b>	<b>882WH</b>
<b>Colour</b>	<b>Black</b>
<b>Sizes</b>	<b>6-10</b>



Dyneema® is an Avient Protective Materials BV registered trademark

\*The mass balance approach is a chain of custody model which allows producers to track usage of renewable or recycled materials to aid in gradually phasing out virgin fossil-based material. When materials are mixed in a production process, the respective input quantities are tracked and then a share of the total renewable or recycled content is allocated manually to the outputs on a product or batch level, but the actual renewable or recycled content in any individual product or batch is unknown.



## Matrix® Air C3

Ultra-lightweight cut resistant liner with a polyurethane palm coating



### Packing

10 pairs per polybag / 100 pairs per case

### Features

**Comfort:** 18-gauge seamless knitted liner is ultra-lightweight, breathable and highly flexible, ensuring ultimate comfort at all times

**Cut Resistant:** Fine cut resistant yarn offers excellent cut resistance in a lightweight glove

**Durable:** Thin polyurethane coating in combination with the cut resistant liner delivers abrasion performance making the glove highly durable

**Design:** Combines tactility and protection meaning you no longer have to compromise on user comfort, safety or productivity

### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing
- Waste Management and Local authority

Code	988
Colour	Grey/Black
Sizes	6-11

## Matrix® Orange PU

Seamless cut resistant liner with polyurethane palm coating



### Packing

12 pairs per polybag / 48 pairs per case

### Features

**Provides excellent protection** from abrasion and tear hazards

**Soft seamless knitted liner** with open back style for comfort and breathability

**Designed to be close fitting** to give maximum dexterity

**Elasticated knitted wrist** provides a secure fit and keeps hands free from dust and debris

### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	MOP
Colour	Orange/Black
Sizes	S-XXL

## Matrix® GH378

Lightweight seamless knitted liner with a crinkle latex palm coating



### Packing

12 pairs per polybag / 120 pairs per case

### Features

**Protection:** Lightweight liner provides excellent cut and tear resistance

**Grip:** Crinkle latex palm coating provides good grip in both wet and dry conditions for safe and secure handling

**Dexterity:** Close fitting for maximum dexterity

**Knit Wrist:** Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas

Code	GH378
Colour	Grey/Black
Sizes	7-10

## Granite 5® Beta

Grain leather glove with reinforced Kevlar® seamless knitted liner



### Features

**Quality:** Superior quality grain leather glove with elasticated wrist, reinforced thumb crotch, protective vein patch and additional leather protection to back of cuff

**Cut Resistant:** Seamless liner provides high levels of cut resistance

**Comfort:** The yarn is made with a soft finish to provide exceptional comfort to the wearer

**Strength:** Double-stitched Kevlar® thread is used throughout for maximum strength

<b>Code</b>	<b>891</b>
<b>Colour</b>	<b>Green</b>
<b>Sizes</b>	<b>6-13</b>



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas

### Packing

1 pair per paper band / 10 pairs per case

Kevlar® is a DuPont™ registered trademark

## Granite 5® Delta

Split leather glove with high cut resistant Kevlar® seamless knitted liner



### Features

**Cut Resistant:** The seamless liner provides high levels of cut resistance

**Protection:** With protective vein patch and reinforced thumb and palm

**Comfort:** The yarn is made with a soft finish to provide exceptional comfort to the wearer

**Strength:** Double-stitched Kevlar® thread is used throughout for maximum strength

<b>Code</b>	<b>893</b>
<b>Colour</b>	<b>Grey</b>
<b>Sizes</b>	<b>8-11</b>



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas

### Packing

1 pair per paper band / 20 pairs per case

Kevlar® is a DuPont™ registered trademark





## Features

**Hygiene Control:** Available in two colours for colour co-ordination

**Performance:** High cut resistant yarn with Dyneema® technology

**Cut Resistant:** Innovative fibre achieves high EN388 cut resistance

**Low Linting:** To prevent food contamination

**Ambidextrous:** Can be worn on either hand, extending the life of the glove

**Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact**

## Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	BSB	BSK
Colour	Blue	Black
Sizes	6-11	6-11

## Packing

1 glove per bag / 12 gloves per case



Dyneema® is an Avient Protective Materials BV registered trademark.



## Bladerunner™ Sleeve

19", comfortable, safe, high cut resistant sleeve



### Features

**Comfort:** The Bladerunner Sleeve 8019 is designed for comfort and safety. The unconstrained fit design ensures a superior range of movement

**High Risk Protection:** The sleeve provides excellent protection against multiple hazards, cut resistant to EN388: 2016 ISO Cut Level C, and resists heat to EN407:2004 Contact Heat Level 1

**Workplace Ready:** This high visibility sleeve with unconstrained fit is kept in place by a secure clip ensuring real world 'don and forget' capability

<b>Code</b>	<b>8019</b>
<b>Colour</b>	<b>High Vis Green</b>
<b>Sizes</b>	<b>19"</b>



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep Oil and Gas • Waste Management and Local authority

### Packing

6 sleeve per polybag / 24 sleeves per case

## Touchstone Sleeve™

100% Kevlar® Knitted Sleeve



### Features

**Cut Resistant:** Kevlar® provides increased protection against cuts, slashes and abrasion

**Comfort:** Soft Kevlar® fibres and seamless construction will not irritate arms, even during long periods of wear

**Heat Resistant:** Kevlar® aramid fibre offers increased resistance to heat

**Double Ply Kevlar®:** Offers increased protection to the arm from cuts and abrasion (not applicable to loose fit sleeve)

**Thumb Slot:** Ensures that the sleeve will not slip exposing the wrist or arm (not applicable to 7553 loose fit sleeve)

**Washable:** May be washed by machine or dry cleaned

<b>Code</b>	<b>7550</b>	<b>7551</b>	<b>7553</b>	<b>7552</b>
<b>Colour</b>	<b>Yellow</b>	<b>Yellow</b>	<b>Yellow</b>	<b>Yellow</b>
<b>Sizes</b>	<b>14"</b>	<b>18"</b>	<b>20"</b>	<b>22"</b>



### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

### Packing

24 sleeves per polybag / 96 sleeves per case

Kevlar® is a DuPont™ registered trademark

# Chemical Resistant Gloves

Chemical resistant gloves are manufactured primarily to protect the wearer from hazardous chemical leakages, spills and exposures. Wearing the correct pair of chemical resistant gloves can mean the difference between an employee's safety and a potentially fatal incident. Polyco Healthline's gloves provide essential protection whilst offering comfort and flexibility. They are used within many industries and can be made from a variety of materials, such as natural latex, nitrile, knitted cotton with PVC coating, chlorine-hardened rubber, neoprene, and many more. Some of our gloves feature flock-lined inners or cotton liners for extra comfort, whilst others feature long or extra-long cuffs for enhanced arm protection.



## Ketochem® (33cm)

Lightweight ketone resistant glove



### Features

**Design:** Unique formulation provides exceptional protection against a wide range of aggressive solvents

**Protection:** Excellent resistance to ketones, including MEK and acetone as well as aromatics such as toluene

**Economical:** Performance equivalent to high performance butyl and fluoroelastomer products at a more cost effective level

**Comfort:** Smooth non-textured material and anatomical shape ensures comfort and flexibility, and reduces hand fatigue

**Sensitivity:** The lightweight unsupported glove construction feels like a second skin and results in greater tactile sensitivity

<b>Code</b>	<b>KETO</b>
<b>Colour</b>	<b>Blue</b>
<b>Sizes</b>	<b>9-11</b>

### Sectors

- Engineering and Manufacturing

### Packing

1 pair per polybag / 10 pairs per case



## Long Nite™ (63cm)

Chemical resistant nitrile coated gauntlet on a cotton liner with an integral nitrile sleeve



### Features

**Protection:** Offers protection against oil, grease and various detergents

**Performance:** Achieves an excellent score for abrasion resistance as defined by European Standard EN388

**Extra Long:** Sleeve provides extra splash protection to the arms

**Grip:** Granular non-slip surface on the hand for improved grip levels

**Comfort:** Cotton liner and anatomical shape ensures comfort and flexibility and reduces hand fatigue

<b>Code</b>	<b>342</b>
<b>Colour</b>	<b>Blue</b>
<b>Sizes</b>	<b>7-11</b>



### Sectors

- Food Manufacturing and Prep • Janitorial
- Waste Management and Local authority

### Packing


1 pair per polybag / 36 pairs per case





## Nitri-Tech III® (Flock Lined) (33cm)

Nitrile synthetic rubber glove



### Packing

12 pairs per polybag / 48 pairs per case

### Features

**Performance:** Offers very good abrasion and puncture resistance and protection against a wide range of chemicals including strong detergents, oils and certain solvents

**Durable:** Achieves an excellent abrasion score as per EN388 standard

**Comfort:** Anatomically shaped ensuring comfort and reducing hand fatigue

**Good Grip:** Non-slip diamond pattern on the palm of glove enhances grip

**Flock Lined:** Soft cotton flock lining eases wear and removal, and absorbs perspiration keeping hands cool and comfortable

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

### Sectors

• Automotive • Food Manufacturing and Prep • Janitorial

Code	92	94
Colour	Green	Blue
Sizes	7-10	7-10

## Nitri-Tech III® Lite (30cm)

Unlined beaded blue nitrile synthetic gloves



### Packing

12 pairs per polybag / 144 pairs per case

### Features

**Performance:** Offers very good abrasion and puncture resistance and protection against a wide range of chemicals including strong detergents, oils and certain solvents

**Comfort:** Anatomically shaped ensuring comfort and reducing hand fatigue

**Good Grip:** Non-slip fish scale pattern on the palm of glove enhances grip

**Unlined:** Flock and lint free

**Food Contact:** Tested in accordance with European standard EN1186 making it suitable for food contact

**Length:** 30cm gauntlet for protection to the forearm


### Sectors

• Automotive • Food Manufacturing and Preparation • Janitorial

Code	91
Colour	Blue
Sizes	S (6-6.5), M (7-7.5), L (8-8.5), XL (9-9.5)

## GI/F11 (30cm)

Green nitrile industrial glove



### Packing

12 pairs per polybag / 144 pairs per case

### Features

**Cotton flock lining** absorbs perspiration and keeps hands dry, cool, and comfortable

**Textured palm and fingers** enhance grip

**Anatomically shaped** ensuring comfort and reducing hand fatigue

**Achieves an excellent abrasion score** as defined by European Standard EN388

**Offers protection** against a wide range of chemicals including strong detergents, oils and certain solvents

**Thickness:** 0.38mm / 15 Mil

**Length:** 30cm gauntlet for protection to the forearm

### Sectors

• Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Preparation • Janitorial • Oil and Gas • Waste Management and Local authority

Code	GI/F11
Colour	Green
Sizes	7-10



### Features

Length: 33cm

Colour: Available in a wide range of colours for easy job application coding

Comfort: Anatomical shape ensures comfort and reduces hand fatigue.

Lining: Flock lining eases donning and removal and absorbs perspiration keeping the hands cool and comfortable

Primary Coating Polymer: Nitrile

Virus/Non Virus Standard: Conforms with the requirements of EN374-5, for protection against bacteria & fungi

Grip: Slip-resistant pattern on the palm enhances grip

Chemical Resistant: Achieves type A chemical resistance according to EN374-1, for protection against at least 6 different chemicals

Reusable Gloves Standards: Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact


### Sectors

• Food Manufacturing and Prep • Waste Management and Local authority

Code	17N	27N	37N	47N
Colour	Red	Yellow	Green	Blue
Sizes	7-10	7-10	7-10	7-10

### Packing

12 pairs per polybag / 144 pairs per case





## N-Dura 45™ (45cm)

Nitrile synthetic rubber glove



### Sectors

- Automotive • Food Manufacturing and Preparation
- Janitorial

### Packing

10 pairs per polybag / 40 pairs per case

### Features

**Performance:** Provides protection from many aliphatic solvents, oils, fats and greases

**Durable:** Achieves an excellent score for abrasion resistance as defined by European Standard EN388


**Good Grip:** Slip-resistant pattern on the palm enhances grip

**Unlined:** For greater sensitivity and dexterity

**Extra Long:** 45cm in length for added protection to the forearm

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

<b>Code</b>	<b>ND45</b>
<b>Colour</b>	<b>Green</b>
<b>Sizes</b>	<b>8-10</b>



## Grip It® Oil Gauntlet C1 (34cm)

Seamless knitted chemical resistant gauntlet with dual nitrile coating



### Sectors

- Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial
- Warehousing, Transport and Logistics

### Packing

10 pairs per polybag / 60 pairs per case

### Features

**Handling:** A flexible and robust glove that utilises two layers of nitrile coating to provide ultimate grip, abrasion protection and durability

**Grip:** The palm coating is infused with microfoam bubbles increasing resistance to oils and maximising grip in wet and oily handling environments


**Chemical Resistance:** Provides good protection against a wide range of chemicals, including strong detergents and oils

**Comfort:** Resilient dual nitrile coating and soft seamless knitted liner provides an ultimate level of comfort

Heat resistant up to 250°C or Contact Heat Level 2, EN:407:2004

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

<b>Code</b>	<b>GIOG1</b>
<b>Colour</b>	<b>Blue/Black</b>
<b>Sizes</b>	<b>8-11</b>





# Grip It® Oil Gauntlet X

Seamless 15gg knitted cut resistant liner with dual nitrile coating



## Features

**Cut Resistant Hand:** The hand area only is cut resistant to ISO level D.

This breakthrough innovation is achieved with a blend of technical yarns, nylon and spandex. This unique 15 gauge liner provides class leading comfort and dexterity.

**30cm Long:** To ensure chemical protection up the arm

**Durable:** Dual Nitrile coating provides great durability ensuring great life of product

**Grip:** The outer black micro foam nitrile coating is designed to give great grip in the wet and dry

**Comfort:** 15gg seamless knitted liner is extremely comfortable

**Flexible:** Specially formulated Nitrile ensures flexibility

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact


## Sectors

- Food production • Automotive • Construction & Utility
- Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

Code	GIOGX
Colour	Blue/Black
Sizes	7-11

## Packing


10 pairs per polybag / 40 pairs per case





# Processor II™ (30cm)

Mediumweight natural rubber glove - unlined



## Features

- Lightweight: Provides excellent sensitivity and flexibility
- Chlorinated: Treated to harden the surface of the glove leaving it smooth to the touch
- Comfort: Anatomical shape ensures comfort and reduces hand fatigue
- Grip: Slip resistant pattern on the palm enhances grip
- Unlined: Flock and lint free
- Length: 30cm gauntlet for protection to the forearm
- Hygiene: Contains fungicidal and bacteriostatic agent
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact


## Sectors

- Food Manufacturing and Prep • Janitorial • Waste Management and Local authority

Code	72
Colour	Natural
Sizes	6/6.5 – 10/10.5

## Packing

12 pairs per polybag / 144 pairs per case





# Chemprotec™

## Unlined natural rubber glove



Reusable Gloves



### Features

**Performance:** Provides protection against a wide range of chemicals and cleaning agents

**Protection:** Offers good resistance to abrasion hazards

**Comfort:** Unlined for easy donning, and also allows for an under glove to be worn for added comfort

**Heavy Duty:** Combines chemical resistance with mechanical protection

**Cuff:** Beaded cuff provides additional strength and prevents liquid roll back

**Styles:** Variable weight and lengths available to suit the task in hand

### Sectors

• Construction & Utility • Janitorial • Waste Management and Local authority

### Packing

1 pair per polybag


SC104: 20 pairs per case

SC105: 15 pairs per case

SC107: 12 pairs per case

SC108: 10 pairs per case

SC109: 8 pairs per case



Code	SC105	SC108	SC109	SC104	SC107
Colour	Black	Black	Black	Black	Black
Sizes	9-10	9-11	10	9-11	9-11
Weight	Heavy	Heavy	Heavy	Medium	Medium
Length	44cm	60 cm	66 cm	44cm	60cm


General Handling





## GI/500 (30cm)

Blue/Yellow bi-polymer flock lined glove



### Packing

12 pairs per polybag / 144 pairs per case

### Features

- Cotton flock lining absorbs perspiration and keeps hands dry, cool and comfortable
- Chloroprene coated for fat and oil protection at palm
- Anatomically shaped ensuring comfort and reducing hand fatigue
- Textured palm and fingers enhance grip
- Thickness: 0.67mm / 26 Mil
- Length: 30cm gauntlet for protection to the forearm
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact


### Sectors

- Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Preparation • Janitorial • Medical, Vet and Dental
- Waste Management and Local authority

Code	GI/500
Colour	Yellow/Blue
Sizes	7-10

## Taskmaster™ (30cm)

Durable natural latex gauntlet with cotton interlock liner



### Packing

12 pairs per polybag / 48 pairs per case

### Features

- Superior Grip: Roughened surface on the hand for safer handling of both wet and dry objects
- Gauntlet: Provides liquid proof protection
- Comfort: 100% cotton interlock liner for comfort
- Thermal Insulation: Good insulation against heat and cold
- Length: 30cm gauntlet for protection to the forearm
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact


### Sectors

- Construction & Utility • Food Manufacturing and Prep • Janitorial • Waste Management and Local authority

Code	850
Colour	Blue
Sizes	8-11

## Blue Grip® Gauntlet (30cm)

Blue crinkle latex gauntlet



### Packing

12 pairs per polybag / 120 pairs per case



### Features

- Crinkle Latex: Blue crinkle latex for maximum grip in the wettest and most slippery of conditions.
- Natural Rubber Latex: Latex rubber is a natural material, and a great alternative to petrochemical based Poly Vinyl Chloride.
- Cotton interlock liner: Soft cotton interlock liner increases mechanical strength and gives extra comfort for all day wearability.
- Thermal Insulation: Specifically chosen latex and cotton materials give great insulation against cold, and hot conditions
- Length: 30cm gauntlet for protection to the forearm
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

### Sectors

- Fishing industry • Food manufacturing and prep

Code	BGG
Colour	Blue
Sizes	7-12

## Jet™ (31cm)

Heavy duty natural rubber flock lined glove



### Packing

12 pairs per polybag / 48 pairs per case

### Features

- Performance: A heavyweight glove that will stand up to repeated knocks & scuffing
- Chlorinated: Treated to harden the surface of the glove leaving it smooth to the touch
- Comfort: Anatomical shape ensures comfort and reduces hand fatigue
- Good Grip: Slip resistant pattern on the palm enhances grip
- Cuff: Beaded cuff to prevent liquid roll back
- Cotton Flock: Soft cotton flock lining absorbs perspiration, keeping hands cool
- Length: 31cm gauntlet for protection to the forearm


### Sectors

- Construction & Utility • Food Manufacturing and Preparation • Janitorial
- Waste Management and Local authority

Code	52
Colour	Black
Sizes	6.5-9.5

## GI/6406

Industrial black rubber gloves



### Packing

12 pairs per polybag / 144 pairs per case

### Features

- Cotton flock lining absorbs perspiration and keeps hands dry, cool and comfortable
- Provides protection against a wide range of chemicals
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact
- Length: 32cm gauntlet for protection to the forearm
- Thickness: 0.65mm / 26 Mil

### Sectors

- Food Manufacturing and Preparation • Janitorial • Waste Management and Local authority

Code	GI/6406
Colour	Black
Sizes	7-10

## Maxima™ (30cm)

Heavy duty flock lined natural rubber glove



### Packing

12 pairs per polybag / 48 pairs per case

### Features

- Provides protection against a wide range of chemicals
- Offers good abrasion and tear resistance
- Slip resistant pattern on the palm enhances grip
- Soft flock lining absorbs perspiration and keeps hands dry, cool and comfortable
- Length: 30cm gauntlet for protection to the forearm

### Sectors

- Construction & Utility • Food Manufacturing and Prep • Janitorial
- Waste Management and Local authority

Code	51
Colour	Black
Sizes	6/6.5 – 7/7.5 – 9/9.5 – 10/10.5



## Duo Plus 60™ (0.6mm) (30cm)

Double dipped latex flock lined glove



### Features

**Strength:** Double dipped latex provides added protection

**Grip:** Slip resistant pattern on palm enhances grip

**Comfort:** Anatomically shaped ensuring comfort and reducing hand fatigue

**Cotton Flock:** Cotton flock lining absorbs perspiration, keeping hands cool and comfortable

**Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact**

**Length:** 30cm gauntlet for protection to the forearm


Code	RU560
Colour	Blue
Sizes	7-10

### Sectors

• Food Manufacturing and Preparation • Janitorial • Waste Management and Local authority

### Packing

12 pairs per polybag / 48 pairs per case



## Deep Sink™ (40cm)

Extra long natural rubber flock lined glove



### Features

**Extra Long:** For added protection to the forearm

**Grip:** Slip resistant pattern on the palm enhances grip

**Comfort:** Anatomical shape ensures comfort and reduces hand fatigue

**Cotton Flock:** Soft cotton flock lining absorbs perspiration and keeps hands cool

**Cuff:** Beaded cuff for additional strength and prevention of liquid roll back

**Length:** 40cm gauntlet for protection to the forearm

Code	62
Colour	Yellow
Sizes	6-8

### Sectors

• Janitorial

### Packing

12 pairs per polybag / 120 pairs per case







# Optima™ (30cm)

Mediumweight natural rubber flock lined glove



## Features

Mediumweight: Offering improved strength whilst maintaining a high level of dexterity and flexibility

Comfort: Anatomically shaped for comfort

Grip: Slip resistant pattern enhances grip

Cotton Flock: Soft cotton flock lining eases donning and removal and absorbs perspiration keeping the hands cool and comfortable

Hygiene: Contains fungicidal and bacteriostatic agent

Colours: Available in a wide range of colours for easy job application

Food Contact: Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

Length: 30cm gauntlet for protection to the forearm

Colours: Available in 4 colours

## Sectors


• Food Manufacturing and Prep • Janitorial • Waste Management and Local authority



Code	02Y	13R	32G	42B
Colour	Yellow	Red	Green	Blue
Sizes	6.5-10.5	6.5-10.5	6.5-10.5	6.5-10.5

## Packing

12 pairs per polybag / 144 pairs per case





## GR01 (0.40mm) (30cm)

Latex rubber household glove



### Features

Cotton flock lining: absorbs perspiration and keeps hands dry, cool and comfortable

Grip: Textured palm and fingers enhance grip

Rollled cuff: for extra strength and prevention of liquid roll back

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

Colours: Available in 4 colours


Thickness: 0.40mm / 16 Mil

Length: 30cm gauntlet for protection to the forearm

Code	GR01/Y	GR01/B	GR01/G	GR01/P
Colour	Yellow	Blue	Green	Pink
Sizes	S-XL	S-XL	S-XL	S-XL

### Sectors

• Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority



### Packing

12 pairs per polybag / 144 pairs per case

## GR03 (0.33mm) (30cm)

Latex rubber household glove



### Features

Cotton flock lining absorbs perspiration and keeps hands dry, cool, and comfortable

Textured palm and fingers enhance grip

Rollled cuff: for extra strength and prevention of liquid roll back

Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

Colours: Available in 4 colours

Thickness: 0.33mm / 14 Mil

Length: 30cm gauntlet for protection to the forearm

Code	GR03/Y	GR03/B	GR03/G	GR03/P
Colour	Yellow	Blue	Green	Pink
Sizes	S-XL	S-XL	S-XL	S-XL

### Sectors

• Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority



### Packing

12 pairs per polybag / 144 pairs per case

## Long John® (64cm)

PVC coated gauntlet on a cotton liner with an integral PVC sleeve



### Features

- Protection: Excellent resistance to acids and alkalis
- Extra Long: 64cm Ideal for working in deep water or muddy and dirty environments
- Gauntlet: Offers good mechanical properties and resistance to oils
- Comfort: Cotton liner provides a high level of comfort
- Fit: Adjustable Velcro strap for a secure fit

Code	3413
Colour	Green/Red
Sizes	10



### Sectors

- Engineering and Manufacturing • Waste Management and Local authority

### Packing

10 pairs per polybag / 36 pairs per case

## Polychem® (35cm)

Heavyweight red PVC chemical resistant gauntlet



### Features

- Superior Chemical Resistance: Offers protection against a variety of chemicals including concentrated acids, alkalis, oils and greases
- Durable: Achieves maximum score for abrasion resistance as defined by European Standard EN388
- Comfort: Cotton interlock knitted liner provides a high level of comfort
- Range: Available in various lengths providing protection to the top of the arm
- Pressure Tested: For ultimate reassurance of gauntlet integrity
- Length: 35cm gauntlet for protection to the forearm

Code	P45
Colour	Red
Sizes	10-11



### Sectors

- Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

### Packing

10 pairs per polybag / 50 pairs per case





## Polysol™ (35cm)

Green double dipped PVC glove



### Features

**Protection:** Offers protection against a variety of chemicals including hydrocarbons and certain solvents


**Durable:** Achieves maximum score for abrasion resistance as defined by European Standard EN388

**Comfort:** Cotton interlock knitted liner provides a high level of comfort

**Grip:** Granular finish for improved grip levels

**Length:** 35cm gauntlet for protection to the forearm

Code	P73
Colour	Green
Sizes	10-11



### Sectors

- Engineering and Manufacturing • Oil and Gas • Waste Management and Local authority

### Packing

10 pairs per polybag / 50 pairs per case

Reusable Gloves

## Vyclear® (35cm)

Clear dipped PVC glove



### Features

**Protection:** Offers protection against a variety of chemicals including hydrocarbons and certain solvents

**Durable:** Achieves maximum score for abrasion resistance as defined by European Standard EN388

**Comfort:** Cotton interlock knitted liner provides a high level of comfort

**Grip:** Granular finish for improved grip levels

**Length:** 35cm gauntlet for protection to the forearm

Code	P713
Colour	White
Sizes	9-10



### Sectors

- Engineering and Manufacturing • Waste Management and Local authority

### Packing

10 pairs per polybag / 50 pairs per case

Chemical Resistant

# Electrical Handling Gloves

Our electrical safety gloves are anatomically designed to be close fitting on the hand and fingers, this offers improved dexterity when working with wiring and small parts. We also offer leather gauntlet over-gloves that provide additional mechanical protection when worn over electricians' gloves.

Electrical safety gloves are often classified as non-conductive gloves. This refers to the insulation they offer against currents and voltages when working with electrical goods and systems. Our electrical insulating range combines the best of dexterity, mechanical protection and insulating properties



## Touch-E

Electricians glove



### Features

Electrical Insulating glove 3 in 1: dielectric, mechanical and arc flash protection

Class 0, for a maximum working AC voltage of 1000V

Protection against arc flash, ATPV – 12 cal/cm<sup>2</sup> & IEC 61482-1-2: Class 1 (0.5s - 4kA)

Unique formulation of the rubber compound makes gloves extremely flexible

Primary Coating Polymer: Latex

Environmental: Packed without the use of plastic; reducing the overall weight of packaging

Fit: Full coverage design and pre-curved shape for maximum comfort and ultimate protection

Grip: Slip-resistant pattern on the palm enhances grip


### Sectors

• Automotive • Construction & Utility

### Packing


1 pair per bag

Code	TE0360
Colour	Orange
Sizes	8-10



## SuperGlove® Volt

Latex insulating glove



### Features

Latex Material: Excellent electrical resistance

Anatomical Shape: For greater user comfort

Maximum working AC voltage:

Class 00 500V

Class 0 1000V

Class 1 7500V

Class 2 17000V

Class 3 26500V

Class 4 36000V

### Sectors

• Automotive • Construction & Utility

### Packing

1 pair per bag



Code	RE00360	RE0360	RE1360	RE1410	RE2360	RE3360	RE3410	RE4410
Colour	Natural							
Sizes	8-11	7-11	8-11	9-11	8-10	8-12	9-11	9-11
Class	00	0	1	1	2	3	3	4
Length	36cm	36cm	36cm	41cm	36cm	36cm	41cm	41cm





# Composite and Arc Flash Gloves

Composite insulating glove



### Features

- Insulating glove 3 in 1: dielectric, mechanical and arc flash protection
- Unique formulation of the rubber compound makes gloves extremely flexible
- BiColour: internal black/external red to make visual inspection easier
- Each pair of gloves is supplied with a pair of cotton fingerless under gloves for improved comfort

### Sectors

- Automotive • Construction & Utility

### Packing

1 pair per bag

Class	Maximum working AC Voltage	IEC 61482-1-2	ATPV (cal/cm2) ASTM F2675
00	500V	Class 2 (0.5s-7kA)	26.3 cal/cm2
0	1000V	Class 2 (0.5s-7kA)	71.6 cal/cm2
1	7500V	Class 2 (0.5s-7kA)	42.2 cal/cm2
2	17000V	Class 2 (0.5s-7kA)	74.5 cal/cm2
3	26500V	Class 2 (0.5s-7kA)	73.2 cal/cm2
4	36000V	Class 2 (0.5s-7kA)	87.7 cal/cm2



Code	AFG36-00	AFG41-0	AFG41-1	AFG41-2	AFG41-3	AFG41-4
Colour	Red					
Sizes	6-12	6-12	7-12	7-12	7-12	7-12
Class	00	0	1	2	3	4
Length	36cm	41cm	41cm	41cm	41cm	41cm



# Electricians Glove Bag

Canvas bag for electricians gloves



**Packing**

1 bag per polybag

**Features**

- Designed to store and carry Electricians Gloves
- Protects gloves when not in use which prolongs performance
- Velcro fastening ensures that gloves remain safe and secure inside the bag
- Strap with buckle makes it easy to carry and attach

**Sectors**

- Construction & Utility

Code	REBAG
Colour	Black
Sizes	One size

# SuperGlove® Volt Protector Gauntlet (With Buckle)

Leather gauntlet over-glove with securing buckle



**Features**

- Designed to be worn over Electricians Gloves
- Provides additional mechanical protection
- Offers a higher level of grip
- Protects in dirty or oily environments
- Extends the lifespan of Electricians Gloves
- Available with or without a buckle

**Sectors**

- Automotive • Construction & Utility




**Packing**

1 pair per paper band / 1 pair per case

Code	RE-PRO
Colour	Grey
Sizes	8-13

# SuperGlove® Volt Protector Gauntlet

Leather gauntlet over-glove



**Features**

- Designed to be worn over Electricians Gloves
- Provides additional mechanical protection
- Offers a higher level of grip
- Protects in dirty or oily environments
- Extends the lifespan of Electricians Gloves
- Available with or without a buckle

**Sectors**

- Automotive • Construction & Utility



**Packing**

1 pair per paper band / 1 pair per case

Code	RE-PRO/NB
Colour	Grey
Sizes	8-11

# Vibration Reducing Gloves

According to HSE, around 2 million people are currently thought to be at risk of Hand Arm Vibration Syndrome, a long term illness caused by vibration.

Our anti vibration gloves help to reduced the effects of impact , shocks and vibration.







## Tremor-Low™ X

Seamless knitted shell with anti-vibration coating



### Features

**Innovative:** The unique coating on the glove acts to reduce the effects of impact, shocks and vibration

25.3% reduction of transmissibility of Medium frequency range (25Hz – 200Hz)

40.3% reduction of transmissibility of High frequency (200Hz – 1,250Hz)

**Comfort:** The soft knitted seamless liner is comfortable to wear over long periods of time, whilst the open back allows for excellent breathability

**Dexterity:** Unlike other impact gloves, Tremor-Low™ X allows the wearer a greater level of dexterity

**Knit Wrist:** Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

### Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing

Code	876X
Colour	Black
Sizes	8-10

### Packing

1 pair per polybag / 12 pairs per case




EN ISO 10819:2013  
TR<sub>M</sub> 0.747  
TR<sub>H</sub> 0.597

# Hot Handling Gloves

Our range offers a wide range of gloves that are compliant with EN407 standards and are used across engineering, manufacturing, automotive and food manufacturing and preparation sectors. They deliver outstanding protection against thermal hazards, with some providing heat resistance up to 500°C.

Heat resistant gloves protect workers' hands (and forearms) when they are handling or exposed to extreme heat sources.





## Foundry Heatbeater™

Modified glass mitten with aluminised glass fabric cuff



### Features

Heat Resistant: Provides excellent protection against heat.

Comfort: The Kevlar® felt lining provides the wearer with exceptional comfort

Contact Temperature: 500°C for 27 seconds.

Code	7576
Colour	Silver
Sizes	One size



### Sectors

- Engineering and Manufacturing


### Packing

1 pair per bag

Kevlar® is a DuPont™ registered trademark

## Ingot Heatbeater™

Modified glass mitten with Kevlar® felt and an aluminised glass fabric cuff



### Features

Heat Resistant: Provides exceptional protection against heat

Comfort: The Kevlar® felt lining provides the wearer with exceptional comfort

Range: Available in 45cm (7572) and longer 66cm (7582) length for extra protection to the forearm

Contact Temperature: 500°C for 40 seconds

Code	7572	7582
Colour	Blue/Silver	Blue/Silver
Sizes	45cm	66cm



### Sectors

- Engineering and Manufacturing

### Packing

1 pair per bag

Kevlar® is a DuPont™ registered trademark





## Teflon™ Mitt

Silver Teflon™ coated mitt lined with felt fabric



### Sectors

- Food Manufacturing and Preparation

### Packing

12 pairs per polybag / 48 pairs per case

### Features

Heat Resistant: Tested to Level 2 (up to 250°C) for contact heat according to EN407

Barrier: Non-stick Teflon coating prevents oil and grease from absorbing into the glove

Ambidextrous: Can be worn on either hand, extending the life of the glove

Extra Long: 38cm in length providing protection to the lower arm

Colour Coded: Available with green or red cuff trim to prevent contamination when dealing with raw and cooked food

Code	TEF
Colour	Silver
Sizes	One size



Kevlar® is a DuPont™ registered trademark

## Volcano™

100% Kevlar® extra heavyweight gauntlet with heavyweight cotton inner lining



### Sectors

- Engineering and Manufacturing

### Packing

1 pair per bag / 36 pairs per case

### Features

Heat Resistant: Provides good protection against heat

Cut Resistant: Kevlar® provides increased protection against cuts, slashes and abrasion

Comfort: The knitted construction gives a degree of comfort, flexibility and dexterity not normally associated with such protection levels

Range: Available in 32cm (7564) and longer 58cm (7566) length for extra protection to the forearm

Contact Temperature: Level 3 for contact heat, can withstand temperatures of 350°C

Code	7564	7566
Colour	Yellow	Yellow
Sizes	32cm	58cm



Kevlar® is a DuPont™ registered trademark

## Bakers Mitt™

Heavy duty terry cloth with integral liquid and steam barrier



### Features

**Heat Resistant:** Tested to Level 2 (up to 250°C) for contact heat according to EN407

**Resists Steam and Liquid:** The innovative integral PVC barrier within the glove provides effective protection from liquids and steam

**Protection:** The heavyweight terry cotton outer shell offers good abrasion and cut resistance

**Ambidextrous:** Can be worn on either hand, extending the life of the glove

**Comfort:** Soft fleecy lining for ultimate comfort

Code	7724
Colour	White
Sizes	One size



### Sectors

- Food Manufacturing and Preparation

### Packing

1 pair per polybag / 36 pairs per case

## Hot Glove™

Double layered cotton glove with nitrile grip coating



### Features

**Heat Resistant:** Tested to Level 2 (up to 250°C) for contact heat according to EN407

**Protection:** Double layered cotton for extra protection and durability

**Grip:** Nitrile grip pattern offers good grip for safer handling

**Generous Fit:** Easy on and off design

**Ambidextrous:** Can be worn on either hand, extending the life of the glove

**Range:** Available in short (9010) and long (9011) lengths

Code	9010	9011
Colour	White/Red	White/Red
Sizes	7 and 9	9



### Sectors

- Food Manufacturing and Preparation


### Packing

1 pair per polybag / 12 pairs per case



## Tigmaster™

Sheepskin / leather welding gauntlet



### Features

Materials: Sheepskin palm (0.8mm) with heavy duty leather cuff (1.0mm)

Welding: Specifically designed for type B (Tig welding) and light mechanical handling

Compliant: With EN12477 - Welding Standard

### Sectors

• Automotive • Engineering and Manufacturing



### Packing

1 pair per polybag / 100 pairs per case

Code	LMW124
Colour	Grey
Sizes	10

## Weldmaster™

Premium quality chrome leather welding gauntlet



### Features

Protection: Welded seams protect against thermal and mechanical discharge

Thermal Lining: Thermal lining improves comfort and contact heat protection

Design: Specifically designed for type A (Mig/Arc welding) and light mechanical handling

Compliant: Compliant with BS EN12477 2001+A1:2005 Type A - Welding Standard

### Sectors

• Automotive • Engineering and Manufacturing



### Packing

10 pairs per polybag / 30 pairs per case

Code	LW93
Colour	Red
Sizes	9

## Thermatex™ (34oz Reverse Terry Loop Gauntlet)

Heavyweight 40cm reverse terry loop gauntlet



### Features

Heat Insulation: Provides good insulation against heat

Protection: Offers good mechanical protection

Comfort: Soft terry cloth cotton fabric is extremely comfortable

### Sectors

• Food Manufacturing and Preparation



### Packing

1 pair per polybag / 50 pairs per case

Code	CTH310
Colour	White
Sizes	9





**Features**

- Innovative: Developed at Polyco Healthline’s R&D centre, Fusion is the only product of its kind
- Melt Resistant: The polyamide material can withstand temperatures of up to 200°C without melting
- Ambidextrous: Can be worn on either hand, extending the life of the glove
- Comfort: The special design allows for easy donning and removal but maintains an excellent level of dexterity
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

**Sectors**

- Food Manufacturing and Preparation

Code	FUS50
Colour	Blue
Sizes	One size

**Packing**

50 gloves per dispenser / 10 dispensers per case



# Cold Handling Gloves

Insulated or thermal gloves keep workers hands warm and comfortable in cold conditions whilst also providing an array of secondary benefits, including abrasion protection and enhanced grip for any manual tasks. Cold resistant gloves are useful in a wide variety of workplaces, from cold rooms and refrigerated storage to transport and outdoor work in the winter months.

Have a look at our range of cold weather and thermal work gloves, tested to EN511 for Cold Handling gloves to ensure comfort and safety for work within cold and freezing temperatures.





## Polyflex® Eco Therm

Thermal lined, seamless knitted liner made in part from recycled plastics, with a sandy latex coating.



### Features

**Environmentally Conscious:** Each glove contains a minimum of 25% recycled material (rPET)

**Warm:** Soft knitted thermal lining keeps hands exceptionally warm

**Grip:** The sandy latex coating has been specifically developed to resist abrasion, whilst maintaining superior grip and outstanding comfort and dexterity

**Packaged plastic free:** Polyflex® Eco Therm is packed without the use of plastic, reducing the overall weight of packaging.

**Cut resistant:** To ensure use in the widest range of sectors Polyflex® Eco Therm has been engineered to score a cut 3 against EN388 2016

**Hot and Cold Contact** Polyflex® Eco Therm has been engineered to protect against handling hot and cold objects


### Sectors

- Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics • Waste Management and Local authority

Code	PETH
Colour	Orange/Black
Sizes	7-11

### Packing

6 pairs per bundle band / 60 pairs per case







# Grip It® Oil Therm

Seamless knitted glove with a dual nitrile coating and fleecy liner



## Features

**Handling:** Utilises two layers of nitrile coating to provide ultimate abrasion protection and gripping ability. The first layer which is a full coating is soft and resilient allowing for excellent dexterity. The second layer which is a palm coating, is infused with microfoam bubbles increasing resistance to oils and maximising grip

**Durable:** Delivers excellent abrasion protection, durability and a long life expectancy

**Fleecy Liner:** Provides exceptional warmth and comfort

**Hi-Vis:** High visibility colour improves visual awareness even in subdued light

**SilverClear®** glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration

## Sectors

- Construction & Utility • Engineering and Manufacturing
- Warehousing, Transport and Logistics

Code	GIOTH
Colour	Yellow/Black
Sizes	7-12

## Packing

10 pairs per bundle band / 60 pairs per case





## Vyflex® BOA (35cm)

Seamless supported PVC glove with BOA liner



### Features

- Protection: Good protection against oil, acids and other chemicals
- BOA Liner: Provides exceptional warmth and comfort
- Grip: Granular slip-resistant surface on the hand area for improved grip
- Durable: Excellent abrasion resistance and good tear resistance enhances durability
- Comfort: Anatomical shape aids flexibility and minimises hand fatigue
- Anti-Static Properties: Meets the surface resistivity requirements of EN1149
- Length: 35cm gauntlet for protection to the forearm


Code	PF94
Colour	Blue
Sizes	9-10

### Sectors

- Engineering and Manufacturing • Waste Management and Local authority

### Packing

5 pairs per polybag / 25 pairs per case



## Freezemaster® II


Leather insulated glove



### Features

- Quality: Made from premium quality leather which is soft, resilient and provides excellent grip
- Comfort: Spandex on the back of the hand allows for total flexibility in hand movement
- Lining: Fleecy lining and waterproof membrane keeps hands warm and dry in cold conditions
- Range: Available with an extra long cuff for additional warmth and protection

Code	FM2	FM2LC
Colour	Black/Grey	Black/Grey
Sizes	6-11	6-11



### Sectors

- Warehousing, Transport and Logistics

### Packing

1 pair per paper band / 10 pairs per case



# Matrix® Hi-Viz

Seamless thermal high visibility glove with crinkle latex coating



**Packing**  
12 pairs per polybag / 144 pairs per case

## Features

- Fleecy lining keeps hands warm and comfortable in cold conditions
- Crinkle latex palm coating is highly flexible and offers excellent wet and dry grip
- Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris
- Also available on a header card for easy display and allowing for lower order quantities

## Sectors

- Construction & Utility • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	90-MAT
Colour	Yellow/Blue
Sizes	7-10

# Thermit Grip™

Thermal knitted liner with PVC dot coated palm



**Packing**  
12 pairs per bundle band / 120 pairs per case

## Features

- Provides insulation against the cold
- Seamless construction will not irritate hands
- Thermal yarn provides a close fit and excellent dexterity
- Ideal for use as an insulated liner under other Polyco Healthline products
- Grip: PVC dot coated palm for added grip

## Sectors

- Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Preparation • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	780GP
Colour	Navy
Sizes	7-10

# Thermit™

Thermal knitted liner



**Packing**  
12 pairs per bundle band / 120 pairs per case

## Features

- Provides insulation against the cold
- Seamless construction will not irritate hands
- Thermal yarn provides a close fit and excellent dexterity
- Can be worn on either hand increasing the life of the glove and reducing costs
- Ideal for use as an insulated liner under other Polyco Healthline products
- Tested in compliance with Commission Regulation (EU) No 10/2011 for Food contact

## Sectors

- Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Preparation • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	780
Colour	Navy
Sizes	7-9



# Hand Protection Assessment Survey

Safeguarding your employees & your business.

Our team of experts in hand protection is there to accompany you through your Hand Protection Assessment.


Should it be for an annual safety review or a change in process, we will expertly guide you through a detailed audit.

Available in person with site visits or via our newly launched virtual platform. We will accompany you through the entire process to ensure the correct level of PPE is used.



**WATCH ME**

Technical



## The danger of over simplifying glove requirements

Injuries can occur when businesses over simplify their glove requirements, seeking a one-glove solution, when such an approach is rarely suitable. Different tasks require different types and levels of protection and safety managers and employers need to ensure workers are adequately protected against the full spectrum of risks that they can expect to encounter. A Hand Protection Assessment Survey will help you find the right solution for most tasks and will minimise duplication and waste.

## A Polyc Healthline Hand Protection Assessment will:

- Provide a documented process to support your risk assessment procedures
- Help ensure your organisation complies with the current EN standards
- Provide a detailed report highlighting the most appropriate specifications of hand and arm protection
- Identify the areas where improvements can be made both from a cost and best practice perspective
- Be undertaken by glove industry experts
- Help safeguard against expensive injury claims and time lost due to staff absences through injury

## Assessing the risks

When approaching safety glove selection as part of a Health & Safety risk assessment, a Hand Protection Assessment Survey is a good place to start. If a hazard cannot be removed and the risk cannot be avoided, a hand protection survey will help identify suitable protective products in line with current legislation. Polyc Healthline offers this comprehensive survey as a free service and it is undertaken by experienced industry experts.



To arrange for a Hand Protection Assessment Survey contact your local area sales manager on **t: 03333 208 550** or **e: HPAS@polycohealthline.com**

HPAS



# Standards Explained

All personal protective equipment (PPE) glove must comply with the standard EN ISO 21420, Protective Gloves General Requirements and Test Methods. Other standards, some of which are explained below, relate to specific types of hazards.

- Chemical Risk
- Mechanical Risk
- Thermal Risk
- Cold Risk

## EN ISO 374-1:2016+A1:2018

EN 374-1 is the standard for protective gloves against dangerous chemicals and micro-organisms.

Gloves are tested in the palm (unless over 400mm in which case the cuff is also tested) for permeation resistance against any of 18 specified chemicals.

There are 3 types of chemical resistant gloves; Type A, Type B and Type C as detailed.

The permeation performance levels are from 1-6, with 6 being the highest.

EN ISO 374-1:2016  
+A1:2018 Type A



UVWXYZ

### Type A

Passing a minimum level 2 permeation resistance against at least 6 chemicals. Code letters for chemicals shown under the pictogram.

EN ISO 374-1:2016  
+A1:2018 Type B



XYZ

### Type B

Passing a minimum level 2 permeation resistance against at least 3 chemicals. Code letters for chemicals shown under the pictogram.

EN ISO 374-1:2016  
+A1:2018 Type C



### Type C

Passing a minimum level 1 permeation resistance against at least 1 chemical. No letters under the pictogram.

EN ISO 374-5:  
2016



To claim chemical resistance (and micro-organism resistance) EN374-5 must also be passed which ensures the gloves do not leak when tested with air or water. Virus resistance can also be tested under EN374-5 and if passed the word Virus can be shown under the EN374-5 pictogram.

Chemical resistant gloves are also tested against EN374-4 which gives an indication of the degradation of the glove material in contact with the chemicals claimed under EN374-1.




## EN 388:2016+A1:2018

EN 388 is the standard for protective gloves and other hand protective equipment against mechanical risks.

*X indicates the test was not carried out or not applicable. O indicates the minimum criteria for the test were not achieved.*

EN 388:2016  
+A1:2018



**A B C D E F**

**Abrasion resistance** is the resistance of the palm of the glove to a specified abrasive paper and is measured in cycles. Performance levels from 1 to 4, with 4 being the highest.

**Coup cut resistance** is measured using a counter rotating blade to obtain a cut index. The blade must be checked after each cut cycle and, if the blade is deemed to be blunted, the ISO cut method must be used (see E). Performance levels from 1 to 5, with 5 being the highest.

**Tear resistance** is a measure of the force required to tear the glove. Performance levels from 1 to 4, with 4 being the highest.

**Puncture resistance** is a measure of the force required to puncture the material with a specified stylus. Performance levels from 1 to 4, with 4 being the highest.

**ISO cut resistance** is a measure of the force in Newtons required to cut through a material with a calibrated blade after 20mm movement across the material. Performance levels from A to F, with F being the highest.

**Impact resistance** is not mandatory, but if the test is carried out and passed, this is indicated with the marking code "P."

## EN 407:2020

EN 407 is the standard for protective gloves and other hand protective equipment against thermal risks (heat and/or fire).

EN 407:  
2004



EN 407:  
2020



or

*If the product claims a limited flame spread level of performance (at least level 1) Pictogram 1 should be used. If the product does not claim a limited flame spread level of performance Pictogram 2 should be used. The marking of the two pictograms together on the product is forbidden. Levels of performance should be included under the relevant Pictogram.*

**A B C D E F**

**Flame Resistance** (limited flame spread) is a measure of how long a material continues to burn or glow after application and removal of a source of ignition. Performance levels from 1 to 4, with 4 being the highest.

**Resistance to contact heat** is measured at 100, 250, 350 and 500 °C. To pass, it must take at least 15 seconds for the inside of the glove to rise by 10 °C. Performance levels 3 and 4 can only be claimed if at least level 3 for limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

**Resistance to convective heat** is the time a material can delay transfer of heat emitted from a flame. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

**Resistance to radiant heat** is the time a material can delay transfer of heat from a radiant heat source. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

**Resistance to small splashes of molten metal** is the number of drops required to increase the temperature on the inside of a glove by 40°C. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

**Resistance to large quantities of molten metal** is the weight of molten metal required to cause smoothing or other changes to PVC foil (skin simulant) placed behind a glove. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

## EN 511:2006

EN 511 is the standard for Protective gloves and other hand protective equipment against cold.

EN511:  
2006



**A B C**

*X indicates the test was not carried out or not applicable. O indicates the minimum criteria for the test were not achieved.*

*For extreme cold (-30°C and below), an extreme cold flexibility test must also be carried out.*

**Resistance to convective cold** is a measure of the transfer of cold via convection. Performance levels from 1 to 4, with 4 being the highest. To claim levels 2 to 4, an EN388 performance level of at least 2 for abrasion and tear must also be achieved.

**Resistance to contact cold** is a measure of the resistance when the glove is in contact with a cold item. Performance levels from 1 to 4, with 4 being the highest. To claim levels 2 to 4, an EN388 performance level of at least 2 for abrasion and tear must also be achieved.

**Resistance to water penetration** is a measure of permeability to water. Performance level 1 indicates no water penetration. If this test is failed, this is indicated by Performance level 0.





# Chemical Performance

The below handy chemical breakthrough 'ready-reckoner' shows popular gauntlet materials and the associated breakthrough times for some common chemicals. For specific chemical breakthrough times, and an application specific product solution contact your local area sales manager, these should be used as a guide only.

## BS EN374-1 Permeation Performance Levels and Corresponding Breakthrough Times in Minutes

Chemical	Lightweight PVC (0.6mm)	Mediumweight PVC (0.8mm)	Heavyweight PVC (1.2mm)	Nitrile 0.4mm	Neoprene	Mediumweight Nat Rubber (0.7mm)	Heavyweight Nat Rubber (1.0mm)
Acetic acid	120	200	400	60	300	46	120
Acetone	9	20	18	9	23	18	50
Acetonitrile	4	9	14	15	70	3	6
Allyl alcohol	100	160	190	210	110	15	46
Ammonia	36	39	49	250	80	25	50
Amyl acetate	12	18	25	11	18	6	9
Amyl alcohol	100	160	190	210	110	15	46
Aniline	180	347	280	53	196	15	22
Benzene	17	30	32	14	12	8	15
Butanol	200	320	400	>480	250	50	127
Butyl acetate	24	33	45	48	24	11	20
Carbon Tetrachloride	40	55	100	260	30	11	27
Chromic acid	300	360	>480	90	45	80	110
Cyclohexane	52	98	93	360	159	21	47
Dibutyl Phthalate	1	3	5	260	130	55	88
Dichloromethane	4	6	9	3	6	5	12
Diesel	20	38	29	360	57	16	24
Diethyl phthalate	1	3	5	260	130	55	88
Di-isobutyl ketone	10	18	20	6	12	7	18
Ethanol 100%	100	160	190	210	110	15	46
Ethyl acetate	12	18	25	11	18	6	9
Ethylamine gas	26	40	61	35	92	29	55
Formaldehyde 37% in 10% methanol	360	>480	>480	>480	120	17	60
Formic acid (50%)	390	>480	>480	180	>480	300	360
Hexane	20	38	29	360	57	16	24
Hydrochloric acid 37%	>480	>480	>480	>480	>480	>480	>480
Hydrofluoric acid	240	>480	>480	120	360	240	300
Hydrogen peroxide (30%)	270	>480	>480	>480	5	>480	>480
Kerosene (Burning oil - 28 sec)	240	300	360	>480	>480	15	15
Methanol	85	78	87	60	50	5	15
MEK (2- Butanone)	10	18	20	6	12	7	18
Naphtha solvent	110	140	180	360	340	4	8
Nitric acid 40%	44	84	173	50	240		
Nitrobenzene	100	140	190	25	50	18	40
Phenol 10%	190	320	400	30	>480	30	40
Phosphoric acid 30%	>480	>480	>480	>480	>480	>480	>480
Potassium hydroxide	>480	>480	>480	>480	>480	>480	>480
Sodium hydroxide (40%)	>480	>480	>480	>480	>480	>480	>480
Sulphuric acid (96%)	36	120	180	180	90	100	150
Trichloroethylene	13	13	17	6	9	4	11
Xylene	24	36	50	44	13	11	22

All results are for indication only and Polyco Healthline are not responsible if results obtained do not match those shown

Level 0   <10minutes	Level 3   >60 minutes <120 minutes	Level 6   >480 minutes
Level 1   >10minutes <30minutes	Level 4   >120 minutes <240 minutes	Not tested
Level 2   >30 minutes <60 minutes	Level 5   >240 minutes <480 minutes	

# Technology Centre

As part of Polyco Healthline's commitment to new product development and compliance a substantial investment has been made in a state of the art purpose built test laboratory in Bourne. With Polyco Healthline's Technology Centre, the service and expertise offered to our customers is second to none.



## What can we test at our laboratory?

Our Technology Centre is well-equipped with state of the art test equipment to enable us to perform a wide range of chemical and physical tests on a variety of different product types. The newly built suite brimming with cutting-edge test equipment is where we put our products through their paces. The centre is split into three separate laboratories:

- **Chemical Laboratory:** for tests including permeation and degradation resistance to various chemicals, powder content, pH testing, overall food migration, colour fastness to perspiration, and inorganic content.
- **Physical Laboratory:** for tests including abrasion resistance, blade-cut resistance, tear resistance, puncture resistance, tensile strength, dart impact resistance, force at break and elongation.
- **Wet Laboratory:** for tests including water leak and washing tests.



## Why have our own laboratory?

The Technology Centre allows us to perform a comprehensive list of tests to benchmark product quality.

Many products – PPE, medical, or otherwise – have associated test standards which may be used to evaluate or benchmark the performance of products. These tests are not only required for product certification but are also invaluable for areas such as new product development and complaint resolution.

Guided tours of the laboratory are available, giving customers the valuable opportunity to see test standards being performed in person and gain an extra understanding of what's involved in each of the tests.

Listed here is just a sample of the tests that our Technology Centre can undertake:

- ✓ EN 374-2
- ✓ EN 16523-1
- ✓ EN 388
- ✓ EN 21420
- ✓ EN 455

## Here to help

The laboratory operates as a business support unit and carries out internal testing or testing to aid our customers.





## Distribution

Our head office alongside our six distribution centres are situated in Bourne, Lincolnshire, with an additional satellite office located in London.

At a combined capacity of over 37,000 pallet spaces spread across 31,000sqm, our distribution centres enable the capability for growth and a large stock holding.

Our site operates 24 hours with a dedicated container park, we manage container receipts and deliveries at night, with capacity for 10 containers per shift.

This coupled with the combination of our own vehicles and the services of major transport companies ensures we provide a quick and efficient service to meet the demands of our growing customer base.

Strategically positioned for easy access to seaports and major road networks, the warehouses are also conveniently connected for quick and efficient daily stock transfers.







## How do we operate?

We operate all picking using our RF scanners to ensure accurate picking each and every time, which are connected to our ERP system and updated on a live level, offering the most up to date position of stock at all times.

The majority of our warehouse and production operatives are multi skilled, so as to allow seamless transition of responsibilities as and when required, which enables us to provide a quick and efficient turnaround service from order receipt to despatch.

We have terminals in every DC for each operative to be able to access vital company information including a fully integrated Health & Safety platform, HR access, Company Benefits and many more.

Thumb print clocking technology for all Warehouse staff who operate in the DCs for security and safety of all staff and visitors.

Over 60 CCTV cameras across the DCs monitored internally by our Facilities team using the latest technologies, which include remote viewing capabilities for additional security.

## Certification

Our ISO 9001 and ISO 13485 certified quality management systems allow us to have full traceability throughout the supply process, all the way back to factory raw materials.

The certification ensures all aspects of the business processes are monitored for quality.

Efficient management of our operations also involves a range of measures designed to reduce our environmental impact.

We also hold ISO 14001 Environmental Management Systems certification.




Product Name	Code	Page	Product Name	Code	Page
Armor Guard® BEAR	BEAR	37	Matrix® Green PU Fingerless	MGP-FL	44
Bakers Mitt™	7724	77	Matrix® Hi-Viz	90-MAT	84
Bladerunner™ Sleeve	8019	52	Matrix® Nitrile Grip	10-MAT	20
BladeShades®	BSB / BSK	51	Matrix® Orange PU	MOP	49
Blue Grip®	840	25	Matrix® P Grip	40-MAT / 30MAT	22
Blue Grip® Gauntlet	BGG	61	Matrix® Red PU	MRP	22
Capilex® D	CPD	38	Matrix® S Grip	50-MAT	26
Capilex® FC	CFC	45	Matrix® Touch 1	45-MAT	23
Chemprotec™	SC104 / SC105 / SC107 / SC108 / SC109	60	Maxima™	51	62
Composite & Arc Flash Gloves	AFG36-00 / AFG41-0 / AFG41-1 / AFG41-2 / AFG41-3 / AFG41-4	70	Multi-Task™ 3	MT3	28
Daytona™	DR100	29	Multi-Task™ 5	MT5	28
Daytona™ Plus	DR200	29	Multi-Task™ E	MTE	27
Deep Sink™	62	63	Multi-Task™ E C5	MTEC5	41
Dermatology Cotton™	DERA	32	Multi-Task™ E HV	MTEHV	27
Duo Plus 60™	RU560	63	N-Dura 45™	ND45	57
Dyflex® (Black)	882BK	47	Nitri-Tech III®	92 / 94	55
Dyflex® (White)	882WH	48	Nitri-Tech III® Lite	91	55
Dyflex® Air	DFA	46	Nitron® Lite	931	30
Dyflex® Plus N	DPN	40	Optima™	02Y / 13R / 32G / 42B	64
Dyflex® Ultra	DFU	43	Polychem®	P45	66
Foundry Heatbeater™	7576	75	Polyflex®	880G / 880	21
Freezemaster® II	FM2 / FM2LC	83	Polyflex® Eco Air	PER	10
Fusion®	FUS50	79	Polyflex® Eco Cut	PECT	36
GH100	GH100	23	Polyflex® Eco L	PEL	12
GH300 S Grip	GH300	26	Polyflex® Eco N	PEN	11
GI/500	GI/500	61	Polyflex® Eco Therm	PETH	81
GI/6406	GI/6406	62	Polyflex® Grip	800GR	15
GI/F11	GI/F11	55	Polyflex® Hydro C3	PHYC3	42
GR01	GR01Y / GR01B / GR01G / GR01P	65	Polyflex® Hydro KC	PHYKC	19
GR03	GR03Y / GR03B / GR03G / GR03P	65	Polyflex® Max PC	921	19
Granite 5® Beta	891	50	Polyflex® Plus	800	15
Granite 5® Delta	893	50	Polyflex® Ultra	911	14
Grip It® Dry	889	24	Polysol™	P73	67
Grip It® Oil	GIO	16	Premium Chrome Rigger™	LR158R	29
Grip It® Oil C3	GIOK3	42	Processor II™	72	59
Grip It® Oil Cut E	GIOKX	39	Pura™	17N / 27N / 37N / 47N	56
Grip It® Oil Gauntlet C1	GLOG1	57	Pure Dex™ Nylon	CR206 / CR201 / CR200	33
Grip It® Oil Gauntlet X	GLOGX	58	Rigmaster Double Palm Rigger™	LR143DP	29
Grip It® Oil Therm	GIOTH	82	Serva® Polycotton	BTJ147 / BTJ146	32
Grip It® Wet	GIW	24	SuperGloves® Volt	RE00360 / RE0360 / RE1360 / RE1410 / RE2360 / RE3360 / RE3410 / RE4410	69
Hot Glove™	9010 / 9011	77	SuperGloves® Volt Bag	REBAG	71
Imola®	DR300	18	SuperGloves® Volt Leather Protector	RE-PRO	71
Ingot Heatbeater™	7572 / 7582	75	SuperGloves® Volt Leather Protector	RE-PRO/NB	71
Jet™	52	62	Taskmaster™	850	61
Ketochem®	KETO	54	Teflon™ Mitt	TEF	76
Knitted Stockinette®	CK21KW / CK41	33	Thermatex™	CTH310	78
Long John®	3413	66	Thermit Grip™	780GP	84
Long Nite™	342	54	Thermit™	780	84
Matrix® Air C3	988	49	Tigmaster™	LMW124	78
Matrix® D Grip	70-MAT / 80-MAT	31	Touch-E	TE0360	69
Matrix® D Grip TS	75-MAT	31	Touchstone Sleeve™	7550 / 7551 / 7552 / 7553	52
Matrix® F Grip (Palm Coated)	11-MAT	20	Tremor-Low™ X	876X	73
Matrix® Fingerless	933	23	Volcano™	7564 / 7566	76
Matrix® GH113	GH113	30	Vyclear®	P713	67
Matrix® GH315	GH315	44	Vyflex® BOA	PF94	83
Matrix® GH370	GH370	41	Weldmaster™	LW93	78
Matrix® GH378	GH378	49			
Matrix® Green PU	MGP	44			



# Work Faster and Safer with Polyco Healthline

Polyco Healthline gloves are available in a variety of sizes. In order to gain optimum safety, performance and comfort, it is essential that gloves of the correct size are worn. To determine the correct size, please place your hand on the coloured bar as shown.







#phAMBITION IS POLYCO HEALTHLINE'S JOURNEY TOWARDS A SUSTAINABLE FUTURE WHICH SUPPORTS A HEALTHY, THRIVING WORLD AND PROMOTES WELL-BEING FOR US ALL, FOR GENERATIONS TO COME



Polyco Healthline | South Fen Business Park | South Fen Road  
Bourne | Lincolnshire | PE10 0DN

[www.polycohealthline.com](http://www.polycohealthline.com) | t: 0333 320 8550 | e: [customer.services@polycohealthline.com](mailto:customer.services@polycohealthline.com)

This catalogue is made of recycled paper