

Your Automotive hand protection & disposables specialist

Our Mission

Polyco Healthline is an industrial services firm providing knowledge, innovation and customer solutions in the protection and hygiene sector.

Designing, sourcing, selling and licensing across the value chain to ensure a clean and safer environment.

WEARE THE KNOWLEDGE AND INNOVATION BEHIND PROTECTION AND HYGIENE





n Products

Disposables Reusables Workwear Bags Cotton Consumables

D Innovations

Pulp

Safedon Licensing

Cotton

D Services

Promise Customer Services Consolidation Services Manufacturing Partnerships Supply Chain Simplification

😰 Consultancy

Technical

Training & Support

Experts

HOSPITATES HOSPITATES HACTORIES ARE THERE EVERYDAY DELIVERING YOU PROTECTION PRODUCTIVITY AND COMFORT

For any advice on our products, including how best to sell them, our specialist team is on hand:

 Call your Account manager 033 3320 8550
 Email sales@polycohealthline.com customer.services@polycohealthline.com technical@polycohealthline.com
 Visit us www.polycohealthline.com Alternatively, you can fill in a quick product enquiry form and our team of specialists will get back to you shortly:



SCAN ME



Polyco Healthline combines the 85 years' expertise of two leading businesses, who provide protection and hygiene products and services in the workplace and home.

Our wide range and quality products, including reusable and disposable gloves, workwear and bags, is trusted and used by multiple sectors throughout UK and overseas.

From our state-of-the-art warehouse and laboratory testing facility in Lincolnshire, our expert teams drive research & development and maintain logistics and customer service levels to ensure just-in-time supply.

Designing, sourcing, licensing and selling products, we optimise every step across the global supply chain. We innovate in partnership with commercially-minded businesses to overcome their biggest challenges to ensure a more compliant and safer environment.

н Logistics Sourcing Licensing Routes Research & H&S Products to Market Development Expertise WHER Oil & Gas Construction Automotive Household Healthcare **Food Industry** Waste Management Nuclear **Renewables** Petrochemical Chemical Major Retail **Life Sciences** Infrastructure

Projects

Together, we will ensure we stay Safe and Clean.

Our Services

An Extensive Range of Products All Under One Roof



From gloves to bags, workwear to paper, pulp to cotton – the breadth and quality of our product range is hard to find anywhere else.

And by constantly innovating new hygiene and protection solutions, Polyco Healthline is leading the way in glove dispensing technology and new safety solutions.

With so many products now available, you can cut down on the number of suppliers and trust us to deliver more of your inventory, through our robust logistics network.

By consolidating your purchasing with Polyco Healthline, you will benefit from:

✓ Access to technical product experts who will listen to your commercial challenges and build a protection solution tailored to you.

✓ Fastidious quality control enhanced by our in-house UK laboratory and our Far Eastern QA team. Together they ensure end-to-end accreditation and standards compliance.

✓ Quantifiable resource and time savings by reducing the number of suppliers you deal with each week.

✓ Deeper relationships with a dedicated account expert and your very own customer service 'buddy' who understands your business.

✓ Quality products sourced from manufacturing partners with the most reliable production track records.





Operational Excellence

Consistent and reliable supply means everything to you. So, we'll always aim for a speedy 48 to 72-hour turnaround on your order.

But sometimes supply chain complexities present problems beyond our control. It's at these times that your business relies on proactive account management, regular updates and the highest levels of accountability.

If you need support, you can speak to one of our friendly customer service agents. Partnered with your account manager, they will inform you of your order status and, if necessary, provide daily back order updates. Beyond their own extensive product knowledge, our agents also have an open communication channel to our industry experts who can offer more technical advice.

In short, we are there when you need us.



Expert Eye

If you need specialist advice, wouldn't it be great to easily contact an expert in their field? We thought so.

Now you can access the knowledge your customers or workforce need, and ultimately make your world and that of your customers, safer and cleaner.

We've assigned ten experts from within the Polyco Healthline family to be there for you. Product developers, compliance gurus and sector specialists – together their expertise is unrivalled.

Read more and find their contact details on our website:

https://www.polycohealthline.com/services/ experts/



Technical Excellence

It's rare for providers to offer a state-of-the-art laboratory and testing facility as part of their service. Polyco Healthline does, and it underpins our product development and your customers' health and safety.

In our laboratory, we work alongside some of the freshest minds in the UK and abroad – from universities to research bodies. We test out new ideas based on customer insight, learn what works best and then apply our learning to multiply our products' benefits.

And rather than waiting on a third-party provider, our UKAS accredited laboratory can perform compliance testing to streamline product development and aid with benchmarking – saving time and money.



Summary





Health & Safety Training and Audits

We're passionate about Health and Safety. And we love to share our knowledge to help you do your job.

Our training and audits are the best ways to up-skill, learn more about protecting against risks and get insight into which products are right for your customers. Our training includes:

1.Toolbox Talks

PPE only protects when your workers wear it. To encourage staff to do just that our expert sales team is always happy to help.

Our low-key, engaging and informative 20-minute talks are a great way to explain PPE to your workforce. Teaching anything from cut resistance to infection control, our sales team are flexible. And they can host anything from a 'bells-and-whistles' presentation in the break room to an informative demo on the factory floor.

2. Hand Protection Assessment Survey

As part of our value-added service, our audit helps you decide which products will best safeguard the end user employees and support health & safety objectives. Using our detailed reporting process, our glove-industry experts will assess your risks, identify potential savings and advise on injury claims avoidance. At the end, you'll receive a sample of recommended products to trial.



Our programme

#phAMBITION is Polyco Healthline's new sustainability programme. It aims to build upon our sustainability successes so far and set new targets and goals whilst unlocking the power of change. Our programme is aimed at addressing the social and environmental challenges of the next decade with commitments to improve the lives and wellbeing of our people with the smallest environmental footprint.

We have considered the United Nations Sustainable Development Goals (SDGs) against our value chain to better understand risks and opportunities and drive positive change. That is why our strategy is focused on addressing key sustainability impacts and opportunities throughout our value chain.

We are focusing on the importance of a holistic approach to sustainability development and improving wellbeing. At Polyco Healthline, we are continuously looking for global trends fuelling a regenerative approach to protect our People and Planet building circular inclusive value chain, with positive choices.

phAMBITION is Polyco Healthline's journey towards a sustainable future which supports a healthy, thriving world and promotes well-being for us all, for generations to come.

This is a fundamental transformation of what we do, to create growth and shared value whilst keeping sustainability at our core.

We have structured our ambitions into '5 R's'. These will form the cornerstone of our sustainability programme.



Our 2030 agenda represents a fundamental shift in thinking, recognising the interconnected imperative of a prosperous business, a thriving society, and a healthy environment. We are driving sustainable profit via triple-bottom-line, encompassing people, planet, and product leading transformation change goals for 2030.



What are we doing about it at a corporate level?

Polyco Healthline is united in our approach to environmental sustainability.

For us, the challenge of sustainable transformation is balancing the need to keep our business in motion while making changes to reach our sustainability ambitions.

We understand the tough realities of our sector and that becoming sustainable doesn't happen overnight. It takes many smaller steps, sometimes challenging and some into the unknown, to really take sustainability to the next level and beyond. We are committed to building for a more sustainable future - together with internal and external stakeholders.

Our first step has been to identify the areas where we need to make the most changes to reduce our carbon footprint. Our pursuit of zero waste, say 'No' to unnecessary plastics and Energy efficiency stems from this.

On a site level, our Bourne distribution centres use 670m² of clear roof panelling optimising daylight and motion sensor energy efficient LED lighting to reduce energy usage.

We produce renewable energy on site with solar panels and are energy usage compliant with ISO 14001.

Every pallet we use is recycled through recovery and repair, and all cardboard and plastic waste on site is collected and recycled where possible.

Our car parks are fitted with charging points, and our company car fleet is being electrified.



WATCH ME

You can find more information on our website: https://www.polycohealthline.com/sustainibility/



ملوه م

<u>Our Services</u>

Why are we so focused on Sustainability?

Under our phAMBITION program, here at Polyco Healthline we are committed to making the world a safer and cleaner place. Both now and in years to come.

In 2019, a report from the Organisation for Economic Co-Operation and Development (OECD) found that only 9% of all plastic produced globally was recycled. (https://www.oecd.org/environment/plastics/plasticslifecycle-is-far-from-circular.htm)

But what does that really mean? Each year an estimated 11 million tonnes of plastic enter the world's oceans, according to a recent report by the United Nations Environment Programme (UNEP). (https://www.unep.org/interactive/pollution-to-solution/)

And how does that affect us? A study has shown that we may be consuming 39,000 to 52,000 microplastic particles a year. Importantly the study shows that we consume these via multiple channels and that avoiding consuming plastic in our diet is very difficult, 'if not impossible'. This has led us to review our product packaging strategy. (https://www.nationalgeographic.co.uk/ environment/2019/06/you-eat-thousands-bits-plasticevery-year)





What are we doing about it at a product level?

Product level environmentally friendly solutions for industrial gloves pose the biggest challenge to us as a manufacturer. Because we design products for performance, longevity and comfort, materials are often blended and combined - making it harder to offer solutions.

However, thanks to our market leading R&D program, we have been the first to bring to market industrial gloves made in part from recycled plastic bottles (Recycled Polyethylene Terephthalate or RPET for short). Many textile raw materials are plastic based; polyester & nylon are widely used for example. By using RPET instead, we are reducing our reliance on virgin polyester.

> At present we have this technology in two general handling gloves, a thermal glove and two cut resistant glove options – But keep an eye on our social media for updates and new launches.

Across the wider business we have compostable gloves, compostable car seat covers and dissolvable screen wash tablets that save plastic.

What are we doing about it at a sourcing level?

We work actively with our supply partners abroad to implement environmentally sustainable initiatives. These are chosen to reduce impact wherever possible. Whether it is powering factories with renewable energy sources, or recycling DMF chemicals in the production of polyurethane coatings, environmental sustainability plays a leading role in decision making.

Our Polyflex Eco manufacturing partner alone recycles 120,000 tonnes of water annually, whilst using solar panels for power, and transporting workers by electric buses.

What are we doing about it at a packaging level?

We've embarked on the largest packaging review in the history of our reusable gloves. Our Environmental, Social and Governance pledge is to reduce 40 tonnes of single use plastic packaging from our product offering. We have now started to introduce paper band packaging for both primary and secondary packaging. We have removed over 8 tonnes of plastic packaging from our product range so far. Our journey continues and we are aspiring to achieve so much more!

Aware of knee-jerk reactions to environmental issues, we were careful when designing our paper band packaging to reduce the total packaging weight from the plastic packing currently used. By incorporating the user information within the design, we negate the need for an additional paper technical information sheet to be sent.

In April 2022, the UK government brought the Plastic Packaging Tax (PPT) into force. The tax is levied at a rate of £200/tonne on all plastic packaging manufactured in or imported into the UK with less than 30% recycled content. We understand that not all of our products are acceptable in paper bands, and for those that must remain in plastic, where possible we will be using at least 30% recycled content. Green Promise





one-stop





Floor mats



Seatcovers





Coveralls




Overshoes





ELECTRICAL

Class 0 Electrical Gloves



Welcome to the world of Polyco Healthline Automotive where all your PPE requirements are answered.

product guide




GENERAL PURPOSE



Matrix P grip





Grip it oil





Polyflex® Eco Therm PETH



Polyflex Ultra



Jet



Polyflex® Eco Nitrile PEN

Polyco Healthline is committed to finding sustainable products to add to its ever growing range.



Product Listing

Page Sections

Disposable Gloves	13 - 22
Reusable Gloves	23 - 47
Car Care and Workshop	48 - 54
Paper	55 - 59
Polythene Bags	60 - 65
Holders and Dispensers	66 - 69



Disposable Gloves

Our wide range of disposable gloves offers a variety of materials to choose from to suit your organisation's needs.

	Page number
Nitrile Disposables	14-19
Latex Disposables	20
Vinyl Disposables	21
Polythene Disposables	22

Disposable Gloves

GL890

Blue nitrile powder free disposable glove





Features

Strength: Synthetic rubber offers better puncture and abrasion resistance than natural rubber or vinyl

Comfort: Soft elastic material feels cooler and is more comfortable and flexible to wear Food Contact: Tested in accordance with European standard EN1186 making it suitable for food contact

Powder Free: Reduces risk of product contamination Grip: Textured fingertips for improved grip

Sectors:

• Automotive • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GL890
Colour	Blue
Sizes	S-XXL





Black nitrile powder free disposable glove





Features

Strength: Synthetic rubber offers better puncture and abrasion resistance than natural rubber or vinyl

Comfort: Soft elastic material feels cooler and is more comfortable and flexible to wear Powder Free: Reduces the risk of product contamination

Grip: Textured fingertips for improved grip

Sectors:

- Automotive Construction & Utility Engineering and Manufacturing
- Janitorial Medical, Vet, Dental, Pharmaceutical Hair and Beauty

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GL897
Colour	Black
Sizes	S-XL



Bodyguards

GL895

Blue nitrile powder free disposable glove



Features

.....

Protects against contamination, dirt and potential irritants in low risk situations Powder free, reducing the risk of product contamination Textured fingertips for extra grip AQL 4.0

AQL 4.0

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Janitorial • Hair and Beauty

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GL895
Colour	Blue
Sizes	S-XL





Finite[®] Orange Grip Orange nitrile powder free disposable glove











Features

Versatile: Thicker than a standard disposable, it offers the choice of use as a heavy duty disposable glove or a lightweight re-usable glove Grip Pattern: Features a diamond grip pattern over the entire glove which optimises surface performance and ensures an exceptional grip Strength: Superior strength nitrile formulation provides exceptional resistance to tears and punctures even in the toughest environments Sensitive Skin: No latex proteins - eliminates protein sensitisation

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Janitorial • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case (S-M) 90 gloves per dispenser / 10 dispensers per case (L-XL)

Code	GL201
Colour	Orange
Sizes	S-XL



Finite® Black

Black nitrile powder free disposable glove









Features

Versatile: Thicker than a standard disposable, it offers the choice of use as a heavy duty disposable glove or a lightweight re-usable glove Grip Pattern: Features a diamond grip pattern over the entire glove which optimises surface performance and ensures an exceptional grip Strength: Superior strength nitrile formulation provides exceptional resistance to tears and punctures even in the toughest environments Sensitive Skin: No latex proteins - eliminates protein sensitisation

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Janitorial • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GL100
Colour	Black
Sizes	S-XL



Nitrile Disposables

GD19 Blue nitrile powder free disposable glove







Features

Manufactured from: Nitrile butadiene

Latex free: reducing the risk of hypersensitivity and allergic reactions

Low in residual chemicals: To reduce the risk of contact dermatitis associated with these chemicals

Flexible material: For improved feel and fit reducing fatigue during extended wear

Strength: Offers better puncture, tear and abrasion resistance than natural rubber or vinyl

Powder free: Reduces the risk of dust contamination Textured finish: For improved grip

Sectors:

• Automotive • Construction & Utility • Janitorial • Oil and Gas • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GD19
Colour	Blue
Sizes	S-XL





GL891

Blue nitrile powder free disposable glove with a long cuff







Features

Sensitive Skin: No latex proteins - eliminates protein sensitisation Comfort: Soft elastic material feels cooler and is more comfortable and flexible to wear

Powder Free: Reduces risk of product contamination Grip: Textured fingertips for improved grip

Long Cuff: 30cm cuff for extra protection

Sectors:

• Automotive • Engineering and Manufacturing

Medical, Vet, Dental, Pharmaceutical

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GL891
Colour	Blue
Sizes	S-XL



Finite® PF

Blue nitrile powder free disposable glove







Features

Strength: Synthetic rubber offers better puncture and abrasion resistance than natural rubber or vinyl Comfort: Soft elastic material feels cooler and is more comfortable and flexible to wear Sensitive Skin: No latex proteins – eliminates protein sensitisation Powder Free: Low particle count reduces risk of product contamination Grip: Textured fingertips for improved grip

Sectors:

• Automotive • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case

Code	FN100
Colour	Blue
Sizes	S-XXL



17

GN99 Blue nitrile powder free 9 newton disposable glove







Features

Manufactured from: Specially formulated nitrile butadiene polymer Latex free: reducing the risk of hypersensitivity and allergic reactions Low in residual chemicals: To reduce the risk of contact dermatitis

associated with these chemicals

Flexible material: For improved feel and fit reducing fatigue during extended wear

Strength: Offers better puncture, tear and abrasion resistance than natural rubber or vinyl

Powder free: Reduces the risk of dust contamination

Versatile: Thicker than a standard disposable

Sectors:

• Automotive • Engineering and Manufacturing • Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GN99
Colour	Blue
Sizes	S-XL




Finite[®] HD

Blue nitrile powder free disposable glove







Features

Versatile: Thicker than a standard disposable, it offers the choice of use as a heavy duty disposable glove or a lightweight re-usable glove Strength: The unique nitrile formulation maintains a tensile strength that is able to withstand the rigours of continuous use, and yet is soft, pliable and sensitive enough for use as a disposable

Grip: Textured fingertips provide an improved grip and optimise surface performance in both wet and dry conditions

Food Contact: Tested in accordance with European standard EN1186 making it suitable for food contact

Powder Free: Minimises particulate contamination where product protection is of paramount importance

Sensitive Skin: No latex proteins - eliminates protein sensitisation

Long Cuff: 30cm cuff for extra protection

Sectors:

• Automotive • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Oil and Gas • Waste Management and Local authority

Packing

50 gloves per dispenser / 10 dispensers per case

Code	FHD50
Colour	Blue
Sizes	S-XL



Finite® Green

Green nitrile powder free disposable glove







Features

Strength: Synthetic rubber offers better puncture and abrasion resistance than natural rubber or vinyl

Grip: Textured fingertips for improved grip

Comfort: Soft elastic material feels cooler and is more comfortable and flexible to wear Food Contact: Tested in accordance with European standard EN1186 making it suitable for food contact

Sensitive Skin: No latex proteins - eliminates protein sensitisation

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

100 gloves per dispenser / 10 dispensers per case

Code	FNG100
Colour	Green
Sizes	S-XXL





Finite[®] Indigo AF

æ

Purple nitrile powder free examination glove

Features

Comfort: Advanced nitrile technology provides an exceptionally soft and pliable material

Sensitive Skin: No latex proteins - eliminates protein skin sensitisation Accelerator Free: Removing the risk of contact dermatitis caused by these chemicals Fit: Unique shape delivers a glove with improved fit

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Janitorial • Oil and Gas

Packing

100 gloves per dispenser / 10 dispensers per case

Code	MFNP100	
Colour	Purple	
Sizes	XS-XL	



S HandSafe

GN70

Blue hybrid powder free examination glove

AQL

1.5)





Features

Manufactured from: A blend of Polyvinyl Chloride and Acrylonitrile butadiene Latex free: reducing the risk of hypersensitivity and allergic reactions Low in residual chemicals: To reduce the risk of contact dermatitis associated with these chemicals

Flexible material: For improved feel and fit reducing fatigue during extended wear Hybrid: Latest technology combining strength of two materials Powder free: Reduces the risk of dust contamination

Accelerator Free: Removing the risk of contact dermatitis caused by these chemicals **Sectors:**

• Automotive • Engineering and Manufacturing • Janitorial • Medical, Vet and Dental

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GN70
Colour	Blue
Sizes	S-XL




Disposable Gloves

Disposable Gloves

GL888

Natural latex powder free disposable glove





Features

Manufactured from: Natural rubber latex

Flexible material: Provides maximum dexterity, sensitivity and comfort Protection: against contamination, dirt and potential irritants in low risk situations Powder free, reducing the risk of product contamination Textured finish for improved grip AQL 4.0

Sectors:

• Automotive • Construction & Utility

Packing

100 gloves per dispenser / 10 dispensers per case


Code	GL888
Colour	Natural
Sizes	S-XL



GL818

UK CA

White latex powdered disposable glove





Features

Manufactured from: Natural rubber latex

Flexible material: Provides maximum dexterity, sensitivity and comfort Protection: against contamination, dirt and potential irritants in low risk situations Lightly powdered for easy donning and sweat absorption Textured finish for improved grip

AQL 4.0

Sectors:

• Automotive • Construction & Utility

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GL818
Colour	White
Sizes	S-XL



Shield'

GD05

Natural latex powder free disposable glove



PPECATIII 2777 PPECATIII 2777 PPECATIII 0521 PPECATIII

Features

.....

Manufactured from: Natural rubber latex

Flexible material: For improved feel and fit reducing fatigue during extended wear Chlorinated: To reduce latex protein content

Powder free: Reduces the risk of dust contamination

Textured finish: For improved grip

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Janitorial • Hair and Beauty

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GD05
Colour	Natural
Sizes	XS-XL



GD09

Clear vinyl powder free disposable glove





(1.5)

Features

Manufactured from: PVC plastisol

Latex free: reducing the risk of hypersensitivity and allergic reactions Powder Free: Reduces the risk of product contamination Smooth finish

Latex free: reducing the risk of hypersensitivity and allergic reactions

Food Contact: Tested in accordance with European standard EN1186 making it

Powder Free: Reduces the risk of product contamination

Blue glove: Offering traceability for the food industry

• Food Manufacturing and Preparation • Janitorial

100 gloves per dispenser / 10 dispensers per case

GD13

Blue

S-XL

Food Contact: Tested in accordance with European standard EN1186 making it suitable for food contact

Sectors:

 Engineering and Manufacturing • Food Manufacturing and Preparation • Janitorial • Hair and Beauty

Packing

Features

Smooth finish

Sectors:

Packing

Code

Sizes

Colour

suitable for food contact

100 gloves per dispenser / 10 dispensers per case

Code	GD09
Colour	Clear
Sizes	S-XL

Manufactured from: PVC plastisol



GD13 Blue vinvl nowder free disposab

Except fatty

Έ

Blue vinyl powder free disposable glove





PPE CATI PPE CATI Imimial Risk Minimal Risk

GD47

Clear vinyl powdered disposable glove

5



Shield

Vinyl Disposables

Disposable Gloves





Features

Manufactured from: PVC plastisol

Latex free: reducing the risk of hypersensitivity and allergic reactions Powdered: To ease donning and absorb perspiration

Smooth finish

Food Contact: Tested in accordance with European standard EN1186 making it suitable for food contact

Sectors:

• Food Manufacturing and Preparation • Janitorial • Hair and Beauty

Packing

100 gloves per dispenser / 10 dispensers per case

Code	GD47
Colour	Clear
Sizes	S-XL



GD52 Clear polythene disposable glove, smooth





PPE CATI Minimal Risk PPE CATI

Features

Manufactured from: Polythene

Latex free: reducing the risk of hypersensitivity and allergic reactions Flexible material: For improved feel and fit reducing fatigue during extended wear Bagged: For easy dispensing

Bagged: For easy dispensing

Powder free: Reduces the risk of dust contamination Smooth finish

Sectors:

• Automotive • Janitorial • Hair and Beauty

Packing

100 gloves per dispenser / 100 dispensers per case

Code	GD52
Colour	Clear
Sizes	S-L



Shield

GD55

Clear polythene disposable glove, embossed





Features

.....

Manufactured from: Polythene

Latex free: reducing the risk of hypersensitivity and allergic reactions

Flexible material: For improved feel and fit reducing fatigue during extended wear

Low in residual chemicals: To reduce the risk of contact dermatitis associated with these chemicals

Powder free: Reduces the risk of dust contamination Textured finish: For improved grip

Sectors:

• Automotive • Food Manufacturing and Prep • Janitorial • Hair and Beauty

Packing

100 gloves per dispenser / 100 dispensers per case

Code	GD55
Colour	Clear
Sizes	M-L





Reusable Gloves

As category leaders, we are committed to providing the best hand protection and finding cost-effective solutions for our customers. Our ultimate goal is to drive innovation through insight and offer the highest quality that enables you to work better, faster and safer.

	Page Number
Polyflex® Eco Range	24 - 25
General Handling	26 - 33
Cut Resistant	34 - 38
Hot Handling	39
Chemical Resistant	41 - 43
Electrical Handling	44 - 47

Polyflex[®] Eco N

Seamless knitted liner made in part from recycled plastics, with a foamed nitrile coating



Features

Environmentally Conscious: 25% of the total glove weight is made from recycled plastic (rPET), cutting down our reliance on virgin materials like oil based polyester

Unmatched comfort: Polyflex[®] Eco N sets a new standard for comfort and dexterity in the industry

Durable: Achieves maximum score for abrasion as defined in EN388:20016 helping to reduce waste created by premature discarding from early wear and tear

Widest range of sizing: Polyflex $^{\circ}$ Eco N is available from size 5 through to size 12 to ensure wearers of all sizes are protected, from XXS to XXXL

Packaged plastic free: Polyflex[®] Eco N is packed without the use of plastic, reducing the overall weight of packaging

Knit Wrist: Elasticated Knit wrist ensures a secure fit and keeps hands free from dust and debris

SilverClear[®] glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	PEN	
Colour	Blue/Black	
Sizes	5-12	

Packing

CE CA

10 pairs per bundle band / 60 pairs per case

SilverClear

Polyflex[®] Eco L

Seamless knitted liner made in part from recycled plastics, with a sandy latex coating

FREE



Features

Environmentally Conscious: 25% of the total glove weight is made from recycled plastic (rPET), cutting down our reliance on virgin materials like oil based polyester

Unmatched comfort: Polyflex $^{\otimes}$ Eco L sets a new standard for comfort and dexterity in the industry

Grip: The sandy latex coating has been specifically developed to resist abrasion, whilst maintaining superior grip and dexterity

Widest range of sizing: Polyflex[®] Eco L is available from size 5 through to size 12 to ensure wearers of all sizes are protected, from XXS to XXXL

Packaged plastic free: Polyflex[®] Eco L is packed without the use of plastic, reducing the overall weight of packaging

Knit Wrist: Elasticated Knit wrist ensures a secure fit and keeps hands free from dust and debris

SilverClear $^{\otimes}$ glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	PEL	
Colour	Green/Blue	
Sizes	5-12	





<u>Polvflex® Eco Range</u>

Polyflex® Eco Cut

Hydrophobic treated seamless knitted cut resistant liner, with foamed nitrile palm, touch sensitive fingertips and made in part from recycled plastic bottles



Environmentally Conscious: 18% of the total glove weight is made from recycled plastic (rPET), cutting down our reliance on virgin materials like oil based polyester

18 gauge cut level F: Ultra-lightweight 18-gauge liner achieves the maximum achievable levels of cut resistance according to EN388:2016, and excellent abrasion and tear resistancey

Touch Sensitive: Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or devices with precision and without the need to remove the glove

Contact Heat Level 1: Heat resistant to contact heat level 1 to broaden real world application suitability

Reinforced Thumb Crotch: Flat nitrile reinforcement between the thumb and forefinger for additional protection in an area that is highly susceptible to wear and tear

Packaged plastic free: Polyflex® Eco Cut is packed without the use of plastic; reducing the overall weight of packaging

Water Repellent: The Hydrophobic solution; allows for comprehensive and robust 3-Dimensional water-resistant performance whilst maintaining maximum breathability

SilverClear[®] glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth

Sectors:

- Engineering and Manufacturing
 Oil and Gas
- Waste Management and Local authority

Code	PECT
Colour	Green/Black
Sizes	6-11

Packing

10 pairs per bundle band / 60 pairs pe

Polyflex® Eco Therm

Thermal lined, seamless knitted liner made in part from recycled plastics, with a sandy latex coating

.....

Features

Environmentally Conscious: 25% of the total glove weight is made from recycled plastic (rPET), cutting down our reliance on virgin materials like oil based polyester

Warm: Soft knitted thermal lining keeps hands exceptionally warm

Grip: The sandy latex coating has been specifically developed to resist abrasion, whilst maintaining superior grip and outstanding comfort and dexterity

Packaged plastic free: Polyflex® Eco Therm is packed without the use of plastic, reducing the overall weight of packaging.

Cut resistant: To ensure use in the widest range of sectors Polyflex® Eco Therm has been engineered to score a cut 3 against EN388 2016

Hot and Cold Contact Polyflex® Eco Therm has been engineered to protect against handling hot and cold objects

Sectors:

• Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

- Waste Management and Local authority
- PETH Code Colour **Orange/Black** Sizes 7-11

Reusable Gloves



SilverClear







• Automotive • Construction & Utility

		0
	Code	
	Colour	(
	Sizes	
er case		



Polyflex® Ultra

Seamless knitted nylon liner with foamed palm coating made from a blend of polyurethane and nitrile





Features

Grip: The foamed coating utilises a blend of polyurethane and nitrile increasing resistance to oils and maximising grip, especially in wet and oily conditions

Durable: Combines the resilient and hard-wearing properties of polyurethane with the strength of nitrile to deliver excellent abrasion protection, durability and a long life expectancy

Comfort: The soft seamless knitted nylon liner and highly flexible coating ensures ultimate comfort and allows for long periods of wear without any signs of hand fatigue

Knit Wrist: Elasticated knit wrist ensures a secure fit and keeps hands free from dust and debris

SilverClear[®] glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

10 pairs per bundle band / 60 pairs per case

Code	911
Colour	Red/Black
Sizes	6-11



 \Diamond

General Handling

Polyflex® Grip

Seamless nylon glove with foamed nitrile dotted palm coatingle glove





Features

Grip: The foamed nitrile coating channels oils and liquids away from the surface, ensuring superb wet grip

Nitrile Dots: Nitrile dots on the palm coating provides extra wet and dry grip Durable: Coating offers outstanding abrasion resistance for longevity and durability

Comfort: The seamless knitted nylon liner offers excellent breathability, comfort and a close fit

Knit Wrist: Elasticated knit wrist provides a secure fit and keeps hands free from dirt and debris

Sectors

Automotive • Construction & Utility • Engineering and Manufacturing
 Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

12 pairs per polybag / 120 pairs per case

Code	800GR	
Colour	Grey/Black	
Sizes	7-11	

Polyflex® Plus

L L

ČÀ

Ò

Seamless nylon glove with foamed nitrile palm coating



Reusable Gloves

Ó



PPECATII	UK	EN388:2016	EN 407:
	CA	+A12018	2004
	PPE CAT II	4122X	X1XXXXX
FFECALI	FFECALI	41111	'

Features

Grip: The foamed nitrile coating channels oils and liquids away from the surface, ensuring superb wet grip

Durable: Coating offers outstanding abrasion resistance for longevity and durability

Comfort: The seamless nylon liner offers excellent breathability, comfort and a close fit

Header Card: Also available on a header card for easy display and allowing for lower order quantities $% \left({{\left[{{{\rm{card}}} \right]}_{\rm{card}}} \right)$

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing

• Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

12 pairs per polybag / 120 pairs per case

Code	800	
Colour	Grey/Black	
Sizes	7-11	

Polyflex®

Seamless knitted nylon glove with polyurethane palm coating







Features Comfort: Seamless for extra comfort whilst the open back style allows excellent

breathability

Low Linting: Reduces the risk of product contamination

Dexterity: The glove has been designed to be tight fitting to give maximum dexterity in the most delicate of applications

Knit Wrist: Elasticated knitted wrist ensures a secure fit and keeps hands free from dust and debris

Colours: Available in white or grey

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Packing

1 pair per paper band / 12 pairs per bundle band / 120 pairs per case

Code	880G	880
Colour	Grey	White
Sizes	6-10	6-10

Matrix[®] P Grip

Seamless knitted liner with polyurethane palm coating







0

Features

Offers good abrasion and tear resistance Seamless knitted liner for extra comfort Open back style allows the hands to breathe keeping them cool and comfortable Close fitting design for maximum dexterity Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris Available in two colours: grey and black

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Packing

1 pair per paper band / 12 pairs per bundle band / 144 pairs per case

Code	40-MAT	30-MAT
Colour	Black	Grey
Sizes	6-11	6-10



Matrix[®] F Grip (Palm Coated)

Seamless knitted liner with a foamed nitrile coating



Features

Sectors

Packing

Code

Sizes

Colour

excellent grip in wet conditions

Elasticated knit wrist provides a secure fit



Reusable Gloves



Seamless knitted liner with polyurethane palm coating



FREE

Features

Seamless liner for comfort

Close fitting with three open fingers for maximum dexterity and tactility Flexible polyurethane palm coating Longer dip coating on palm for additional protection

Seamless breathable liner for comfort. Foamed nitrile coating channels liquids

Foamed nitrile coating channels liquids away from glove surface, ensuring

away from glove surface, ensuring excellent grip in wet conditions

• Automotive • Construction & Utility • Engineering and Manufacturing

1 pair per paper band / 12 pairs per bundle band / 144 pairs per case

Warehousing, Transport and Logistics • Waste Management and Local authority

10-MAT

White/Grey

6-11

Elasticated knitted wrist provides a secure fit

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Packing

12 pairs per bundle band / 144 pairs per case

Code	933
Colour	Red/Black
Sizes	8-11

Matrix[®] Touch 1

C E R

Seamless knitted liner with polyurethane palm coating and touch sensitive fingertips



Polyco





Features

Tactile touch sensitive fingertips enable the wearer to use touch screen machinery or portable touch screen devices with precision and without the need to remove the glove

Polyurethane palm coating is flexible and provides good mechanical protection Seamless breathable liner for comfort

Elasticated knitted wrist provides a secure fit

Sectors

- Automotive Construction & Utility Engineering and Manufacturing
- Warehousing, Transport and Logistics

Packing

12 pairs per bundle band / 144 pairs per case

Code	45-MAT
Colour	Black/White
Sizes	6-11



0,

Matrix[®] S Grip

Seamless polycotton shell with crinkle latex palm coating





PPECATII PECATII

Packing

Reusable Gloves

1 pair per paper band / 12 pairs per bundle band / 144 pairs per case

GH300 S Grip


Seamless polycotton shell with crinkle latex palm coating







PPECATII PPECATII 2121X



Features

Flexible crinkle latex palm coating for good wet and dry grip Seamless, breathable polycotton liner for comfort Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

Sectors

• Construction & Utility • Warehousing, Transport and Logistics

Code	50-MAT
Colour	Yellow/Orange
Sizes	8-10

Features

Excellent grip in both wet and dry conditions for safe and secure handling Seamless breathable liner for comfort Elasticated knitted wrist provides a secure fit

Sectors

• Construction & Utility • Warehousing, Transport and Logistics

Code	GH300
Colour	Yellow/Orange
Sizes	9-10

Daytona[™] & Daytona Plus[™]

Drivers style high grade leather glove







Packing

1 pair per polybag/ 10 pairs per master polybag/ 50 pairs per case

Imola®

Drivers style glove made with a full micro-foam nitrile coating and a soft fleecy liner



Good abrasion, tear and puncture resistance

Elasticated safety cuff holds glove in place and ensures a secure fit Fleece lining for extra comfort and warmth


Soft high grade leather is comfortable and provides excellent grip Natural Grain Leather (DR100), Pigmented grain for extra water resistance (DR200)

Sectors

• Construction & Utility • Warehousing, Transport and Logistics

Code	DR100	DR200
Colour	Yellow	Yellow
Sizes	8-10	8-11







Features

Style & Coating: This unique glove with 360 micro-foam coating has the look and style of a conventional leather drivers glove but is considerably lighter in weight and more dexterous

Grip: As well as excellent dry grip, the micro-foam coating offers optimum wet grip by channelling liquids away from the glove surface Comfort: The soft fleecy lining keeps the hands warm and comfortable at all times

Durability: Delivers excellent abrasion protection, durability and a long life expectancy

Fit: Adjustable Velcro wrist strap ensures a secure fit and helps to keep hands free from dust and debris

Sanitized[™] glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection

Sectors

• Construction & Utility • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DR300
Colour	Gold
Sizes	7-11



Ó

Reusable Gloves

Packing

1 pair per paper band/ 10 pairs per bundle band/ 50 pairs per case

Multi-Task[®] 3

Blend of synthetic leathers with PVC reinforced fingertips, inner palm

Features

Flexible: Close fitting design ensures maximum user dexterity and touch screen functionality

Comfortable: Combination of materials offers excellent in-use comfort

Stretch: Materials flex in conjunction with the hand's natural movement

Protection: Reinforced areas on palm and finger tips ensure added protection in key areas

Fit: Adjustable Velcro wrist strap for a secure fit

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Waste Management and Local authority

Code	MT3
Colour	Black/Grey
Sizes	7-11

Packing

Reusable Gloves

1 pair per paper band / 10 pairs per case

⊌

Multi-Task[®] 5

Blend of synthetic leathers with PVC reinforced fingertips, inner palm

Ò



PPECATII UK PPECATII ▣ FREE

Features

Flexible: Close fitting design ensures maximum user dexterity and touch screen functionality

Comfortable: Combination of materials offers excellent in-use comfort

Stretch: Materials flex in conjunction with the hand's natural movement

Protection: Reinforced areas on palm and finger tips ensure added protection in key areas

Fit: Adjustable Velcro wrist strap for a secure fit

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Waste Management and Local authority

Code	MT5
Colour	Black/Grey
Sizes	7-11



Shield'



Multi-Task[®] E

Seamless knitted nylon liner with a nitrile palm coating





Features

Reinforced Thumb Crotch: Nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear

Grip: The highly flexible nitrile coating has a slightly roughened finish which improves handling performance, particularly in light oil applications

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing

Code	MTE
Colour	Red/Black
Sizes	7-11

Packing

1 pair per paper band / 5 pairs per bundle band / 10 pairs per case

Matrix[®] Nitrile Grip

Seamless knitted glove with full nitrile coating

PLASTIC FREE







Features

Seamless breathable liner for extra comfort

Lightweight full nitrile coating offers excellent flexibility

Offers soft excellent dry grip

Elasticated knitted wrist provides a secure fit

Sectors

Automotive • Construction & Utility • Engineering and Manufacturing
 Warehousing, Transport and Logistics • Waste Management and Local authority

Code	11-MAT	
Colour	White/Red	
Sizes	8-11	

ÍO,

Reusable Gloves

Grip It[®] Oil

Seamless knitted nylon liner with dual nitrile coating







Features

Handling: Providing ultimate abrasion protection and gripping ability. Utilising two layers of nitrile; fully coating the hand and the second coating the palm

Durable: Delivers excellent abrasion protection, durability and a long life expectancy

Comfort: The contoured design together with the soft seamless knitted nylon liner and resilient nitrile coating ensures ultimate comfort

Knit Wrist: Elasticated knitted wrist ensures a secure fit and keeps hands free from dust and debris

Dual Coated: First 'flat' nitrile coating effectively prevents water penetration, whilst the second 'foam' nitrile coating offers long lasting grip in wet and oily settings

SilverClear[®] glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth. The additive will protect the gloves from microbial growth but also from mould and bad odours avoiding premature material degradation and discolouration



Sectors:

- Construction & Utility Engineering and Manufacturing
- Oil and Gas Warehousing, Transport and Logistics
- Waste Management and Local authority

Packing

10 pairs per bundle band / 60 pairs per case

Code	GIO
Colour	Red/Black
Sizes	7-12



Grip It[®] Oil Cut E

High visibility seamless cut resistant liner with a dual nitrile coating







Packing

1 pair per paper band / 10 pairs per bundle band / 60 pairs per case

Grip It[®] Oil C5

High visibility seamless cut resistant liner with a dual nitrile coating





Features

Protection: Made from a technically engineered yarn, the liner attains excellent EN388 scores in all categories

Handling: Providing ultimate abrasion protection and gripping ability. Utilising two layers of nitrile; the first layer fully coated and the second palm coated

Durable: Delivers excellent protection, durability and a long life expectancy

Comfort: The contoured design together with the soft seamless knitted liner and resilient nitrile coating ensures ultimate comfort with minimal hand fatigue in prolonged use

High Visibility: High visibility colour scheme increases visual awareness

Knit Wrist: Elasticated knitted wrist provides a secure fit and keeps hands free from dirt and debris

Dual Coated: First 'flat' nitrile coating effectively prevents water penetration, whilst the second 'foam' nitrile coating offers long lasting grip in wet and oily settings.

SilverClear[®] glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth.

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Waste Management and Local authority

Code	GIOKX
Colour	Green/Black
Sizes	7-12



Features

Protection: Made from a technically engineered yarn, the liner attains excellent EN388 scores in all categories

Handling: Providing ultimate abrasion protection and gripping ability. Utilising two layers of nitrile; the first layer fully coated and the second palm coated

Durable: Delivers excellent protection, durability and a long life expectancy

Comfort: The contoured design together with the soft seamless knitted liner and resilient nitrile coating ensures ultimate comfort with minimal hand fatigue in prolonged use

High Visibility: High visibility colour scheme increases visual awareness

Knit Wrist: Elasticated knitted wrist provides a secure fit and keeps hands free from dirt and debris

SilverClear® glove formulated from silver, a powerful and proven antimicrobial agent that inhibits bacterial, fungal and viral growth.

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Waste Management and Local authoritySectors

Code	GIOK
Colour	Green/Black
Sizes	7-12

Cut Resistant

Packing

1 pair per paper band / 10 pairs per bundle band / 60 pairs per case

Capilex® D

Durable, dexterous, great cut resistance all combined with a foamed Nitrile coating for enhanced grip





Features

Comfort: Ultra-lightweight liner engineered without the addition of brittle glass fibre or steel, ensures the safety and superior comfort of the wearer during prolonged use

Long lasting: The reinforced thumb crotch makes sure the glove stands up to repeated abrasion and damage in a high stress area. The foamed Nitrile coating ensures exceptional wet and dry grip

Real World Protection: Proven high cut resistance, tested to EN388:2016 ISO Cut Level D. Heat resistant up to Contact Heat Level 1 (100°C), EN:407:2004

Precision: The new Capilex D combines tactility and protection like no other glove on the market, meaning users no longer need to compromise between high cut resistance and comfort. Designed to be close fitting and available in a wide range of sizes the Capilex D is ideal for high precision handling where cut and heat are a risk

Graphene Enhanced: Capilex D is enhanced with Kyorene® Graphene to provide a multitude of inherent benefits. These include Anti-Bacterial, Thermal Regulating, Odour, Neutralising & UV Protecting properties designed to keep your safer and more comfortable than ever

Sectors:

- Automotive Construction & Utility
- Engineering and Manufacturing Oil and Gas
- Waste Management and Local authority

Packing

12 pairs per polybag / 48 pairs per case

Code	CPD
Colour	Grey/Black
Sizes	6-12



Cut Resistant

Dyflex® Plus N

Lightweight high cut resistant glove with foamed nitrile coating and thumb crotch reinforcement







Packing

1 pair per paper band / 10 pairs per bundle band / 40 pairs per case

Dyflex® Ultra

Seamless knitted glove with Dyneema® Diamond Technology and polyurethane palm coating



Features

Performance: The remarkably lightweight liner provides excellent levels of cut, abrasion and tear resistance providing superb mechanical protection

Reinforced Crotch: Flat nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear

Grip: Foamed nitrile palm coating channels oils and liquids away from the surface of the glove to optimise grip and allow safe handling at all times

Comfort: The seamless breathable liner and highly flexible palm coating ensure a high level of comfort even in prolonged use

Dexterity: The glove has been designed to be close fitting to provide greater dexterity

Durable: Maximum abrasion resistance and reinforced thumb crotch increase durability and ensure longevity

Knit Wrist: Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

Sanitized[™] glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Warehousing, Transport and Logistics

Code	DPN
Colour	Grey/Blue
Sizes	7-11



.....



Features

Cut Resistant: The liner, made with Dyneema® Diamond Technology, provides the maximum level of cut resistance without the use of abrasive materials

Grip: Polyurethane palm coating provides outstanding abrasion resistance and an excellent grip

Comfort: The seamless construction of the soft yarn provides an exceptional level of comfort, whilst the open back style allows for excellent breathability

Dexterity: Designed to be close fitting to give maximum dexterity for the most tactile of operations

Knit Wrist: Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

Sanitized[™] glove featuring an antimicrobial treatment that provides added protection against harmful bacteria and fungi. The additive protects the gloves from microbial growth, odours and provides long lasting material protection

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DFU
Colour	Grey
Sizes	6-11



Reusable Gloves

Packing

1 pair per paper band / 12 pairs per bundle band / 48 pairs per case

Matrix[®] Green PU Fingerless

Seamless knitted high cut resistant fingerless glove with a polyurethane palm coating





PLASTI

Features

Three open fingers and flexible polyurethane coating enables precise handling in applications necessitating fingertip contact

High cut resistant liner achieves excellent EN388 scores for abrasion, cut and tear resistance

Close fitting seamless liner allows for excellent dexterity

The back of the glove is uncoated, ensuring the hands stay well-ventilated

Elasticated knitted wrist provides a secure fit and hands free from dust and dirt

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	MGP-FL
Colour	Green/Black
Sizes	7-11

Packing

1 pair per paper band / 12 pairs per bundle band / 48 pairs per case

Matrix[®] Green PU

Seamless knitted high cut resistant glove with a polyurethane palm coating





PPE CATII PPE CATII

Features

High cut resistant liner, with engineered yarn, provides excellent EN388 scores for abrasion, cut, tear and puncture

Soft seamless knitted liner provides superior comfort for this level of protection

Designed to be close fitting to give maximum dexterity

Elasticated knitted wrist provides a secure fit and keeps hands free from dust and debris

Sectors

• Automotive • Construction & Utility • Engineering and Manufacturing • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	MGP
Colour	Green/Black
Sizes	7-11

Cut Resistant

..<u>------</u> 175 CATH 4043C

Packing

1 pair per paper band / 12 pairs per bundle band / 48 pairs per case **TigmasterTM** Sheepskin / leather welding gauntlet





EN12477: 2001

+A1:2005 Type B



Packing


.....

1 pair per polybag / 100 pairs per case

Weldmaster™

Premium quality chrome leather welding gauntlet







EN12477: 2001 +A1:2005 Type A

Features

Features

(1.0mm)

Sectors:

Code

Sizes

Colour

mechanical handling

Compliant: With EN12477 - Welding Standard

Automotive • Engineering and Manufacturing

Protection: Welted seams protect against thermal and mechanical discharge

Materials: Sheepskin palm (0.8mm) with heavy duty leather cuff

Welding: Specifically designed for type B (Tig welding) and light

LMW124

Grey

10

Thermal Lining: Thermal lining improves comfort and contact heat protection

Design: Specifically designed for type A (Mig/Arc welding) and light mechanical handling

Compliant: Compliant with BS EN12477 2001+A1:2005 Type A - Welding Standard

Sectors:

- Automotive Engineering and Manufacturing
- Construction & Utility

Code	LW93
Colour	Red
Sizes	9

Plastic Free Packaging Is the industry ready for a shake up?



We've embarked on the **largest packaging review** in the history of our reusable gloves.

Our Environmental, Social and Governance pledge is to **remove 40 tonnes of single use plastic packaging** from our product offerings.

We have now started to introduce paper band packaging for both primary and secondary packaging.



WHAT WE HAVE ACHIEVED SO FAR:







Nitri-Tech III[®] (Flock Lined) (33cm)


Nitrile synthetic rubber glove



94

Blue

7-10





Packing

12 pairs per polybag / 48 pairs per case

GI/F11 (30cm)

Green nitrile industrial glove



Features

Code

Colour

Sizes

Cotton flock lining absorbs perspiration and keeps hands dry, cool, and comfortable

Textured palm and fingers enhance grip

92

Green

7-10

Anatomically shaped ensuring comfort and reducing hand fatigue Achieves an excellent abrasion score as defined by European Standard EN388

Offers protection against a wide range of chemicals including strong detergents, oils and certain solvents

Thickness: 0.38mm / 15 Mil

Length: 30cm gauntlet for protection to the forearm

Sectors:

Construction & Utility • Engineering and Manufacturing

- and Gas Waste Management and Local authority

Code	GI/F11
Colour	Green
Sizes	7-10

PPE CAT III 2777



Reusable Gloves

PPE CAT III 2777

CE

Jet™ (31cm)

Heavy duty natural rubber flock lined glove





Features

Performance: A heavyweight glove that will stand up to repeated knocks and scuffing

Chlorinated: Treated to harden the surface of the glove leaving it smooth to the touch

Comfort: Anatomical shape ensures comfort and reduces hand fatigue Good Grip: Slip resistant pattern on the palm enhances grip

Cuff: Beaded cuff to prevent liquid roll back

Cotton Flock: Soft cotton flock lining absorbs perspiration, keeping hands cool Length: 31cm gauntlet for protection to the forearm

Sectors

Construction & Utility • Food Manufacturing and Preparation
 Janitorial • Waste Management and Local authority

Packing

12 pairs per polybag / 48 pairs per case

Code	52
Colour	Black
Sizes	6.5-9.5









Features

Cotton flock lining absorbs perspiration and keeps hands dry, cool and comfortable Provides protection against a wide range of chemicals Length: 32cm gauntlet for protection to the forearm Thickness: 0.65mm / 26 Mil

Sectors

Food Manufacturing and Preparation
 Janitorial
 Waste Management and Local authority

Packing

12 pairs per polybag / 144 pairs per case

Code	GI/6406
Colour	Black
Sizes	7-10

Maxima™ (30cm)

Heavy duty flock lined natural rubber glove







Features

Provides protection against a wide range of chemicals Offers good abrasion and tear resistance Slip resistant pattern on the palm enhances grip

Soft flock lining absorbs perspiration and keeps hands dry, cool and comfortable Length: 30cm gauntlet for protection to the forearm

Sectors

- Construction & Utility Food Manufacturing and Prep
- Janitorial
 Waste Management and Local authority

Packing

12 pairs per polybag / 48 pairs per case

Code	51
Colour	Black
Sizes	6/6.5 - 7/7.5 - 9/9.5 - 10/10.5

GR01 (0.40mm) (30cm)

Latex rubber household glove







Features

Cotton flock lining: absorbs perspiration and keeps hands dry, cool and comfortable Grip: Textured palm and fingers enhance grip

Rolled cuff: for extra strength and prevention of liquid roll back

Colours: Available in 4 colours

Thickness: 0.40mm / 16 Mil

Length: 30cm gauntlet for protection to the forearm

Sectors:

- Engineering and Manufacturing Food Manufacturing and Prep Janitorial
- Medical, Vet, Dental, Pharmaceutical Waste Management and Local authority

Packing

12 pairs per polybag / 144 pairs per case

Code	GR01/Y	GR01/B	GR01/G	GR01/P
Colour	Yellow	Blue	Green	Pink
Sizes	S-XL	S-XL	S-XL	S-XL

GR03 (0.33mm) (30cm)

Latex rubber household glove



Polyco



Features

Cotton flock lining absorbs perspiration and keeps hands dry, cool, and comfortable Textured palm and fingers enhance grip

Rolled cuff: for extra strength and prevention of liquid roll back

Colours: Available in 4 colours

Thickness: 0.33mm / 14 Mil

Length: 30cm gauntlet for protection to the forearm

Sectors:

• Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial

Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority

Packing

12 pairs per polybag / 144 pairs per case

Code	GR03/Y	GR03/B	GR03/G	GR03/P
Colour	Yellow	Blue	Green	Pink
Sizes	S-XL	S-XL	S-XL	S-XL

Duo Plus 60™ (0.6mm) (30cm)

Double dipped latex flock lined glove





Features

Strength: Double dipped latex provides added protection Grip: Slip resistant pattern on palm enhances grip

Comfort: Anatomically shaped ensuring comfort and reducing hand fatigue Cotton Flock: Cotton flock lining absorbs perspiration, keeping hands cool and comfortable

Length: 30cm gauntlet for protection to the forearm

Sectors:

• Food Manufacturing and Preparation • Janitorial • Waste Management and Local authority

Packing

12 pairs per polybag / 48 pairs per case

Code	RU560
Colour	Blue
Sizes	7-10



Reusable Gloves

TE0360 Touch-E Electricians Glove




Our insulating gloves are manufactured in accordance with ISO 9001:2015 Certification ensuring very high quality standards.

All applicable tests according to EN 60903 and IEC 60903 standards are carried out within the production site in a quality assured laboratory.

The quality approach with visual and dielectric inspection of 100% of the production offers users the guarantee of conformity.

Manufactured with a water based technology (no use of solvents), our technology, combined with the use of natural materials, provides assurance of greater care for the environment.







Features

Latex Material: Excellent electrical resistance Chlorinated for easy donning Anatomical Shape: For greater user comfort Textured for better grip Protection for high voltage of vehicles EN 60903 and IEC 60903 standards Maximum working AC voltage: Class 0 1500V

TE0360
Orange
8-10
0
36cm

Sectors

• Automotive • Construction & Utility

Packing

1 pair per box








SuperGlove® Volt

Latex insulating glove





Electrical Handling

Features

Latex Material: Excellent electrical resistance Anatomical Shape: For greater user comfort Maximum working AC voltage: Class 00 500V Class 0 1000V Class 1 7500V Class 2 17000V Class 3 26500V Class 4 36000V

Sectors

• Automotive • Construction & Utility

Packing

1 pair per bag



Code	RE00360	RE0360	RE1360	RE1410	RE2360	RE3360	RE3410	RE4410
Colour	Natural							
Sizes	8-11	7-11	8-11	9-11	8-10	8-12	9-11	9-11
Class	00	0	1	1	2	3	3	4
Length	36cm	36cm	36cm	41cm	36cm	36cm	41cm	41cm

46

Electricians Glove Bag

Canvas bag for Electricians Gloves





Features

Designed to store and carry Electricians Gloves Protects gloves when not in use which prolongs performance Velcro fastening ensures that gloves remain safe and secure inside the bag

Strap with buckle makes it easy to carry and attach

Sectors:

Features

Sectors:

Code

Sizes

Colour

Designed to be worn over Electricians Gloves Provides additional mechanical protection

Automotive • Engineering and Manufacturing

RE-PRO (with buckle)

Grey

8-13

Offers a higher level of grip

Construction & Utility

Protects in dirty or oily environments Extends the lifespan of Electricians Gloves

Available with or without a buckle

Automotive • Construction & Utility

Code	REBAG
Colour	Black
Sizes	One size


Packing

1 bag per polybag

Electricians Leather Protector Gauntlet

Leather gauntlet over-glove





Reusable Gloves







Car Care and Work Shop

Our extensive consumables range is a one stop shop for all your car care and workshop solutions.

	Page number
Car Seat Covers	49
Floor Mats	50
Screenwash	51
Workwear	52-53
Wipes	54

www.polycohealthline.com

Disposable Car Seat Cover

White polythene seat covers



Features

High quality polythene disposable seat covers 13 micron thickness Packed in a convenient cardboard dispenser

Sectors:

Automotive • Construction & Utility • Engineering and Manufacturing

Code	CP1709M
Colour	White

Packing

100 covers per dispenser / 6 dispensers per case



M

Bodyguards[®]

Car Seat Covers

Recyclable Car Floor Mats

Brown paper floor mats



<u>U</u>



Features

Brown 90gsm disposable car floor mats Ideal for protecting the floor of vehicles during a service, MOT or valet Size: 38cm (W) x 50cm (L) Flat packed in packs of 250

Sectors:

Automotive
 Construction & Utility
 Engineering and Manufacturing

Code	CP1503M
Colour	Brown

Packing

250 mats per pack / 5 dispensers per case



Floor Mats

Screen Wash Dissolvable Screen Wash Tablet





Features

Each Tablet produces 5L of screenwash Suitable for use down to -5°C Screenwash tablets eliminate the need for plastic tubs Reduces plastic waste Add 1 tablet with 5L of water to the car reservoir

Sectors:

• Automotive • Retail • Local Authorities • Transport • Engineering and Manufacturing

Code	SWP002BG
Colour	Blueberry ୫ Coconut
Size	5L screenwash tablets

Packing 2 tabs per pack / 50 packs per case





Screenwash

[]]



DC03 Non-woven coveralls





Packing

1 coverall per pack / 50 packs per case

DC05

Laminate hazard protective coveralls







Features

Features

Sectors:

Code

Sizes

Colour

Available in white and blue

Individually wrapped

Non-woven Category III coveralls made from soft layers of spunbonded and laminate polypropylene.

Non-woven polypropylene coveralls which provide hygienic

DC03

White

M-XXL

Elasticated hood, wrists, ankles and waist, with a zip fastening

protection against dirt and non hazardous splashes

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial
 Medical, Vet, Dental, Pharmaceutical • Warehousing, Transport and Logistics • Waste Management and Local authority

A high quality garment providing the ultimate strong protection against type 5 dry particle and type 6 light splash chemical hazards.

Elasticated hood, wrists, ankles and waste, with a two-way zip fastening and sealable zip flap.

Low fibre shedding, flexible material.

EN ISO 13688 Protective Clothing General Requirements

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DC05
Colour	White
Sizes	M-XXXL

Packing

1 coverall per pack / 25 packs per case

DF01 Hand Made & DF01M Machine Made

CPE overshoes







Features

Hand-sealed/Machine-sealed polythene overshoes Widely used in the food industry Available in blue Deeply embossed for non-slip use No elastic tie on bundles in accordance with food safety regulations

Sectors:

 Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority

Packing

10x10 bundles per bag / 20 bags per case

Code	DF01	DF01/16	DF01M	DF01M/16
Colour	Blue	Blue	Blue	Blue
Sizes	36cm / 14"	41cm / 16"	36cm / 14"	41cm / 16"

DF02

CPE Non Woven overshoes







Features

Non-woven upper with a deeply embossed CPE sole for non-slip use. Widely used in the food industry.

Sectors:

 Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical
 Waste Management and Local authority

Packing

4 x 10 bundles per bag / 20 bags per case

Code	DF02
Colour	Blue/Blue, Blue/White, White
Sizes	41cm / 16"

DM01 Mob Caps





PPE CATI Minimal Risk Minimal Risk

Features

Soft elasticated head cover with double stitch for added strength and support. Widely used in the food industry, made of non-woven polypropylene. DC01BCM: Made of non-woven polypropylene with a detectable metal strip. Soft elasticated head cover with double stitch for added strength and support. One size fits all.

Sectors:

- Engineering and Manufacturing Food Manufacturing and Prep Janitorial
- Medical, Vet, Dental, Pharmaceutical Waste Management and Local authority

Packing

100 caps per polybag /10 polybags per case

Code	DM01
Colour	Blue, White, Red, Green, Yellow
Sizes	One size

Car Care and Workshop

ASW, ASW/500 & ASW/1000

Heavy duty surface wipes



Shield

Shield



Features

A blue disposable wet wipe impregnated with a biocidal formulation, effective against most bacteria, fungi and viruses

Used in medical and food environments to prevent microbiological contamination A soft but strong wipe which doesn't damage surfaces but leaves them clean and disinfected

Sectors:

Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical
 Hair and Beauty • Waste Management and Local authority

Packing

150 wipes per tub / 10 tubs per case (ASW) 500 wipes per tub (ASW/500) / 1000 wipes per tub (ASW/1000)

Code	ASW	ASW/500	ASW/1000
Colour	Blue	Blue	Blue
Sizes	20x23cm / 8x9"	20x23cm / 8x9"	20x23cm / 8x9"

PBW

Heavy duty probe wipes



Features

A blue disposable wet wipe impregnated with a biocidal formulation, effective against most bacteria, fungi and viruses

Used in medical and food environments to prevent microbiological contamination A soft but strong wipe which doesn't damage surfaces but leaves them clean and disinfected

Sectors:

• Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Waste Management and Local authority

Packing

200 wipes per tub / 4 tubs per case

Code	PBW
Colour	Blue
Sizes	13x13cm / 5x5"

SIHW

Industrial scrub wipes





An orange abrasive wet wipe impregnated with an alcohol-based degreasing solution

Used in multiple industrial sectors for cleaning grease, grime and dirt where soap and water access is limited

The dual surface offers an abrasive side to remove ingrained dirt and a smooth side to wipe over clean

Dermatologically tested, the wipe contains a conditioning lotion for hand preservation

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Janitorial • Oil and Gas • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

100 wipes per tub / 4 tubs per case

Code	SIHW
Colour	Orange
Sizes	25x28cm / 10x11"



Developed in collaborations with industry specialists, our great range of products combine strength, performance and comfort.

	Page Number
Centrefeed Rolls	56
Jumbo Toilet Rolls	57
Toilet Tissue	58
Hand Towels	59

2 Ply embossed centrefeed rolls - 120m



Fine **Touch**

Fine Touch



Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Perforated sheets to allow single sheet dispensing and reduced wastage Roll length: 120m

Sheet width: 170mm

Sectors:

• Automotive • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

120 meters per roll / 6 rolls per pack

Code	PCF120BE
Colour	Blue

PCF150B & PCF150W

2 Ply plain centrefeed rolls - 150m



Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Perforated sheets to allow single sheet dispensing and reduced wastage 60mm Splitable core to allow pulling the sheets through the centre Roll length: 150m

Sheet width: 175mm

Sectors:

• Automotive • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

150 meters per roll / 6 rolls per pack

Code	PCF150B	PCF150W
Colour	Blue	White

PFS360 Floor stand rolls 1800 Sheets



Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Perforated sheets to allow single sheet dispensing and reduced wastage 76mm Solid core to allow compatibility with most dispensers

Roll length: 360m

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical
 Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

2 rolls per pack

Code	PFS360
Colour	White, Blue

Centrefeed Rolls

PJBC150 White 2 Ply mini jumbo toilet rolls





Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Perforated sheets to allow single sheet dispensing and reduced wastage 76mm Solid core to allow compatibility with most dispensers Roll length: 150m

Roll diameter: 180mm

Sheet length: 200mm

Sheet width: 90mm

Sectors:

- Janitorial Medical, Vet, Dental, Pharmaceutical
- Waste Management and Local authority

Code	PJBC150
Colour	White

Packing 12 rolls per pack

PJTP150 & PJTP300

White 2 Ply mini jumbo toilet rolls



Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Perforated sheets to allow single sheet dispensing and reduced wastage

60mm Solid core to allow compatibility with most dispensers Roll length: 150m (PJTP150) / 300m (PJTP300)

Roll diameter: 180mm (PJTP150) / 245mm (PJTP300) Sheet length: 200mm (PJTP150) /200mm (PJTP300) Sheet width: 90mm

Sectors:

• Janitorial • Medical, Vet, Dental, Pharmaceutical

Waste Management and Local authority

Code	PJTP150	PJTP300
Colour	White	White

Japei



Features



Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Embossed finish ensuring softness and great comfort

Perforated sheets to allow single sheet dispensing and reduced wastage 44mm Solid core to allow compatibility with most dispensers

Roll length: 20m

Sheets per Roll: 200

Sheet width: 90mm

Sectors:

 Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority

Packing

200 sheets per roll / 36 rolls per pack

Code	PP1540
Colour	White

PTP320 White 2 Ply toilet tissue rolls





Fine Touch

Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination Embossed finish ensuring softness and great comfort Perforated sheets to allow single sheet dispensing and reduced wastage

44mm Solid core to allow compatibility with most dispensers

Roll length: 35.2m

Sheets per Roll: 320

Sheet width: 90mm

Sectors:

 Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority

Packing

320 sheets per roll / 36 rolls per pack

Code	PTP320
Colour	White

PTP250

White 2 Ply toilet tissue sleeves



Features

Made from a mix of 70% virgin paper pulp and 30% sugar cane, packaged in recyclable material

Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Plastic sleeves hold sheets together

Sheet length: 200mm

Sheet width: 105mm

Sleeve height: 85mm

Sectors:

 Janitorial • Medical, Vet, Dental, Pharmaceutical • Waste Management and Local authority

Packing

250 sheets per sleeve / 36 sleeves per case

Code	PTP250
Colour	White

58

Foilet Tissue

PHTC1 1 Ply C-fold hand towels





Features

Made from 100% recycled paper and packaged in recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

C-fold interleaved for efficient dispensing with minimum waste

Embossed finish ensuring softness and great comfort

Available Colours: Green, Blue

Sheet length (unfolded): 310mm

Sheet width: 217mm

Sectors:

 Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Waste Management and Local authority

Packing

176 sheets per sleeve / 15 sleeves per case

Code	PHTC1
Colour	Green, Blue

PHTC2 2 Ply C-fold hand towels



Features



Made from mixed paper and packaged in recycled and recyclable material Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

C-fold interleaved for efficient dispensing with minimum waste

Embossed finish ensuring softness and great comfort

Sheet length (unfolded): 305mm

Sheet width: 217mm

Sectors:

• Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Waste Management and Local authority

Packing

162 sheets per sleeve / 15 sleeves per case

Code	PHTC2
Colour	White

PHTZ2 2 Ply Z-fold hand towels



Features

Conveniently wrapped into easily removable plastic sleeves to hold the pack of towels together

Disposable product for easy and quick handling, increased hygiene and reduced risk of contamination

Z-fold for maximum infection control

Fully embossed ensuring a cleaner finish

Sheet length (unfolded): 230mm

Sheet width: 230mm

Sectors:

• Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Waste Management and Local authority

Packing

150 sheets per sleeve / 20 sleeves per case

Code	PHTZ2
Colour	White



Polythene Bags

Our wide selection of polythene refuse sacks cover most needs in the industry. This range offers a variety of dimensions, capacities and colours.

Extra Heavy & Heavy Duty Black Refuse Sacks



Features

- Designed for general household and industrial waste.
- Made from 100% recycled polythene.

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep
 Janitorial • Waste Management and Local authority

Extra Heavy Duty Refuse Sacks

Flat Packed	СМ	Inches	Litres	Packing
GWH5	41/64 x 98	16/25 x 39	70	
GWH3	46/73 x 98	18/29 x 39	90	200 bags
GWH2	46/73 x 98	18/29 x 39	90	per case
01407	46/73 x 98	18/29 x 39	90	

On The Roll	СМ	Inches	Litres	Packing
GWH2ROLL Only available in Ireland	46/73 x 98	18/29 x 39	90	25 bags per roll / 8 rolls per case

CHSA Critical Control of Control



Heavy Duty Refuse Sacks

Flat Packed	СМ	Inches	Litres	Packing
GWH4	46/73 x 86	18/29 x 34	70	
BSHD1	46/73 x 98	18/29 x 39	90	
BSHD3	46/73 x 98	18/29 x 39	90	200 bags per case
GWH2A	46/73 x 98	18/29 x 39	90	
01404	46/83 x 98	18/32 x 39	110	

On The Roll	СМ	Inches	Litres	Packing
BSHD1ROLL	46/73 x 98	18/29 x 39	90	20 bags per roll / 10 rolls per case





Black Refuse Sacks

Medium & Light Duty Black Refuse Sacks



(Ľ



Features

- Designed for general household and industrial waste.
- Made from 100% recycled polythene.

Sectors:

Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep
Janitorial • Waste Management and Local authority

Medium Duty Refuse Sacks

Flat Packed	СМ	Inches	Litres	Packing
GWH1	41/64 x 98	16/25 x 39	70	
GWH6	40/64 x 98	16/25 x 39	70	200 bags per case
BSLD/2	45/73 x 85	18/29 x 34	70	
EW/BAG	46/73 x 98	18/29 x 39	90	
BSLD/1	46/73 x 98	18/29 x 39	90	



On The Roll	СМ	Inches	Litres	Packing
BSLD1ROLL	46/73 x 98	18/29 x 39	90	20 bags per roll / 10 rolls per case
IBB/1	46/73 x 98	18/29 x 39	90	25 bags per roll / 8 rolls per case



Flat Packed	СМ	Inches	Litres	Packing
LGB34	46/73 x 85	18/29 x 34	70	200 bags par casa
008997	46/73 x 98	18/29 x 39	90	200 bags per case





")

Compactor Sacks



Features

- Designed for general household and industrial waste.
- Designed to transport very heavy loads. Ideal
- for industrial and construction purposes.
- Made from 100% recycled material.

Sectors:

- Automotive Construction & Utility Engineering and Manufacturing • Food Manufacturing and Prep
- Janitorial Warehousing, Transport and Logistics
 Waste Management and Local authority

Heavy Duty Compactor Sacks

Flat Packed	Colour	СМ	Inches	Litres	Packing
СТ9990	Black	51/89 x 114	20/35 x 45	150	100 bags per case





Extra Heavy Duty Compactor Sacks

Flat Packed	Colour	СМ	Inches	Litres	Packing
СТ9992	Black	51/89 x 114	20/35 x 45	150	
СТ9995	Clear	51/89 x 114	20/35 x 45	150	100 bags
СТ9997	Black	56/84 x 119	22/33 x 47	150	per case
СТ9996	Clear	56/84 x 119	22/33 x 47	150	





Compactor Sacks

Wheelie Bin Liners



Features

- To fit wheelie bins and many other large size bins.
- Black liners made from 100% recycled polythene.

Sectors:

• Construction & Utility • Automotive • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Warehousing, Transport and Logistics • Waste Management and Local authority

Light Duty Liners

Flat Packed	Duty	Colour	СМ	Inches	Litres	Packing
LWBL	Light	Black	76/114 x 137	30/45 x 54	270	100 hags not sace
CLWBL	Light	Clear	76/114 x 137	30/45 x 54	270	100 bags per case

Medium Duty Liners

Flat Packed	Duty	Colour	СМ	Inches	Litres	Packing
WBL	Medium	Black	76/114 x 137	30/45 x 54	270	100 bags per case

Heavy Duty Liners

Flat Packed	Duty	Colour	СМ	Inches	Litres	Packing
HDWBL	Heavy	Black	64/124 x 147	25/49 x 59	390	50 bags per case

Extra Heavy Duty Liners

Flat Packed	Duty	Colour	СМ	Inches	Litres	Packing
XHDWBL	Extra Heavy	Black	71/104 x 140	28/41 x 55	250	50 bags per case



Wheelie Bin Liners

Clear Refuse Sacks



Features

- Designed for general household and industrial waste.
- Made from recycled polythene.

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep
 Janitorial • Waste Management and Local authority

Medium Duty Refuse Sacks

Flat Packed	Duty	СМ	Inches	Litres	Packing
BCOL/N	Medium	46/73 x 98	18/29 x 39	90	200 bags per case



Heavy Duty Refuse Sacks

On The Roll	Duty	СМ	Inches	Litres	Packing
LBROLL	Heavy	19/73 x 98	18/29 x 39	85	25 bags per roll / 8 rolls per case
MVK032	Heavy	38/71 x 98	15/28 x 39	90	50 bags per roll / 5 rolls per case

Flat Packed	Duty	СМ	Inches	Litres	Packing
тсвз	Heavy	45/81 x 97	18/32 x 39	90	100 bags per case





Clear Refuse Sacks



Holders & Dispensers

Hygienic to leave surfaces clear and clean, lightweight and durable, our wide range of holders and dispensers will offer many supporting solutions for our products.

Holders & Dispensers

Page number 67 - 69

www.polycohealthline.com






Packing

1 piece per case

DGH3

Triple Glove Dispenser Rack™



Packing 1 piece per case

GE/SGD & GE/SSGD

Single glove box holders



Packing 2 pieces per case

GE/TGD & GE/STGD

Triple glove box holders



Packing 2 pieces per case

Features

The universal glove dispenser racks are made of durable plastic coated metal. They can be wall mounted to ensure that gloves are stored and dispensed in a hygienic manner.

Designed to hold standard dispensers containing 100 disposable gloves **Sectors:**

 Automotive • Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial• Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DGH1
Colour	White
Sizes	One size



Features

The universal glove dispenser racks are made of durable plastic coated metal. They can be wall mounted to ensure that gloves are stored and dispensed in a hygienic manner.

Designed to hold standard dispensers containing 100 disposable gloves

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial• Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	DGH3
Colour	White
Sizes	One size



Features

Hygienic

Lightweight and durable made from PVC plastic Keeps surfaces clean and clear Wall mounted but removable

Supplied with the necessary fittings

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	GE/SGD	GE/SSGD
Colour	Clear	Clear
Sizes	Standard	Small

Features

Hygienic

Lightweight and durable made from PVC plastic Keeps surfaces clean and clear Wall mounted but removable Supplied with the necessary fittings

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	GE/TGD	GE/STGD
Colour	Clear	Clear
Sizes	Standard	Small

GE/04EZ Single glove box holder



Dimensional Common Commo Common Commo

Features

Hygienic

Lightweight and durable made from PVC plastic

Keeps surfaces clean and clear

Wall mounted but removable

Supplied with the necessary fittings

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	GE/04EZ
Colour	White
Sizes	One size

Packing

10 pieces per case

GE/MGD

Polythene glove box holder





Features

Hygienic Lightweight and durable made from metal Keeps surfaces clean and clear Wall mounted but removable Supplied with the necessary fittings

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Code	GE/MGD
Colour	Black
Sizes	One size





Features

Hygienic Lightweight and durable made from PVC plastic Keeps surfaces clean and clear Wall mounted but removable Supplied with the necessary fittings

Sectors:

• Automotive • Construction & Utility • Engineering and Manufacturing • Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing 1 per pack

Code	GE/CCD
Colour	White
Size	One size

GE/532

Paper Floor Stand



Features

Hygienic White coated metal to improve strength and longevity Keeps surfaces clean and clear

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

1 per pack

Code	GE/532
Colour	White
Size	One size

GE/MPSS

Multi-Purpose Sanitising Station



Features

.....

- Hygienic
- Designed to hold a box of gloves, a box of face masks and a bottle of sanitiser Lightweight and durable made from acrylic
- Wall mounted but removable

Supplied with the necessary fittings

Sectors:

 Automotive • Construction & Utility • Engineering and Manufacturing
 Food Manufacturing and Prep • Janitorial • Medical, Vet, Dental, Pharmaceutical • Hair and Beauty • Warehousing, Transport and Logistics • Waste Management and Local authority

Packing

2 per pack

Code	GE/MPSS
Colour	Clear
Size	One size



Shield



Standards Explained

All personal protective equipment (PPE) gloves must comply with the standard EN ISO 21420, Protective Gloves General Requirements and Test Methods. Other standards, some of which are explained below, relate to specific types of hazards.

- Chemical Risk
- Mechanical Risk
- Thermal Risk
- Cold Risk

EN ISO 374-1:2016+A1:2018

EN 374-1 is the standard for protective gloves against dangerous chemicals and micro-organisms.

Gloves are tested in the palm (unless over 400mm in which case the cuff is also tested) for permeation resistance against any of 18 specified chemicals.

There are 3 types of chemical resistant gloves; Type A, Type B and Type C as detailed.

The permeation performance levels are from 1-6, with 6 being the highest.



PPE Regulation

Type A Passing a minimum level 2 permeation resistance against at least 6 chemicals. Code letters for chemicals shown under the pictogram.



Type B Passing a minimum level 2 permeation resistance against at least 3 chemicals. Code letters for chemicals shown under the pictogram. EN ISO 374-1:2016 +A1:2018 Type C

Type C Passing a minimum level 1 permeation resistance against at least 1 chemical. No letters under the pictogram. EN ISO 374-5: 2016




To claim chemical resistance (and micro -organism resistance) EN374-5 must also be passed which ensures the gloves do not leak when tested with air or water. Virus resistance can also be tested under EN374-5 and if passed the word Virus can be shown under the EN374-5 pictogram. Chemical resistant gloves are also tested against EN374-4 which gives an indication of the degradation of the glove material in contact with the chemicals claimed under EN374-1.



EN 388 is the standard for protective gloves and other hand protective equipment against mechanical risks.

X indicates the test was not carried out or not applicable. O indicates the minimum criteria for the test were not achieved.



Abrasion resistance

is the resistance of the palm of the glove to a specified abrasive paper and is measured in cylces. Performance levels from 1 to 4. with 4 being the highest.

Coup cut resistance is

measured using a counter rotating blade to obtain a cut index. The blade must be checked after each cut cycle and, if the blade is deemed to be blunted, the ISO cut method must be used (see E). Performance levels from 1 to 5, with 5 being the highest.

Tear resistance

EN 388:2016

+A1:2018

is a measure of the force required to tear the glove. Performance levels from 1 to 4, with 4 being the highest.

Puncture resistance

D

Ε

F

is a measure of the force required to puncture the material with a specified stylus. Performance levels from 1 to 4, with 4 being the highest.

ISO cut resistance is a measure of the force in Newtons required to cut through a material with a calibrated blade after 20mm movement across the material. Performance levels from A to F, with F being the highest.

Impact resistance

is not mandatory, but if the test is carried out and passed, this is indicated with the marking code "P."

EN 407: EN 407: If the product claims a limited flame spread EN 407:2020 level of performance (at least level 1) 2020 2020 EN 407 is the standard for Pictogram 1 should be used. If the product does not claim a limited flame spread level protective gloves and other hand of performance Pictogram 2 should be used. The marking of the two Pictograms protective equipment against together on the product is forbidden. Levels or thermal risks (heat and/or fire). of performance should be included under the relevant Pictogram.

Flame Resistance

(limited flame spread) is a measure of how long a material continues to burn or glow after application and removal of a source of ignition. Performance levels from 1 to 4, with 4 being the highest.

Resistance to contact heat Resistance to is measured at 100, 250, 350 and 500 °C. To pass, it must take at least 15 seconds for the inside of the glove to rise by 10 °C. Performance levels 3 and 4 can only be claimed if at least level 3 for limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

B

convective heat is the time a material can delay transfer of heat emitted from a flame. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

Resistance to radiant Resistance to small heat is the time a

E

material can delay transfer of heat from a radiant heat source. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

splashes of molten metal is the number of drops required to increase the temperature on the inside of a glove by 40°C. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.


achieved.

also be carried out.

Resistance to large quantities of molten metal is the weight of molten metal required to cause smoothing or other changes to PVC foil (skin simulant) placed behind a glove. Performance levels 3 and 4 can only be claimed if at least level 3 limited flame spread is also achieved. Performance levels from 1 to 4, with 4 being the highest.

EN 511:2006

EN 511 is the standard for Protective gloves and other hand protective equipment against cold.



Resistance to convective cold is a measure of the transfer of cold via convection. Performance levels from 1 to 4, with 4 being the highest. To claim levels 2 to 4, an EN388 performance level of at least 2 for abrasion and tear must also be achieved.

Resistance to contact cold is a measure of the resistance when the glove is in contact with a cold item. Performance levels from 1 to 4, with 4 being the highest. To claim levels 2 to 4, an EN388 performance level of at least 2 for abrasion and tear must also be achieved.

Resistance to water penetration

X indicates the test was not carried

out or not applicable. O indicates the minimum criteria for the test were not

For extreme cold (-30°C and below),

an extreme cold flexibility test must

is a measure of permeability to water. Performance level 1 indicates no water penetration. If this test is failed, this is indicated by Performance level 0.



Chemical Performance

The below handy chemical breakthrough 'ready-reckoner' shows popular gauntlet materials and the associated breakthrough times for some common chemicals. For specific chemical breakthrough times, and an application specific product solution contact your local area sales manager, these should be used as a guide only.

BS EN374-1 Permeation Performance Levels and Corresponding Breakthrough Times in Minutes

BS EN374-1 Permea	tion Performa	nce Levels and	Correspondin	orresponding Breakthrough Times in Minutes				
Chemical	Lightweight PVC (0.6mm)	Mediumweight PVC (0.8mm)	Heavyweight PVC (1.2mm)	Nitrite Neoprene Nat Rubb		Mediumweight Nat Rubber (0.7mm)		
Acetic acid	120	200	400	60	300	46	120	
Acetone	9	20	18	9	23	18	50	
Acetonitrile	4	9	14	15	70	3	6	
Allyl alcohol	100	160	190	210	110	15	46	
Ammonia	36	39	49	250	80	25	50	
Amyl acetate	12	18	25	11	18	6	9	
Amyl alcohol	100	160	190	210	110	15	46	
Aniline	180	347	280	53	196	15	22	
Benzene	17	30	32	14	12	8	15	
Butanol	200	320	400	>480	250	50	127	
Butyl acetate	24	33	45	48	24	11	20	
Carbon Tetrachloride	40	55	100	260	30	11	27	
Chromic acid	300	360	>480	90	45	80	110	
Cyclohexane	52	98	93	360	159	21	47	
Dibutyl Phthallate	1	3	5	260	130	55	88	
Dichloromethane	4	6	9	3	6	5	12	
Diesel	20	38	29	360	57	16	24	
Diethyl phthalate	1	3	5	260	130	55	88	
Di-isobutyl ketone	10	18	20	6	12	7	18	
Ethanol 100%	100	160	190	210	110	15	46	
Ethyl acetate	12	18	25	11	18	6	9	
Ethylamine gas	26	40	61	35	92	29	55	
Formaldehyde 37% in 10% methanol	360	>480	>480	>480	120	17	60	
Formic acid (50%)	390	>480	>480	180	>480	300	360	
Hexane	20	38	29	360	57	16	24	
Hydrochloric acid 37%	>480	>480	>480	>480	>480	>480	>480	
Hydrofluoric acid	240	>480	>480	120	360	240	300	
Hydrogen peroxide (30%)	270	>480	>480	>480	5	>480	>480	
Kerosene (Burning oil - 28 sec)	240	300	360	>480	>480	15	15	
Methanol	85	78	87	60	50	5	15	
MEK (2- Butanone)	10	18	20	6	12	7	18	
Naphtha solvent	110	140	180	360	340	4	8	
Nitric acid 40%	44	84	173	50	240			
Nitrobenzene	100	140	190	25	50	18	40	
Phenol 10%	190	320	400	30	>480	30	40	
Phosphoric acid 30%	>480	>480	>480	>480	>480	>480	>480	
Potassium hydroxide	>480	>480	>480	>480	>480	>480	>480	
Sodium hydroxide (40%)	>480	>480	>480	>480 >480		>480	>480	
Sulphuric acid (96%)	36	120	180	180	90	100	150	
Trichloroethylene	13	13	17	6	9	4	11	
Xylene	24	36	50	44	13	11	22	

All results are for indication only and Polyco Healthline are not responsible if results obtained do not match those shown

Level 0 | <10minutes

Level 1 | >10minutes <30minutes Level 2 | >30 minutes <60 minutes

nutes

Level 3 | >60 minutes <120 minutes Level 4 | >120 minutes <240 minutes Level 5 | >240 minutes <480 minutes Level 6 | >480 minutes Not tested

72

Technology Centre

As part of Polyco Healthline's commitment to new product development and compliance a substantial investment has been made in a state of the art purpose built test laboratory in Bourne. With Polyco Healthline's Technology Centre, the service and expertise offered to our customers is second to none.

What can we test at our laboratory?

Our Technology Centre is well-equipped with state of the art test equipment to enable us to perform a wide range of chemical and physical tests on a variety of different product types. The newly built suite brimming with cutting-edge test equipment is where we put our products through their paces.

The centre is split into three separate laboratories:

• Chemical Laboratory: for tests including permeation and degradation resistance to various chemicals, powder content, pH testing, overall food migration, colour fastness to perspiration, and inorganic content.

• **Physical Laboratory**: for tests including abrasion resistance, blade-cut resistance, tear resistance, puncture resistance, tensile strength, dart impact resistance, force at break and elongation.

• Wet Laboratory: for tests including water leak and washing tests.

Listed here is just a sample of the tests that our Technology Centre can undertake:

V	EN 374-2
V	EN 16523-1
V	EN 388
V	EN 21420
V	EN 455

Why have our own laboratory?

The Technology Centre is accredited for testing to ISO 17025 by UKAS. The schedule of accreditation, which contains a full list of the tests for which the laboratory is accredited, is available on request or directly from the UKAS website.

Many products – PPE, medical, or otherwise – have associated test standards which may be used by accredited testing laboratories such as our Technology Centre to evaluate or benchmark the performance of products. These tests are not only required for product certification but are also invaluable for areas such as new product development and complaint resolution.

Guided tours of the laboratory are available, giving customers the valuable opportunity to see test standards being performed in person and gain an extra understanding of what's involved in each of the tests.

Here to help

The laboratory operates as a business support unit and carries out internal testing or testing to aid our customers. <u>echnica</u>



Our Services



Distribution

Our head office alongside our six distribution centres are situated in Bourne, Lincolnshire, with an additional satellite office located in London.

At a combined capacity of over 37,000 pallet spaces spread across 31,000sqm, our distribution centres enable the capability for growth and a large stock holding.

Our site operates 24 hours with a dedicated container park, we manage container receipts and deliveries at night, with capacity for 10 containers per shift.

This coupled with the combination of our own vehicles and the services of major transport companies ensures we provide a quick and efficient service to meet the demands of our growing customer base.

Strategically positioned for easy access to seaports and major road networks, the warehouses are also conveniently connected for quick and efficient daily stock transfers.





How do we operate?

We operate all picking using our RF scanners to ensure accurate picking each and every time, which are connected to our ERP system and updated on a live level, offering the most up to date position of stock at all times.

The majority of our warehouse and production operatives are multi skilled, so as to allow seamless transition of responsibilities as and when required, which enables us to provide a quick and efficient turnaround service from order receipt to despatch.

We have terminals in every DC for each operative to be able to access vital company information including a fully integrated Health & Safety platform, HR access, Company Benefits and many more.

Thumb print clocking technology for all Warehouse staff who operate in the DCs for security and safety of all staff and visitors.

Over 60 CCTV cameras across the DCs monitored internally by our Facilities team using the latest technologies, which include remote viewing capabilities for additional security.



Certification

Our ISO 9001 and ISO 13485 certified quality management systems allow us to have full traceability throughout the supply process, all the way back to factory raw materials.

The certification ensures all aspects of the business processes are monitored for quality.


Efficient management of our operations also involves a range of measures designed to reduce our environmental impact.

We also hold ISO 14001 Environmental Management Systems certification.



NormAnd <th>Product Name</th> <th>Code</th> <th>Page</th> <th>Product Name</th> <th>Code</th> <th>Page</th>	Product Name	Code	Page	Product Name	Code	Page
NAMECAUSESAUSE ADDRSAUSE	008997	008997	62	GWH6	GWH6	62
No.N	01404	01404	61	Handsafe® GN70	GN70	19
pichpichpichpichpichpichpichBADCARDAARARARARBADCARDAARARARARBagan ConstructARAARARARARBagan ConstructARAARARARARARBagan ConstructARAARARARARARBagan ConstructARARARARARARBagan ConstructARARARARARAR	01407	01407	61	Handsafe® GN99	GN99	18
BAD3BAD3AIndMathBBAD30ABBB <td>ASW</td> <td>ASW - ASW/500 - ASW/1000</td> <td>54</td> <td>HDWBL</td> <td>HDWBL</td> <td>64</td>	ASW	ASW - ASW/500 - ASW/1000	54	HDWBL	HDWBL	64
NOMENOMENNN </td <td>BCOL/N</td> <td>BCOL/N</td> <td>65</td> <td>IBB/1</td> <td>IBB/1</td> <td>62</td>	BCOL/N	BCOL/N	65	IBB/1	IBB/1	62
indindindindindindindindindBidgamb CalculationGROM <td< td=""><td>BSLD/1</td><td>BSLD/1</td><td>62</td><td>Imola®</td><td>DR300</td><td>31</td></td<>	BSLD/1	BSLD/1	62	Imola®	DR300	31
namen	BSLD1ROLL	BSLD1ROLL	62	Jet™	52	42
non-n	BSLD/2	BSLD/2	62			
non-section9809000000000000000000000000000000000000	,					
non-startCallerAllMarriageMAABayBoyandriculatCLBMAMarriageMAAMAABoyandriculatCLBMAMarriageMAAMAABoyandriculatCLBMAMarriageMarriageMAAMAAMaguahriageCLBMAMarriageMarriageMarriageMAAMAAMaguahriageCLBMAMarriage						
n-matrixGammaGammaMarkaMarkaMarkaMarkaBabgaser (1998)GammaGammaMarkaMarkaMarkaMarkaBabgaser (1998)GammaGammaMarkaMarkaMarkaMarkaMarkaBabgaser (1993)GammaGammaMarka <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
bipsparfultyChipsChipMaxMaxMaxMaxBipsparfultyCLIPSAMarPariaAdMAIABipsparfultyCLIPSAMarPariaAdMAIABiolandAMarPariaAdMAIAABiolandAMarPariaAdMAIAABiolandAMarPariaAdMAIAABiolandAMarPariaAdMAIAABiolandAMarPariaAdMAIAABiolandAMarPariaAdMAIAACompoCompoAMarPariaAdMAIACompoCompoAMarPariaAdMAIACompoCompoAMarPariaAdMAIACompoCompoAdMAIAdMAIAACompoCompoAdMAIAdMAIAdMAIACompoCompoAdMAIAdMAIAdMAIACompoCompoAdMAIAdMAIAdMAIAdMAICompoCompoAdMAIAdMAIAdMAIAdMAICompoCompoAdMAIAdMAIAdMAIAdMAICompoCompoAdMAIAdMAIAdMAIAdMAICompoCompoAdMAIAdMAIAdMAIAdMAICompoCompoAdMAIAdMAIAdMAIAdMAICompoAdMAIAdMAIAdMAIAdMAIAdMAICompoAdMAIAdMAI <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
n						
n DepandentingDispandenting <thd< td=""><td></td><td></td><td></td><td></td><td></td><td></td></thd<>						
nono1Main' ChipJa Main' ChipJa Main'Ja Main'BibliotaBibliotaBibliotaAMain'a''Main'a''Main'a''BibliotaBibliotaBibliotaBibliotaMain'a''Main'a''Main'a''BibliotaBibliotaBibliotaMain'a'''Main'a'''Main'a'''Main'a'''Gibler D'GroupBibliotaMain'a'''Main'a'''Main'a'''Main'a'''Gibler D'GroupBibliotaMain'a'''Main'a'''Main'a'''Main'a'''Gibler D'GroupBibliotaMain'a'''Main'a'''Main'a'''Main'a'''Gibler D'GroupBibliotaMain'a'''Main'a'''Main'a''''Main'a''''Gibler D'GroupBibliotaBibliotaMain'a''''Main'a''''''''''''''''''''''''''''''''''						
matrix BathBathBathAssoMarch5.5 MailA BathBathBathBathMarchA.MarchA.A.BathBathBathMarchA.MarchA.A.Capler-CoG.MarchMarchM.M.A.Capler-CoG.MarchMarchM.M.M.Capler-CoG.MarchMarchM.M.M.ChysoG.MarchM.M.M.M.M.ChysoG.MarchM.M.M.M.M.M.ChysoG.MarchM. </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
indicitindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicitindicitindicitindicitindicitindicationindicitindicit<	,					
ShouldShou						
CancelCAGECAGEMaterial <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td></th<>						
CNRCNR6More Manne Mann						
C199064NAD2NAD2NAD2NAD2NAD2C1992C1992AMaikhill2719AALC1993C1993APilateNTLOREALC1993C1993APilateNTLOREALC1993C1993ALPilatePilatePilatePilateC1993C1993ALPilatePilatePilatePilateC1993C1993ALPilatePilatePilatePilateC1993C1993ALPilatePilatePilatePilateC1993C1913PilatePilatePilatePilatePilateC1914C1914C1914C1914PilatePilatePilateC1914C1914C1914C1914PilatePilatePilateC1914C1914C1914C1914PilatePilatePilateC1914C1914C1914C1914PilatePilatePilateC1914C1914C1914PilatePilatePilatePilateC1914C1914C1914PilatePilatePilatePilateC1914C1914C1914PilatePilatePilatePilateC1914C1914C1914PilatePilatePilatePilateC1914C1914C1914PilatePilatePilatePilateC1914C1914C1914PilatePilatePilatePilateC1914C		CLWBL		Multi-Task™ 5	MT5	32
ChapseChapseAPWPENAClapseClapseAPG1b2EPC120EAClapseClapsePG1b2CPG1b2CPG1b2CPG1b2CDaynom ¹ DELXOAPMCAPMCAPMCADaynom ¹ DELXOAPMCAPMCAPMCADaynom ¹ DELXOAPMCAPMCAPMCADaynom ¹ DEXOCAPMCAPMCAPMCADaynom ¹ DEXOCAPMCAPMCAPMCADaynom ¹ DEXOCAPMCAPMCAPMCADCSDCG1DCG1PMCAPMCAPMCADCG1DF01-DF01/L-DF01/LOSPMCAPMCAPMCADF02DF01-DF01/L-DF01/LOSPMFAPMFAPMCADF01-DF01/L-DF01/LODF0SPMFAPMCAPMCADF01-DF01/L-DF01/LODF0SPMFAPMCAPMCADF01-DF01/L-DF01/LODF0SPMFAPMCAPMCADF01-DF01/LODF0DF0PMFAPMCAPMCADF01-DF01/LODF0SPMFAPMCAPMCADF01-DF01/LODF0DF0PMFAPMCAPMCADF01-DF01/LODF0DF0PMFAPMCAPMCADF01-DF01/LODF0DF0PMFAPMCAPMCADF01-DF01/LODF0DF0PMFAPMCAPMCADF01-DF01/LODF0DF0DF0DF0PMCA <tr< td=""><td></td><td></td><td></td><td>MVK032</td><td>MVK032</td><td>65</td></tr<>				MVK032	MVK032	65
C1999CC1999CC5FX10kiFX10kiFX10kiFX10kiFX10kiFX10kiC1990TC1990TC5PC130PC130PPC10S0Dayonal" FusioD1200C5PC130PPC10S0DC3D203C5PC130PPC10PPC10S0DC3DC3D203PS30PPC10PPC10S0DC4D011-D011A-D011A-D011A-D011AC6PES30PPES30PPES30PPES30DC4D011-D011A-D011A-D011AC6PPS30PPS30PPES30PPS30DC4D013-D011A-D011A-D011AC7PPS30PPS30PPS30PPS30DC4D014C6PPS30PPS30PPS30PPS30PPS30DC4CH0AD014C7PPS30PPS30PPS30PPS30PPS30PPS30DC4CH0AD010C6PPS30 <td< td=""><td>CT9992</td><td>CT9992</td><td>63</td><td>Nitri-Tech III®</td><td>92 / 94</td><td>41</td></td<>	CT9992	CT9992	63	Nitri-Tech III®	92 / 94	41
ConstraintConstraintConstraintPerson of the sector of th	СТ9995	СТ9995	63	PBW	PBW	54
Deptend**DR10031PRC1PRC1PRC1PRC1SPDeytend**DR100S1PRC2S1PRC2S1DK3DK3DK3PRC30PRC30PRC30S1DK4DF051/1- GUAL + GUAL + GUAL + GUALPRC30PRC30PRC30S1DK3DF051/1- GUAL + GUAL + GUALPRC30PRC30PRC30PRC30S1DK4DF051DF350PR50PRT50PRT50S1DK4DF051S2PRMC4PRT50S1S1DK4DF01S7PRMC4PRC50PRT50S1DK4DF01S7PRMC4PRC7S1S1DK4DF01S7PRMC4PRT5S1S1DK4DF01S7PRMC4PRT5S1S1DK4DF01S7PRMC4PRT5S1S1DK4DF01S7PRMC4PRT5S1S1DK4DF01S1PRMC4PRT5S1S1DK4DF01S1PRMC4PRT5S1S1DK4DF01S1PRMC4PRT5S1S1DK4DF01S1PRMC4PRT5S1S1DK4DF01S1PRMC4PRT5S1S1DK4DF01S1PRC4PRT5S1S1DK4DF02PR5PR5PR5S1S1S1DK4DF03DF1S1	СТ9996	СТ9996	63	PCF120BE	PCF120BE	56
DeponPHC2PHC2PHC2PHC3	СТ9997	СТ9997	63	PCF150	PCF150B - PCF150W	56
Data Data PHT2 PHT2 <t< td=""><td>Daytona™</td><td>DR100</td><td>31</td><td>PHTC1</td><td>PHTC1</td><td>59</td></t<>	Daytona™	DR100	31	PHTC1	PHTC1	59
DCSDCSDCSDCSPRCS0 <td>Daytona™ Plus</td> <td>DR200</td> <td>31</td> <td>PHTC2</td> <td>PHTC2</td> <td>59</td>	Daytona™ Plus	DR200	31	PHTC2	PHTC2	59
DF01DF01-DF01/16-DF01M-0F01M-0SPRS00PRS00PRS00SDF02GF02SPTIS0PTIS0GF0Do Nus OfMDM01SPTIS0PTIS0GF0Do Nus OfMDM01SPS00PTIS00FS0PTIS00Do Nus OfMDFNGFPS00PS00PS00PS00FS00Dyner UnivDFNDFNGFPS00PS00PS00FS00FS00Dyner UnivDFNDFNSPs0/me* ColtPECTSDyner UnivDFNDFNSPs0/me* ColtPECTSFinice NackGL00SPs0/me* ColtPECTSFinice NackGL00SPs0/me* ColtSSFinice NackGL00SPs0/me* ColtSSFinice NackGC02GSPS00PS12SGrossGL00SPs120PS120SGrossGC1/S32GSSSGSGrossGL/MSSGSSSGSGrossGL/MSSGSSSGSGGrossGL/MSSGSSSGSGGl02GL/MSSGSSSGSGGl03GL03GSSSGGSGGl04GL04GSSSGGGGGl04GL04GS <td>DC03</td> <td>DC03</td> <td>52</td> <td>PHTZ2</td> <td>PHTZ2</td> <td>59</td>	DC03	DC03	52	PHTZ2	PHTZ2	59
DP2DP3SPPP150PP1750SPDM4DM41S3PP300PP1750S7Due Puts GM1RU560APS560S7Dyfer VitraDFUS7Polyfer So CatPECTS7Dyfer VitraDFUS7Polyfer So CatPECTS7Dyfer VitraDFUS7Polyfer So CatPECTS7EWSAGR04G8Polyfer So CatPECTS7Finiter Singer SonGR04G8Polyfer SonPETS7Finiter Singer SonFINIDOS9Polyfer GripBOORS7Finiter Songer SonGEGAPSPSPSS7Finiter Songer SonGEGAPSPSPSS8GEGAZGEGAZG8PSPSS8GEGAZGEGAZG8PSPSS8GEGAZGEGAZG8PSPSS8GEGAZGEGAZG8PSPSS8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZG8PSGEGAZG8GEGAZGEGAZS8PSGEGAZG8 <td< td=""><td>DC05</td><td>DC05</td><td>52</td><td>PJBC150</td><td>PJBC150</td><td>57</td></td<>	DC05	DC05	52	PJBC150	PJBC150	57
DN1DN1S1PT930PT930PT9130PT9130S1Dorbar Plus MissionRD5RD5000RD500RD5000RD5000RD50000RD50000RD5000000RD500000000RD50000000000RD500000000000RD5000000000000RD5000000000000RD500000000000000RD5000000000000000RD5000000000000000000000000000000000000	DF01	DF01 - DF01/16 - DF01M - DF01M/16	53	PJBC300	PJBC300	57
Do Plus GoTMRUSGOA PSSO <th< td=""><td>DF02</td><td>DF02</td><td>53</td><td>PJTP150</td><td>PJTP150</td><td>57</td></th<>	DF02	DF02	53	PJTP150	PJTP150	57
Dyflax*Plus N DP N 37 Polyflax* Ex Cut. BBBC / BBD 37 Dyflax*Plus N D/U 37 Polyflax* Ex Cut. PECT 25 EWBAC EWBAG 66 Polyflax* Ex Cut. PECT 25 EWBAC EWBAG 66 Polyflax* Ex Cut. PECT 25 EWBAC EWBAG 66 Polyflax* Ex Durm PETH 24 Finice® Inter® F Finice Mapo A 90 Polyflax* Ex Durm 8000CA 27 Finice® Inter® F Finice Mapo A 90 90 90 8000CA 27 Finice® FArage Grip GL020 15 90 91 800CA 26 GL04ZZ GL04ZZ GL04ZZ 68 97230 97130 36 GL/MAZ GL/MAZ 68 Sinkit* GOS9 00009 20 GL/MAZ GL/MADS 58 Sinkit* GOS9 0019 16 GL/MAZ GL/MADS 58 Sinkit* GOS9 CD13 21 <	DM01	DM01	53			
Dyflew' UrobDyflew' Eco CutPECT25EW/MAGEW/MAG62Polyflew' Eco LuPEL24EM/MAGEW/MAG63Polyflew' Eco LuPEL24Fintee' BlackGL0015Polyflew' Eco HumPET24Fintee' MellowPH05018Polyflew' Eco HumPET25Fintee' Indigo AFMKP20019Polyflew' Eco Hum800027Fintee' Indigo AFMKP20019Polyflew' Utra800027Fintee' Porge GripGL20115Polyflew' Utra800027Fintee' Porge GripGL20115Polyflew' Utra800027GL552GE / GL2268PTP20PTP20058GE/MGDGE / GL2069PTP200GD1320GE/MGDGE / GL2069Shield' GD03GD1321GE/MGDGE / GL2069Shield' GD30GD1321GL/MGSGE/MGSGG13GD132121GL/MGSGG13030Shield' GD32GD5222GR3GR31 / GR32 / GR32 / GR32 / GR32GSGD5222GR3GR31 / GR32 / GR32 / GR32 / GR32 / GR32 / GR32 / GR33 /			43			
EWBAGEWVBAG62Payfler* Eco IPEI24Finite® BlackGL00015Payfler* Eco INPEIN24Finite® GreenFIKL0015Payfler* Eco INPEIN25Finite* INDFIKL0016Payfler* Eco INPEIN25Finite* INDFIKL0018Payfler* Eco IN8000CR27Finite* Indge AFMINP10015Payfler* Utra91126Finite* Indge AFFIKL0017P1540P154058GE/04Z2GE /GE/2268P17250P1725058GE/04Z2GE /GE/2269P1720P1723058GE/CCDGE /GE/CD69Sheld* GD05GD0520GE/MGDGE /GE/GD68Sheld* GD03GD1321GE/MGDGE /GE/GD68Sheld* GD13GD1321GE/MGDGE /GE/MGS69Sheld* GD13GD1321GI/F31G1G14Sheld* GD3GD1321GI/F31G16Sheld* GD52GD5322GR01GR01/ /GR01/ /GR01/ /GR03/ /GR03A1GR03A1GI/F31G10Sheld* GD52GD5322GR01GR03/ /GR03/ /GR03/ /GR03A1GR03A1Gr01* GIGI0XA5Sheld* GD52GD5322GR01GR03/ /GR03/ /GR03/ /GR03/ /GR03A1A1Gr01* GI0GI0XA5Sheld* GD52GD5322Gr01* GI0GI0X						
Finite® GreenCL10015Paynes® Eon NermPEN24Finite® GreenFNG10019Polynes® Eon ThermPETH25Finite® GreenFHB05018Polynes® Eon ThermPETH25Finite® Indige AFFHB05019Polynes® Hus800027Finite® GreenGL00119Polynes® Hus80027Finite® Orage GreenGL00419Polynes® Hus91126Finite® Orage GreenGL0AEZ68PTP250PTP25058GE/AGZGE / AGZ69PTP250GE20GE/COLGE / AGZ69PTP200GE20GE/COLGE / AGZ69PTP300GO3321GE/COLGE / AGZ69Sheld® GD09GD0921GE/MDSGE / MDS60Sheld® GD09GD03321GE/COLGE / MDS60Sheld® GD33GD1321GI/AGAGGG / MPSS69Sheld® GD37GD1321GI/AGAGGASheld® GD37GD352222GR3GR011/ CR018 / GR017 / GR01943Sheld® GD35GD5522GR3GR011/ CR018 / GR017 / GR01943Sheld® GD35GD5522GR3GR011/ CR018 / GR017 / GR01943Sheld® GD35GD5522GR3GR011/ CR018 / GR017 / GR01943Sheld® GD35GD5522GR1GR017 / GR018 / GR017 / GR01944566 <tr< td=""><td></td><td></td><td></td><td></td><td></td><td></td></tr<>						
Finite@ LengthFNG.0019Palyflee® CorpenPETH25Finite® HDFHD5018Polyflee® Grip800CR27Finite® Indigo AFMMNP.10019Polyflee® Flus800027Finite® Indigo AFMNNP.10015Polyflee® Flus800027Finite® Indigo AFGLO LO15Polyflee® Flus91126Finite® PFNL0015P1250P12509136C6/04EZGEP1250P1250202020C6/052GE/NCD69Shield® GD05GD0520C6/050GE/MRD68Shield® GD132021C6/050GE/MRD68Shield® GD132021C6/M25GE/MRD68Shield® GD132021C6/M25GE/MRD30Shield® GD132121C6/M25GE/MRDS68Shield® GD132121C6/M25GR03Y (GR03F GR03P43Shield® GD132121C1/11G//1141Shield® GD132121C1/11GR03Y (GR03F GR03P43Shield® GD132121C1/11GR03Y (GR03F GR03P43Shield® GD132121C1/11GIOK53TCB3GCB34445C1/11GIOK54Spiel@ Glox (FR03P444544C1/11GIOK53TCB3TCB3A144C1/11GIOK54						
Finite* HDFHDS018Polyfier* Grip800GR27Finite* Indigo AFMFNP10019Polyfier* Plus80027Finite* Orange GripGL02115Polyfier* Utra91126Finite* Drange GripGL02117P1540P153058GE/04EZGE/04EZ68PTP250PTP25058GE/032GE/05269Shield* GD9GD0520GE/MCDGE//MCD68Shield* GD9GD0520GE/MCDGE//MCD68Shield* GD13GD1321GE/MSSGE/MPSS69Shield* GD13GD1321GH050 GripGH30030Shield* GD13GD1321GH060 GripGH30030Shield* GD13GD1321GH301 GripGH3030Shield* GD13GD1321GH301 GripGH3030Shield* GD13GD1321GH301 GR017/ GR01F / GR01P43Shield* GD22GD5222GR01GR017 / GR01B / GR01P43Shield* GD55GD5522GR03GR037 / GR03F / GR03F / GR03F43Shield* GD52GD5324Grip It* OIL SGI0K35FG16* GP17FG1644GM12GUN12GN14GPSperGlows* Volt BagREBAG47GW12AGW12AGW12AGPSperGlows* Volt BagREBAG47GW12AGW12AGW12AGPSperGlows* Volt BagREBAG44						
Finite* Indigo AFMFNP10019Polyfler* Plus80027Finite* Orange GripG.20115Polyfler* Ultra91126Finite* PFFN10017P1540P154058GE/04Z2GE / 04EZ68PTP250PTP25058GE/352GE / 62/53269PTP500600560056005GE/MCDGE / MCD68Shield* G05GD0521GE/MCDGE / MCD68Shield* G05GD1321GE/MCDGE / MCD68Shield* G013GD1321GE/MCDGE / MCD68Shield* G013GD1321GE/MCDGE / MCD69Shield* G013GD1321GE/MCDGE / MCD69Shield* G013GD1321GH300 ScripGH30030Shield* G014GD1321GM501 / GR01 / GR01 / GR0142Shield* G052GD5222GR01 / GR01 / GR01 / GR01 / GR0143SHWSHWSHWGrip It* OILGI034TG83TG83GEGrip It* OILGI054SperGlover* Volt RagRE0050 / RE350 / RE150						
Finite*Orange Grip GL201 15 Polyflex* Utra 91 92 Finite* PF FN100 17 P1540 P1540 58 GE/04Z GE/04Z 68 P17250 P17520 58 GE/532 GE/552 69 P17820 P17920 58 GE/CCD GE/CCD 69 Sheld* GD03 GD05 20 GE/MGD GE/MGD 68 Sheld* GD03 GD13 21 GE/MGD GE/MGD 69 Sheld* GD13 GD13 21 GE/MGD GE/MGD 69 Sheld* GD13 GD13 21 GE/MGD GE/MGD 69 Sheld* GD13 GD13 21 GE/MGD GE/MGD 30 Sheld* GD13 GD13 21 GE/MGD GE/MGD 42 Sheld* GD13 GD13 22 GR03 C GR01/ GR03 / G						
Initial PL FN100 17 P1540 P1540 P1540 S8 GE/04EZ GE/04EZ 68 PTP250 PTP250 58 GE/532 GE/532 69 PT9320 PTP320 58 GE/GMCD GE/CD 69 Shield* CD05 CD05 CD05 20 GE/MDS GE/MDS 68 Shield* CD09 CD09 21 GE/MDS GE/MDS 69 Shield* CD13 CD13 21 GE/MDS GE/MPSS 69 Shield* CD19 CD09 21 GE/MDS GB Shield* CD13 CD13 21 G/MOG GB Shield* CD13 CD13 21 G/MOG GB Shield* CD13 CD13 21 G/MOG GB Shield* CD25 CD53 22 G/MOG GR011/ GR015 / GR015 / GR019 43 Shield* CD55 CD55 22 GR03 GR037 / CR037 / CR037 / GR037 / GR037 / GR037 34 TC83 GR050 / RE360 / RE360 / RE36						
GE04EZGE/04EZG8PP250PP250PP250S8GE/S32GE/S32G9PP300PP300PP300S0S0GE/CDGE/CDG8Shield*CD05GD09C00921GE/MDSGE/MDSG9Shield*CD01GD13C01321GE/MDSGE/MPSSG9Shield*CD13GD13C11321GH305 GripGH300G1Shield*CD19GD19G1936GH460G1Shield*CD19GD17C104721GH71G1Shield*CD2GD552222GR01GR017 (GR017 (GR017G1Shield*CD52GD5522GR03GR037 (GR037 (GR037G3SHWSHWSHWGR04G00S4FG3TG85GF8Grip I* Oli CSGIOKG5TG85GF844*GM14G0W1G4FG8TE360 (RE140 / RE140 / RE140 / RE2360 / RE1360 / RE136						
C4532C453269PP320PP320PP320S8C4CCDC4C/CD69Shild* CDOSCDOS20C4/MDC4/MD68Shild* CDO9CD0921C4/MPSC4/MPS69Shild* CD13CD1321C4/MDSC4/MD30Shild* CD19CD1916C4/A0CC4/G024Shild* CD19CD0921C4/A0CC4/G024Shild* CD19CD1321C4/G0C4/F1141Shild* CD52CD5222C4R01C4R01/CR016 / CR016 / CR01943Shild* CD55CD5522C4R03C4R03 / CR036 / CR036 / CR03943SHWSHW54C4P10GD034CB3CCB3CD5522C4R03C4D0XS5CD55222222C4R03C4D03 / CR036 / CR036 / CR036 / CR03943SHWSHW54C4P10GD034CB3CCB3CD5522C4R03C4D0XS5CCB3652222C4R04GD034CB3CCB36522C4P11GD0A1CB3CCB34444C4P11CH0CH0CE2300 / RE360 / RE1360 / RE1401 / RE40174C4P11C4H1CH1SuperClores* Volt Leather ProtectorREAC74C4H21CHH2SuperClores* Volt Leather ProtectorREAC74C4H22CMH2GH3SuperClores*						
CECCDCECCD69Sheld*CD0CD0520CE/MCDCE/MCD68Sheld*CD09CD0921CE/MPSSCE/MPSS69Sheld*CD13CD1321CH300 S CripCH30030Sheld*CD19CD1916CH400CH40020Sheld*CD19CD1921CH401CH71141Sheld*CD2CD5222CR01CR01Y CR01B / CR01F43Sheld*CD5CD5522CR03CR01Y CR01B / CR01P43Sheld*CD5CD5522CR03CR01Y CR01B / CR01P43Sheld*CD5CD5522CR03CR01Y CR01B / CR01P43Sheld*CD5CD5522CR03CR01Y CR01B / CR01P43Sheld*CD5CD5522CR03CR01Y CR03B / CR03F / CR03P43Sheld*CD5Sheld*CD525CR03CR01Y CR03B / CR03F / CR03F43Sheld*CD5Sheld*CD525CR01CI034CR03TE0360 / EE360 / EE36						
$CE/MPSS$ $CE/MPSS$ 69 $Shild C013$ $CD13$ 21 $GH300$ $GH300$ 30 $Shild C019$ $CD19$ 16 $CI/6406$ $CI/6406$ 42 $Shild C017$ $CD47$ 21 $CI/F11$ $GR01/CR01F/GR017/GR017/GR017$ 43 $Shild C052$ $CD52$ 22 $CR01$ $CR01/CR01F/GR017/GR017/GR01743Shild C052CD5522CR03GR03Y/CR03F/GR03F/GR03P43SHWSHW5HW5HWCR03GR03Y/CR03F/GR03F/GR03P43CB3CB3CB3CB3CB3CR04GI034CB3CB3CB3CB3CB34445Crip It 0il C15GI0K35Cork-E^{rM}CB036/RE0360/RE1360/RE140/4446CW12GW12GW12612perGloves^NOLt Eather ProtectorREPAC/NE140/47CW12GW12A612perGloves^NOLt Eather ProtectorRE-PRO/NE140/47GW12GW12GW13611gmaster^{14}MW12439GW13GW143611gmaster^{14}MW12464GW14GW1456W156WWB164GW14GW146HMHMH40GW14GW146HMHMH40GW14GW146HMHMHMH40GW14GW14GW14$						20
$dH300$ Sdrip $dH300$ 30 $8hild^{\alpha}$ GD19 $dD19$ 160 $GI/406$ $GI/406$ 42 $8hild^{\alpha}$ GD47 $GD47$ 21 $GI/F11$ $GI/F11$ 41 $8hild^{\alpha}$ GD52 $GD52$ 22 $GR01$ $GR01/GR01/GR01/GR01P$ 43 $8hild^{\alpha}$ GD53 $GD53$ 22 $GR03$ $GR03/GR03/GR03/GR03P$ 43 $8hild^{\alpha}$ GD53 $GD53$ 22 $GR03$ $GR03/GR03/GR03P$ 43 $8hild^{\alpha}$ GD53 $GD53$ 22 $GR03$ $GR03/GR03P$ 43 $8HW$ SHW SHW 54 $Grip It^{\alpha}$ OIG GIO 43 $GR03P$ GIO 45 $Grip It^{\alpha}$ OIG GIO 35 $foreflows^{\alpha} Not RE036O/RE036O/RE036O/RE1410P$	GE/MGD	GE/MGD	68	Shield [®] GD09	GD09	21
$Gl/6406$ $Gl/6406$ 42 $Shield^{\circ}$ GD47 $CD47$ 21 $Gl/F11$ $Gl/F11$ 41 $Shield^{\circ}$ GD52 22 $GR01$ $GR01Y/GR01B/GR01C/GR01P$ 43 $Shield^{\circ}$ GD53 $GD53$ 22 $GR03$ $GR03Y/GR03B/GR03C/GR03P$ 43 SHW SHW SHW SHW $5HW$	GE/MPSS	GE/MPSS	69	Shield® GD13	GD13	21
Gl/F11Gl/F11A1Shield® GDS2 $COS2$ 22 GR01GR01Y/GR01B/GR01PA3Shield® GDS5GDS5 22 GR03GR03Y/GR03B/GR03G/GR03PA3SHWSHW 54 Grip t® 0il CGIO34CB3TGB3 65 Grip t® 0il CSGIOK35Touch E ^{IM} TE0360 44.45 GW11GUKAA5 $30erGloves® Volt Eader ProtectorRE00360/RE1360/RE1360/RE140/RE2360/RE340/RE440/RE2360/RE340/RE440/RE2360/RE340/RE440/RE2360/RE340/RE440/47GWH2GWH2GW30erGloves® Volt Leather ProtectorREPRO47GWH2AGWH2AG30erGloves® Volt Leather ProtectorREPRO/NB47GWH3GWH3GTigmaserTMLMW12439GWH3GWH3GKBLMBL64GWH4GWH4GKBLMBL64GWH4GWH4GKBLMBL64GWH4GWH3GKBLMBL64GWH4GWH4GKBLMBL64GWH5GWH5GWH5GKBLMBL64GWH5GWH5GWH5GKBLMBL64GWH5GWH5GWH5GKBLMBL64GWH5GWH5GWH5GKBLMBL64GWH5GWH5GWH5GKBLMBL64GWH5GWH5GWH5GKBLKBA$	GH300 S Grip	GH300	30	Shield® GD19	GD19	16
GR01GR01Y/GR01B/GR01G/GR01P43Shiele® GDS5GDS522GR03GR03Y/GR03B/GR03G/GR03P43SHWSHW54Grip 1e® 0il QGO34CB3TCB3TCB365Grip 1e® 0il QSGOK35Touch-E ^{MA} TE036044-45Grip 1e® 0il QSGOKA35Touch-E ^{MA} TE0360/RE1360/RE1360/RE1340/RE1441/44-45Grip 1e® 0il QL EGOKA35SuperGloves® Volt BagREB0360/RE1360/RE1340/RE340/RE441046GWH2GWH2A61SuperGloves® Volt Leather ProtectorRE-PRO47GWH2AGWH2A61SuperGloves® Volt Leather ProtectorRE-PRO/NB47GWH3GWH361Tigmaster TM LMW12439GWH3GWH361WBLMBL64GWH4GWH461WBLMBL64GWH5GWH561Weldmaster TM LW9339	GI/6406	GI/6406	42	Shield® GD47	GD47	21
GR03GR03Y / GR03B / GR03G / GR03P43SHWSHWSHW54Gr0 trGl034CB3TCB3GC65Grip tr° 0il CtGl0K35Touch E ^{IM} TE036044-45Grip tr° 0il Cut EGl0KX35 $_{0uper Gloves^{0} Volt Easter Volt Easter Volt Easter Velt Ea$	GI/F11	GI/F11	41	Shield® GD52	GD52	22
Grip lt ⁶ Oil GOO 34 TGB3 TGB3 TGB3 65 Grip lt ⁶ Oil Cd5 GIOK 35 Toch-E TM TE0360 44-45 Grip lt ⁶ Oil Cdt E GIOKX 35 Toch-E TM TE0360 / RE0360 / RE1360 / RE1340 / RE0460 / RE1340 / RE0460 / RE0360 / RE1340 / RE0460 / RE0360 / RE1340 / RE0460	GR01	GR01Y / GR01B / GR01G / GR01P	43	Shield® GD55	GD55	22
Grip te ⁶ Oil C5GIOK35Touch-E ^M TE036044-45Grip te ⁶ Oil Cut EGIOKX35 $SuperGloves® Volt$ RE00360 / RE0360 / RE1360 / RE1410 / RE2360 / RE3410 / RE441046GWH1GWH162SuperGloves [®] Volt BagREBAG47GWH2GWH261SuperGloves [®] Volt Leather ProtectorRE-PRO47GWH2AGWH2A61SuperGloves [®] Volt Leather ProtectorRE-PRO/NB47GWH3GWH361Tigmaster ^M LMW12439GWH4GWH461WBLWBL64GWH5GWH561Weldmaster ^M LW9339	GR03	GR03Y / GR03B / GR03G / GR03P	43	SIHW	SIHW	54
Grip le® Oil Cut EGIOKX35SuperGloves® VoltRE00360 / RE0360 / RE1360 / RE1410 / RE2360 / RE3410 / RE441046GWH1GWH162SuperGloves® Volt BagREBAG47GWH2GWH261SuperGloves® Volt Leather ProtectorRE-PRO47GWH2AGWH2A61SuperGloves® Volt Leather ProtectorRE-PRO/NB47GWH3GWH361Tigmaster™LMW12439GWH4GWH461WBLWBL64GWH5GWH561Weldmaster™LW9339	Grip It® Oil	GIO	34	TCB3	TCB3	65
GWH1 GWH1 GWH1 62 GWH2 GWH2 61 SuperCloves® Volt Bag REBAG 47 GWH2A GWH2A 61 SuperCloves® Volt Leather Protector RE-PRO 47 GWH2A GWH2A 61 SuperCloves® Volt Leather Protector RE-PRO/NB 47 GWH3 GWH3 61 Tigmaster™ LMW124 39 GWH4 GWH4 61 WBL WBL 64 GWH5 GWH5 61 Weldmaster™ LW93 39				Touch-E [™]		44-45
GWH1 GWH1 GW GWH2 GWH2 SuperGloves® Volt Bag REBAG 47 GWH2A GWH2A GW SuperGloves® Volt Leather Protector RE-PRO A7 GWH2ROLL GWH2ROLL GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH3 GWH3 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH4 GWH3 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH4 GWH3 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH3 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH4 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH4 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH4 GWH3 GH SuperGloves® Volt Leather Protector RE-PRO/NB 47 GWH4 GWH3 GH WBL GM 47 GWH4 GWH3 GH WBL GM 47 GWH4 GWH3 GH WBL 47 GWH4 GWH3 <th< td=""><td></td><td></td><td></td><td>SuperGloves[®] Volt</td><td></td><td>46</td></th<>				SuperGloves [®] Volt		46
GWH2GWH2GWH2GGWH2AGWH2AGSuperGloves® Volt Leather ProtectorRE-PRO47GWH2ROLLGWH3GHSuperGloves® Volt Leather ProtectorRE-PRO/NB47GWH3GWH3GHTigmaster™LMW12439GWH4GWH4GHWBLWBL64GWH5GWH5GHVeldmaster™LW9339				SuperGloves® Volt Bag		47
GWH2AGWH2AGWGWH2ROLLGWH2ROLL61SuperCloves® Volt Leather ProtectorRE-PRO/NB47GWH3GWH361Tigmaster™LMW12439GWH4GWH461WBLWBL64GWH5GWH561Weldmaster™LW9339						
GWH2ROLL GWH2ROLL GI Tigmaster™ LMW124 39 GWH3 GWH3 61 Tigmaster™ LMW124 39 GWH4 GWH4 61 WBL 64 64 GWH5 GWH5 61 Weldmaster™ LW93 39						
GWH3 GWH3 61 WBL WBL 64 GWH4 GWH4 61 WBL 64 64 GWH5 GWH5 61 WBL 1000000000000000000000000000000000000						
Weldmaster™ LW93 39 GWH5 GWH5 61 50						
				Weldmaster™	LW93	39
		GWH5	61	XHDWBL	XHDWBL	64

Work Faster and Safer with Polyco Healthline





#phAMBITION IS POLYCO HEALTHLINE'S JOURNEY TOWARDS A SUSTAINABLE FUTURE WHICH SUPPORTS A HEALTHY, THRIVING WORLD AND PROMOTES WELL-BEING FOR US ALL, FOR GENERATIONS TO COME





Head Office South Fen Business Park South Fen Road Bourne, Lincolnshire, PE10 ODN



www.polycohealthline.com | Tel: 0333 320 8550 | E: customer.services@polycohealthline.com This catalogue is made of recycled paper