

PRODUCT INFORMATION

Item Number	882BK
Product Colour	Black
Size Range	6-10
Primary Coating Polymer	Polyurethane
Grip	Polyurethane Coating
Cut Score	C

FEATURES

Lining: The 15 gauge liner has been specifically developed to ensure the most comfortable & secure feeling glove possible

Abrasion Resistant: Thin polyurethane coating in combination with the special fibre delivers great EN388 abrasion performance for extended glove life and reduced cost of ownership

Cut Resistant: Achieves cut level C according to EN388, for protection in high risk cut hazard applications.

Environmental: The liner is made from bio-based Dyneema® yarn (sustainable share allocated by mass balancing*). The bio-based content in the liner constitutes a minimum of 50% of the total glove weight.
Packed without the use of plastic; reducing the overall weight of packaging

Colour: The black coating and liner hides dirt and contaminants to ensure that gloves are not discarded prematurely

Cut Resistant: Fine Dyneema® yarn offers superior cut resistance for a lightweight glove

Primary Coating Polymer: Polyurethane

SECTORS

Automotive • Construction & Utility • Engineering and Manufacturing • Oil, Gas & Renewables • Warehousing, Transport and Logistics • Waste Management and Local authority



STANDARDS



CAUTION

May contain latex in elasticated cuff which can cause allergic reactions, including anaphylactic response.

STORAGE INSTRUCTIONS

Store in dry conditions, away from direct sunlight and extreme heat. You are advised to retain the packaging for reference. Always inspect gloves prior to use and do not use if damaged or showing signs of wear.

DISPOSAL INSTRUCTIONS

Dispose of responsibly and in line with local guidance.

PACKING

12 pairs per paper band
48 pairs per case
60 cases per pallet

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555

Size	Outer Packaging Barcode
6	05010699999375
7	05010699999368
8	05010699999351
9	05010699999344
10	05010699999337

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555