

PRODUCT INFORMATION

Item Number	DFN24
Product Colour	Green/Black
Size Range	6-12
Primary Coating Polymer	Nitrile
Grip	Microfoam Nitrile
Cut Score	F

FEATURES

Liner Technology: 24 gauge seamless knitted liner is the culmination of years of NPD - creating the highest performance with the thinnest yarns possible. It remains soft and comfortable, whilst being our highest gauge yarn ever.

Cut Resistant: Achieves cut level F according to EN388, for protection in the highest risk cut hazard applications DFN24 leads the market as the first 24gg glove engineered to achieve EN388 Cut Level F

Environmental: Gloves supplied in paper bands
Each glove contains a minimum of 10% recycled material (rPET)

Grip: The palm coating is infused with microfoam bubbles increasing resistance to oils and maximising grip in wet and oily handling environments

Abrasion Resistant: Achieves Level 3 for abrasion resistance as defined by European Standard EN388

Unique Feature: Flat nitrile reinforcement between the thumb and forefinger offers additional protection in an area that is highly susceptible to wear and tear
Tactile touchscreen compatible fingertips enable the wearer to use touch screen machinery or touch screen devices with precision and without the need to remove the glove

Primary Coating Polymer: Nitrile

SECTORS

Automotive • Construction and Utility • Engineering and Manufacturing • Oil, Gas, and Renewables



STANDARDS

EN 388 Protective gloves against Mechanical Risks
EN ISO 21420:2020 Protective gloves: General requirements



PPE CAT II



3X31F



STORAGE INSTRUCTIONS

Store in dry conditions, away from direct sunlight and extreme heat. It is recommended to retain the packaging for reference. Always inspect gloves prior to use and do not use if damaged or showing signs of wear and tear.

DISPOSAL INSTRUCTIONS

Dispose of the product responsibly in accordance with local regulations.

PACKING

1 pair per paper band
12 pairs per paper band bundle
48 pairs per case

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555

Size	Outer Packaging Barcode
6	05010699997760
7	05010699997753
8	05010699997746
9	05010699997739
10	05010699997722
11	05010699997715
12	05010699997708

For further technical information, please contact Customer Services on 0333 320 8550 or the Technical team on 0333 320 8555